FUJIFILM TECHNICAL BULLETIN

Bulletin Number: TB822767 Effective: March 2010 Replaces Bulletin Dated: February 2004

EC RA LR P2-R Bleach Fix & Replenisher

For Processing Fujicolor CA and Process RA-4 Compatible Color Papers



Catalog number: 600005292 (10 Gal)

DESCRIPTION

This product is a low replenishment rate bleach fix for Process RA-4. This product is intended for use in all processor equipment having medium to high production volumes.

SAFE HANDLING INSTRUCTIONS

Please refer to Material Safety Data Sheets (MSDS) for specific chemical details. For emergencies, please contact CHEMTREC at 1-800-424-9300. You can obtain an MSDS by calling the Fujifilm Technical Hotline at 1-800-526-0851 Ext. 10.

HMIS INFORMATION

Hazardous Materials Identification System. Please refer to Section 3 in the MSDS for further information.

	Concentrate		Repl.	Working
	Pt. A	Pt. B	Tank	Tank
Health	1	1	1	1
Flammability	0	0	0	0
Reactivity	0	0	0	0
Personal Protection	С	С	С	С

SPECS & RECOMMENDATIONS

Temperature	32° – 38° C 90° – 100° F
Processing Time	45"
Starting Replenishment Rate	54 ml / m² 5 ml / ft²

SPECIFIC GRAVITY & pH

	рН @	SpG @	SpG @
	25° С	20° C	35° C
Replenisher	5.60 ±	1.129 ±	1.122 ±
Tank	0.10	0.005	0.005
Fresh	5.80 ±	1.067 ±	1.060 ±
Tank	0.10	0.005	0.005
Seasoned	6.90 ±	1.107 ±	1.100 ±
Tank	0.30	0.020	0.020

MIXING INSTRUCTIONS – REPLENISHER

R	Water 95° – 105° F	Concentrate		
n	(35° – 41° C)	Part A	Part B	
10 Gallons		2.5 G	2 G	
To Gallolis	5.5 G	(1 Bottle)	(1 Bottle)	
1 Liter	550 ml	250 ml	200 ml	
1 Gallon	70.4 oz	32 oz	25.6 oz	

MIXING INSTRUCTIONS – WORKING TANK

W	Warm Water	Bleach Fix Replenisher	
1 Liter	500 ml	500 ml	
1 Gallon	64 oz	64 oz	
Tank Volume			
YOUR TANK			

To calculate the amount of water and bleach fix replenisher that you will need, multiply your tank volume by each of the numbers listed, in either liters or gallons. For example, if you have a 100 liter tank, 100x500 ml = 50 liters of water and 100x500 ml = 50 liters of bleach fix replenisher.

1000 ml = 1 liter 128 oz = 1 gallon

SHELF LIFE

	Concentrate			Working
	Part A	Part B	Repl.	Tank
Time	U = 18 Months O = 8 Weeks	U = 18 Months O = 8 Weeks	4 Weeks	1 Week
Color	Clear, Colorless	Clear, Dark Amber	Clear, Dark Amber	Clear, Dark Amber
Odor	Slight Sulfur	No Odor	No Odor	No Odor

U = Unopened, O = Opened

The data contained in this photographic bulletin is believed to be true and accurate, but is offered solely for your consideration, investigation, and verification. Nothing herein shall be construed to be a warranty or guarantee by either FUJIFILM HUNT Chemicals or any of its affiliates, and all such warranties, implied or otherwise, including any implied warranty of merchantability, are hereby expressly disclaimed. You, of course, are fully responsible for any use and / or domestic or foreign sale of the product(s) described, and nothing in this photographic bulletin shall be construed to constitute permission or a recommendation to practice any invention covered by patent or patent application or know-how owned by FUJFILM, its affiliates, or others.