

## PRO6 Color Developer Replenisher

For Processing Fujichrome and Process E-6 Compatible Color Reversal Films



### Catalog Number: 600005460 (2 x 10 L)

#### DESCRIPTION

This product is a Process E-6 color developer replenisher. The product is designed for use in all equipment processing color reversal films compatible with Process E-6.

#### SAFE HANDLING INSTRUCTIONS

Please refer to Material Safety Data Sheets (MSDS) for specific chemical details. For emergencies, please contact CHEMTREC at 1-800-424-9300. You can obtain an MSDS by calling the Fujifilm Technical Hotline at 1-800-526-0851 Ext. 10.

#### HMIS INFORMATION

Hazardous Materials Identification System. Please refer to Section 3 in the MSDS for further information.

	Concentrate		Replenisher	Working Tank
	Pt A	Pt B		
Health	3	3	1	1
Flammability	0	0	0	0
Reactivity	0	0	0	0
Personal Protection	C	C	C	C

#### SPECS & RECOMMENDATIONS

Temperature <sup>1</sup>	38° ± 1.3° C 100.4° ± 2.0° F		
Processing Time <sup>2</sup>	6'00" Spec (5'00"- 7'00" Spread)		
Starting Replenishment Rate	per ft <sup>2</sup>	200 ml	
	per m <sup>2</sup>	2152 ml	
	per roll 135-24	84 ml	
	per roll 120	109 ml	
	per roll 220	218 ml	
per 4x5	27.8 ml		

- Once the operating temperature is set, the temperature tolerance should not exceed ±0.2° C.
- Once the processing time is set, the operating time should not vary unless the sensitometric results require adjustment.

#### SPECIFIC GRAVITY & pH

	pH @ 25° C	SpG @ 25° C	SpG @ 38° C
Replenisher Tank	12.25 ± 0.05	1.036 ± 0.003	1.033 ± 0.003
Fresh Tank	11.90 ± 0.05	1.037 ± 0.003	1.034 ± 0.003
Seasoned Tank	11.90 ± 0.05	1.036 ± 0.003	1.033 ± 0.003

#### MIXING INSTRUCTIONS – REPLENISHER

R	Water 68° – 86° F (20° – 30° C)	Concentrate	
		Part A	Part B
10 Liters	6.0 L	2.0 L 1 Bottle	2.0 L 1 Bottle
1 Liter	600 ml	200 ml	200 ml
1 Gallon	76.8 oz	25.6 oz	25.6 oz

To Mix 10 Liters of Replenisher:

- Start with 5.5 liters of warm water.
- Add 1 bottle of part A concentrate. Rinse bottle with 250 ml of water and add to mix tank. Mix using 20 strokes.
- Add 1 bottle of part B concentrate. Rinse bottle with 250 ml of water and add to mix tank. Mix using 20 strokes or until uniform.

**Do Not Over Mix**

#### MIXING INSTRUCTIONS – WORKING TANK

W	Warm Water	Starter (60005443)	Developer Replenisher
1 Liter	100 ml	5 ml	900 ml
1 Gallon	12.8 oz	0.64 oz	115.2 oz
Tank Volume			
YOUR TANK			

To calculate the amount of water, developer replenisher and starter that you will need, multiply your tank volume by each of the numbers listed, in either liters or gallons. For example, if you have a 10 liter tank, 10x100 ml = 1 liter of water, 10x5 ml = 50 ml of developer starter and 10x900 ml = 9 liters of developer replenisher.

1000 ml = 1 liter 128 oz = 1 gallon

**FOR BLENDER SETTINGS AND ADDITIONAL REPLENISHMENT RATES, PLEASE REFER TO BULLETIN PRO6 PROCESS SPECIFICATIONS**

#### SHELF LIFE

	Concentrate		Mixed Repl.	Working Tank
	Part A	Part B		
Time	U= 18 Months O=8 Weeks	U= 18 Months O=8 Weeks	4 Weeks	2 Weeks
Color	Clear, Pale Yellow	Clear, Pale Amber	Clear, Pale Yellow	Clear, Pale Yellow
Odor	Mild Odor	Slight Sulfur	No Odor	No Odor

U = Unopened, O = Opened

The data contained in this photographic bulletin is believed to be true and accurate, but is offered solely for your consideration, investigation, and verification. Nothing herein shall be construed to be a warranty or guarantee by either FUJIFILM Hunt Chemicals, Inc. or any of its affiliates, and all such warranties, implied or otherwise, including any implied warranty of merchantability, are hereby expressly disclaimed. You, of course, are fully responsible for any use and / or domestic or foreign sale of the product(s) described, and nothing in this photographic bulletin shall be construed to constitute permission or a recommendation to practice any invention covered by patent or patent application or know-how owned by FUJIFILM, its affiliates, or others.