



CP RA 100 Developer Regenerator

For Processing Fujicolor CA and Process RA-4 Compatible Color Papers

600005278 Part A /600005279 Part B /600005281 Part C (150 G)

DESCRIPTION

This developer is formulated to regenerate CP RA 100 developer overflow. No pretreatment of the developer overflow is necessary prior to regeneration.

SAFE HANDLING INSTRUCTIONS

Please refer to Material Safety Data Sheets (MSDS) for specific chemical details. For emergencies, please contact CHEMTREC at 1-800-424-9300. You can obtain an MSDS by calling the Fujifilm Technical Hotline at 1-800-526-0851 Ext. 10.

HMS INFORMATION

Hazardous Materials Identification System. Please refer to Section 3 in the MSDS for further information.

	Concentrate			Repl.	Working Tank
	Pt. A	Pt. B	Pt. C		
Health	1	3	3	1	1
Flammability	2	0	0	0	0
Reactivity	0	0	0	0	0
Personal Protection	C	C	C	C	C

SPECS & RECOMMENDATIONS

Temperature	37.8° ± 0.3° C 100° ± 0.5° F
Processing Time	45"
Starting Replenishment Rate	118 - 161 ml / m ² 11 - 15 ml / ft ²

SPECIFIC GRAVITY & pH

	pH @ 25° C	SpG @ 20° C	SpG @ 37.8° C
Replenisher Tank (Regen)	10.83 ± 0.05	1.037 ± 0.005	1.031 ± 0.005
Fresh Tank	10.25 ± 0.05	1.027 ± 0.005	1.021 ± 0.005
Seasoned Tank	10.20 ± 0.05	1.040 ± 0.005	1.034 ± 0.005

MIXING INSTRUCTIONS – TO REGENERATE CP RA 100 DEVELOPER OVERFLOW

REG	Dev. Overflow	Warm Water	Regenerator Concentrate		
			Part A	Part B	Part C
150 Gallons	82.5 G	56.25 G	3.75 G	3.75 G	3.75 G
1 Liter	550 ml	375 ml	25 ml	25 ml	25 ml
1 Gallon	70.4 oz	48 oz	3.2 oz	3.2 oz	3.2 oz

To Mix 150 Gallons of Regenerated Replenisher:

1. Start with 82.5 gallons of developer overflow.
2. Add 56.25 gallons of warm water. Mix 1 minute.
3. Add 3.75 gallons of Part A. Mix 2-3 minutes.
4. Add 3.75 gallons of Part B. Mix 2-3 minutes.
5. Add 3.75 gallons of Part C. Mix 2-3 minutes.
6. Adjust pH and specific gravity to replenisher specifications.
7. Continue mixing until completely uniform.

MIXING INSTRUCTIONS – WORKING TANK

W	Warm Water	Starter (600005405)	Developer Replenisher
1 Liter	320 ml	80 ml	600 ml
1 Gallon	40.96 oz	10.24 oz	76.8 oz
Tank Volume			
YOUR TANK			

(SEE PAGE 2 ON HOW TO USE REGENERATION CONCENTRATES TO MAKE FRESH REPLENISHER)

1000 ml = 1 liter 128 oz = 1 gallon

SHELF LIFE

	Concentrate			Repl.	Working Tank
	Pt. A	Pt. B	Pt. C		
Time	U = 24 Months O = 16 Weeks	U = 18 Months O = 8 Weeks	U = 24 Months O = 16 Weeks	4 Weeks	2 Weeks
Color	Clear, Yellowish-Orange	Clear, Amber	Clear, Colorless	Clear, Pale Yellow	Clear, Pale Yellow
Odor	Amine	Sulfur Dioxide	No Odor	Slight Amine	Slight Amine

U = Unopened, O = Opened

The data contained in this photographic bulletin is believed to be true and accurate, but is offered solely for your consideration, investigation, and verification. Nothing herein shall be construed to be a warranty or guarantee by either FUJIFILM Hunt Chemicals, Inc. or any of its affiliates, and all such warranties, implied or otherwise, including any implied warranty of merchantability, are hereby expressly disclaimed. You, of course, are fully responsible for any use and / or domestic or foreign sale of the product(s) described, and nothing in this photographic bulletin shall be construed to constitute permission or a recommendation to practice any invention covered by patent or patent application or know-how owned by FUJIFILM, its affiliates, or others.

**TO MAKE REPLENISHER FROM
REGENERATION CONCENTRATES
(Cat # 600005278, 600005279, 600005281)**

	Water	Concentrate			Starter 600005405
		Part A	Part B	Part C	
1 Liter	785 ml	56 ml	38 ml	41 ml	80 ml
1 Gallon	100.6 oz	7.2 oz	4.9 oz	5.3 oz	10 oz

1 CUBE PART A WILL MAKE 67 GALS REPLENISHER

1 CUBE PART B WILL MAKE 98.7 GALS REPLENISHER

1 CUBE PART C WILL MAKE 91.5 GALS REPLENISHER