

06.05.21

Declaration of conformity (CE)

We, FUJIFILM Recording Media GmbH at Fujistr.1, 47533 Kleve, Germany declare under our own responsibility that the product:

- LTO Ultrium 1 DATA CARTRIDGE

to which this declaration refers conforms with the relevant standards or other standardizing documents:

Standard	Description
EN 62368-1:2014/A11:2017	Information technology equipment – Safety – Part 1: General requirements
EN 301 489-1 V2.2.3:2019	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements
EN 301 489-3 V2.1.1:2019	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz
EN 300 330 V2.1.1:2017	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU
EN 50364:2010	Limitation of human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN 63000:2018	RoHS2 Directive : 2011/65/EU + (EU) 2015/863

according to the regulation in EEA Directive 2014/53/EU

Kleve, 6th May 2021

Wolfgang May
Managing Director
FUJIFILM Recording Media GmbH

06.05.21

Declaration of conformity (CE)

We, FUJIFILM Recording Media GmbH at Fujistr.1, 47533 Kleve, Germany declare under our own responsibility that the product:

- LTO Ultrium 2 DATA CARTRIDGE

to which this declaration refers conforms with the relevant standards or other standardizing documents:

Standard	Description
EN 62368-1:2014/A11:2017	Information technology equipment – Safety – Part 1: General requirements
EN 301 489-1 V2.2.3:2019	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements
EN 301 489-3 V2.1.1:2019	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz
EN 300 330 V2.1.1:2017	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU
EN 50364:2010	Limitation of human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN 63000:2018	RoHS2 Directive : 2011/65/EU + (EU) 2015/863

according to the regulation in EEA Directive 2014/53/EU

Kleve, 6th May 2021

Wolfgang May
Managing Director
FUJIFILM Recording Media GmbH

06.05.21

Declaration of conformity (CE)

We, FUJIFILM Recording Media GmbH at Fujistr.1, 47533 Kleve, Germany declare under our own responsibility that the product:

- LTO Ultrium 3 DATAWORM CARTRIDGE

to which this declaration refers conforms with the relevant standards or other standardizing documents:

Standard	Description
EN 62368-1:2014/A11:2017	Information technology equipment – Safety – Part 1: General requirements
EN 301 489-1 V2.2.3:2019	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements
EN 301 489-3 V2.1.1:2019	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz
EN 300 330 V2.1.1:2017	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU
EN 50364:2010	Limitation of human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN 63000:2018	RoHS2 Directive : 2011/65/EU + (EU) 2015/863

according to the regulation in EEA Directive 2014/53/EU

Kleve, 6th May 2021

Wolfgang May
Managing Director
FUJIFILM Recording Media GmbH

06.05.21

Declaration of conformity (CE)

We, FUJIFILM Recording Media GmbH at Fujistr.1, 47533 Kleve, Germany declare under our own responsibility that the product:

- LTO Ultrium 4 DATAWORM CARTRIDGE

to which this declaration refers conforms with the relevant standards or other standardizing documents:

Standard	Description
EN 62368-1:2014/A11:2017	Information technology equipment – Safety – Part 1: General requirements
EN 301 489-1 V2.2.3:2019	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements
EN 301 489-3 V2.1.1:2019	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz
EN 300 330 V2.1.1:2017	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU
EN 50364:2010	Limitation of human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN 63000:2018	RoHS2 Directive : 2011/65/EU + (EU) 2015/863

according to the regulation in EEA Directive 2014/53/EU

Kleve, 6th May 2021

Wolfgang May
Managing Director
FUJIFILM Recording Media GmbH

06.05.21

Declaration of conformity (CE)

We, FUJIFILM Recording Media GmbH at Fujistr.1, 47533 Kleve, Germany declare under our own responsibility that the product:

- LTO Ultrium 5 DATAWORM CARTRIDGE

to which this declaration refers conforms with the relevant standards or other standardizing documents:

Standard	Description
EN 62368-1:2014/A11:2017	Information technology equipment – Safety – Part 1: General requirements
EN 301 489-1 V2.2.3:2019	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements
EN 301 489-3 V2.1.1:2019	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz
EN 300 330 V2.1.1:2017	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU
EN 50364:2010	Limitation of human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN 63000:2018	RoHS2 Directive : 2011/65/EU + (EU) 2015/863

according to the regulation in EEA Directive 2014/53/EU

Kleve, 6th May 2021

Wolfgang May
Managing Director
FUJIFILM Recording Media GmbH

06.05.21

Declaration of conformity (CE)

We, FUJIFILM Recording Media GmbH at Fujistr.1, 47533 Kleve, Germany declare under our own responsibility that the product:

- LTO Ultrium 6 DATAWORM CARTRIDGE

to which this declaration refers conforms with the relevant standards or other standardizing documents:

Standard	Description
EN 62368-1:2014/A11:2017	Information technology equipment – Safety – Part 1: General requirements
EN 301 489-1 V2.2.3:2019	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements
EN 301 489-3 V2.1.1:2019	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz
EN 300 330 V2.1.1:2017	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU
EN 50364:2010	Limitation of human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN 63000:2018	RoHS2 Directive : 2011/65/EU + (EU) 2015/863

according to the regulation in EEA Directive 2014/53/EU

Kleve, 6th May 2021

Wolfgang May
Managing Director
FUJIFILM Recording Media GmbH

06.05.21

Declaration of conformity (CE)

We, FUJIFILM Recording Media GmbH at Fujistr.1, 47533 Kleve, Germany declare under our own responsibility that the product:

- LTO Ultrium 7 DATAWORM CARTRIDGE

to which this declaration refers conforms with the relevant standards or other standardizing documents:

Standard	Description
EN 62368-1:2014/A11:2017	Information technology equipment – Safety – Part 1: General requirements
EN 301 489-1 V2.2.3:2019	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements
EN 301 489-3 V2.1.1:2019	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz
EN 300 330 V2.1.1:2017	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU
EN 50364:2010	Limitation of human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN 63000:2018	RoHS2 Directive : 2011/65/EU + (EU) 2015/863

according to the regulation in EEA Directive 2014/53/EU

Kleve, 6th May 2021

Wolfgang May
Managing Director
FUJIFILM Recording Media GmbH

06.05.21

Declaration of conformity (CE)

We, FUJIFILM Recording Media GmbH at Fujistr.1, 47533 Kleve, Germany declare under our own responsibility that the product:

- LTO Ultrium 8 DATAWORM CARTRIDGE

to which this declaration refers conforms with the relevant standards or other standardizing documents:

Standard	Description
EN 62368-1:2014/A11:2017	Information technology equipment – Safety – Part 1: General requirements
EN 301 489-1 V2.2.3:2019	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements
EN 301 489-3 V2.1.1:2019	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz
EN 300 330 V2.1.1:2017	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU
EN 50364:2010	Limitation of human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN 63000:2018	RoHS2 Directive : 2011/65/EU + (EU) 2015/863

according to the regulation in EEA Directive 2014/53/EU

Kleve, 6th May 2021

Wolfgang May
Managing Director
FUJIFILM Recording Media GmbH

06.05.21

Declaration of conformity (CE)

We, FUJIFILM Recording Media GmbH at Fujistr.1, 47533 Kleve, Germany declare under our own responsibility that the product:

- LTO Ultrium Universal Cleaning Cartridge

to which this declaration refers conforms with the relevant standards or other standardizing documents:

Standard	Description
EN 62368-1:2014/A11:2017	Information technology equipment – Safety – Part 1: General requirements
EN 301 489-1 V2.2.3:2019	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements
EN 301 489-3 V2.1.1:2019	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz
EN 300 330 V2.1.1:2017	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU
EN 50364:2010	Limitation of human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN 63000:2018	RoHS2 Directive : 2011/65/EU + (EU) 2015/863

according to the regulation in EEA Directive 2014/53/EU

Kleve, 6th May 2021

Wolfgang May
Managing Director
FUJIFILM Recording Media GmbH

06.05.21

Declaration of conformity (CE)

We, FUJIFILM Recording Media GmbH at Fujistr.1, 47533 Kleve, Germany declare under our own responsibility that the product:

- 3592 DATA CARTRIDGE
- 3592 WORM CARTRIDGE
- 3592 ECONOMY CARTRIDGE
- 3592 ECONOMY WORM CARTRIDGE
- 3592 CLEANING TAPE CARTRIDGE

to which this declaration refers conforms with the relevant standards or other standardizing documents:

Standard	Description
EN 62368-1:2014/A11:2017	Information technology equipment – Safety – Part 1: General requirements
EN 301 489-1 V2.2.3:2019	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements
EN 301 489-3 V2.1.1:2019	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz
EN 300 330 V2.1.1:2017	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU
EN 50364:2010	Limitation of human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN 63000:2018	RoHS2 Directive : 2011/65/EU + (EU) 2015/863

according to the regulation in EEA Directive 2014/53/EU

Kleve, 6th May 2021

Wolfgang May
Managing Director
FUJIFILM Recording Media GmbH