

TECHMARK GSO

Fujifilm Formulation Guide

Version 2.0 SMS Base Colors

Techmark GSO

Fujifilm Formulation Guide

This booklet furnishes the necessary formulas to simulate all the colors in the PANTONE® Color Guide. Predictive simulations were performed via a spectrophotometer simulating Cool White Florescent (CWF) lighting, ink deposit of 380 PW on white substrate.

All formulas are presented by weight. However, due to variations in ink film thickness, screen mesh, and other variables, some formulas may need adjustments.

Each IMS Base Color has been carefully selected for its cleanliness of tone, resistance to fading, and suitability for intermixing. In addition, each ink has been formulated to be free of lead and other heavy metals.

Although every care is taken in producing these formulations, variations in substrates and printing conditions may affect the color achieved. Fujifilm assumes no responsibility for actual color achieved versus the Pantone standard print. For this reason, all formulations must be proofed prior to a production run to ensure color accuracy.

All formulations are percentages by weight using the following TechMark GSO Series IMS colors:

| DESCRIPTION | |
|-----------------------|----------------------|
| GSO-064 IMS Yellow GS | GSO-230 IMS Blue GS |
| GSO-066 IMS Yellow RS | GSO-233 IMS Blue RS |
| GSO-114 IMS Orange | GSO-325 IMS Green |
| GSO-121 IMS Red YS | GSO-SW Shading Black |
| GSO-127 IMS Violet | GSO-TW Tinting White |
| GSO-164 IMS Red BS | GSO-MX Mixing Clear |
| GSO-165 IMS Magenta | |

Fujifilm's color mixing ink formulations for screen process printing produce only simulations of PANTONE Colors in this color reproduction method due to differences in ink film, opacity and pigment selection. The selection used in blending inks may cause metamerism. Pantone, Inc. assumes no responsibility for formula accuracy.

*PANTONE® is the property of Pantone Inc.

Techmark GSO

| | |
|-----------------------------|---------|
| Starting Point Yellow C | Formula |
| GSO-064 99.12 | |
| GSO-066 0.88 | |

| | |
|--------------------------------|---------|
| Starting Point Yellow 012 C | Formula |
| GSO-064 88.25 | |
| GSO-TW 4.35 | |
| GSO-066 7.40 | |

| | |
|--------------------------------|---------|
| Starting Point Orange 021 C | Formula |
| GSO-114 87.85 | |
| GSO-TW 12.15 | |

| | |
|------------------------------|---------|
| Starting Point Warm Red C | Formula |
| GSO-114 40.98 | |
| GSO-121 36.17 | |
| GSO-TW 22.85 | |

| | |
|-----------------------------|---------|
| Starting Point Red 032 C | Formula |
| GSO-121 74.84 | |
| GSO-TW 16.06 | |
| GSO-164 9.10 | |

| | |
|--------------------------------|---------|
| Starting Point Rubine Red C | Formula |
| GSO-165 85.63 | |
| GSO-121 14.37 | |

| | |
|-----------------------------------|---------|
| Starting Point Rhodamine Red C | Formula |
| GSO-165 100.00 | |

| | |
|-----------------------------|---------|
| Starting Point Purple C | Formula |
| GSO-165 97.15 | |
| GSO-230 2.85 | |

| | |
|-----------------------------|---------|
| Starting Point Violet C | Formula |
| GSO-233 86.86 | |
| GSO-127 13.14 | |

| | |
|------------------------------|---------|
| Starting Point Blue 072 C | Formula |
| GSO-233 100.00 | |

| | |
|---------------------------------|---------|
| Starting Point Reflex Blue C | Formula |
| GSO-230 74.32 | |
| GSO-127 25.68 | |

| | |
|----------------------------------|---------|
| Starting Point Process Blue C | Formula |
| GSO-TW 54.93 | |
| GSO-230 45.07 | |

| | |
|-----------------------------|---------|
| Starting Point Green C | Formula |
| GSO-325 71.83 | |
| GSO-TW 28.17 | |

| | |
|-----------------------------|---------|
| Starting Point Black C | Formula |
| GSO-SB 70.63 | |
| GSO-114 22.77 | |
| GSO-TW 6.60 | |

| | |
|-----------------------------|---------|
| Starting Point 100 C | Formula |
| GSO-TW 73.83 | |
| GSO-064 26.17 | |

| | |
|-----------------------------|---------|
| Starting Point 101 C | Formula |
| GSO-TW 53.84 | |
| GSO-064 46.16 | |

Techmark GSO

| Starting Point | Formula |
|-----------------------------|---------|
| 102 C | |
| GSO-064 95.99 | |
| GSO-TW 4.01 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 103 C | |
| GSO-064 91.20 | |
| GSO-066 5.23 | |
| GSO-SB 3.57 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 104 C | |
| GSO-064 91.61 | |
| GSO-SB 6.87 | |
| GSO-114 1.52 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 105 C | |
| GSO-064 82.99 | |
| GSO-SB 15.41 | |
| GSO-114 1.60 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 106 C | |
| GSO-064 50.22 | |
| GSO-TW 48.06 | |
| GSO-066 1.72 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 107 C | |
| GSO-064 73.45 | |
| GSO-TW 25.91 | |
| GSO-114 0.64 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 108 C | |
| GSO-064 90.18 | |
| GSO-TW 8.72 | |
| GSO-114 1.10 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 109 C | |
| GSO-064 94.08 | |
| GSO-066 4.67 | |
| GSO-114 1.25 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 110 C | |
| GSO-064 89.84 | |
| GSO-066 8.36 | |
| GSO-127 1.80 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 111 C | |
| GSO-064 76.35 | |
| GSO-066 16.23 | |
| GSO-SB 7.42 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 112 C | |
| GSO-064 84.22 | |
| GSO-SB 12.58 | |
| GSO-114 3.20 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 113 C | |
| GSO-TW 54.64 | |
| GSO-064 44.46 | |
| GSO-114 0.90 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 114 C | |
| GSO-064 59.00 | |
| GSO-TW 39.78 | |
| GSO-114 1.22 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 115 C | |
| GSO-064 70.55 | |
| GSO-TW 27.93 | |
| GSO-114 1.52 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 116 C | |
| GSO-064 83.73 | |
| GSO-TW 13.48 | |
| GSO-114 2.79 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 117 C | |
| GSO-064 90.73 | |
| GSO-114 5.59 | |
| GSO-SB 3.68 | |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 118 C | |
| GSO-064 | 86.35 |
| GSO-SB | 7.74 |
| GSO-114 | 5.91 |

| Starting Point | Formula |
|----------------|--------------|
| 119 C | |
| GSO-064 | 84.53 |
| GSO-233 | 8.72 |
| GSO-164 | 6.75 |

| Starting Point | Formula |
|----------------|--------------|
| 120 C | |
| GSO-TW | 61.58 |
| GSO-064 | 36.69 |
| GSO-114 | 1.73 |

| Starting Point | Formula |
|----------------|--------------|
| 121 C | |
| GSO-TW | 54.12 |
| GSO-064 | 43.87 |
| GSO-114 | 2.01 |

| Starting Point | Formula |
|----------------|--------------|
| 122 C | |
| GSO-064 | 61.03 |
| GSO-TW | 36.13 |
| GSO-114 | 2.84 |

| Starting Point | Formula |
|----------------|--------------|
| 123 C | |
| GSO-064 | 72.66 |
| GSO-TW | 23.13 |
| GSO-114 | 4.21 |

| Starting Point | Formula |
|----------------|--------------|
| 124 C | |
| GSO-064 | 93.50 |
| GSO-114 | 5.65 |
| GSO-127 | 0.85 |

| Starting Point | Formula |
|----------------|--------------|
| 125 C | |
| GSO-064 | 93.11 |
| GSO-114 | 2.59 |
| GSO-127 | 4.30 |

| Starting Point | Formula |
|----------------|--------------|
| 126 C | |
| GSO-064 | 84.89 |
| GSO-SB | 8.59 |
| GSO-121 | 6.52 |

| Starting Point | Formula |
|----------------|--------------|
| 1205 C | |
| GSO.-TW | 83.01 |
| GSO-064 | 15.66 |
| GSO-114 | 1.33 |

| Starting Point | Formula |
|----------------|--------------|
| 1215 C | |
| GSO-TW | 78.48 |
| GSO-064 | 19.94 |
| GSO-114 | 1.58 |

| Starting Point | Formula |
|----------------|--------------|
| 1225 C | |
| GSO-064 | 58.74 |
| GSO-TW | 36.87 |
| GSO-114 | 4.39 |

| Starting Point | Formula |
|----------------|--------------|
| 1235 C | |
| GSO-TW | 20.16 |
| GSO-064 | 72.15 |
| GSO-114 | 7.69 |

| Starting Point | Formula |
|----------------|--------------|
| 1245 C | |
| GSO-064 | 92.87 |
| GSO-114 | 3.95 |
| GSO-127 | 3.18 |

| Starting Point | Formula |
|----------------|--------------|
| 1255 C | |
| GSO-064 | 83.56 |
| GSO-114 | 8.23 |
| GSO-SB | 8.21 |

| Starting Point | Formula |
|----------------|--------------|
| 1265 C | |
| GSO-064 | 68.20 |
| GSO-121 | 20.90 |
| GSO-233 | 10.90 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 127 C | |
| GSO-TW | 66.98 |
| GSO-064 | 31.98 |
| GSO-121 | 1.04 |

| Starting Point | Formula |
|----------------|--------------|
| 128 C | |
| GSO-TW | 49.50 |
| GSO-064 | 48.91 |
| GSO-121 | 1.59 |

| Starting Point | Formula |
|----------------|--------------|
| 129 C | |
| GSO-064 | 65.48 |
| GSO-TW | 32.25 |
| GSO-121 | 2.27 |

| Starting Point | Formula |
|----------------|--------------|
| 130 C | |
| GSO-064 | 93.26 |
| GSO-165 | 4.58 |
| GSO-121 | 2.16 |

| Starting Point | Formula |
|----------------|--------------|
| 131 C | |
| GSO-064 | 91.34 |
| GSO-164 | 5.05 |
| GSO-SB | 3.61 |

| Starting Point | Formula |
|----------------|--------------|
| 132 C | |
| GSO-064 | 87.47 |
| GSO-164 | 7.13 |
| GSO-233 | 5.40 |

| Starting Point | Formula |
|----------------|--------------|
| 133 C | |
| GSO-064 | 76.23 |
| GSO-233 | 13.24 |
| GSO-164 | 10.53 |

| Starting Point | Formula |
|----------------|--------------|
| 134 C | |
| GSO-TW | 65.99 |
| GSO-064 | 30.90 |
| GSO-114 | 3.11 |

| Starting Point | Formula |
|----------------|--------------|
| 135 C | |
| GSO-TW | 53.76 |
| GSO-064 | 41.77 |
| GSO-114 | 4.47 |

| Starting Point | Formula |
|----------------|--------------|
| 136 C | |
| GSO-064 | 58.55 |
| GSO-TW | 35.02 |
| GSO-114 | 6.43 |

| Starting Point | Formula |
|----------------|--------------|
| 137 C | |
| GSO-064 | 80.52 |
| GSO-114 | 11.38 |
| GSO-TW | 8.10 |

| Starting Point | Formula |
|----------------|--------------|
| 138 C | |
| GSO-064 | 80.76 |
| GSO-114 | 17.24 |
| GSO-127 | 2.00 |

| Starting Point | Formula |
|----------------|--------------|
| 139 C | |
| GSO-064 | 75.58 |
| GSO-121 | 19.80 |
| GSO-233 | 4.62 |

| Starting Point | Formula |
|----------------|--------------|
| 140 C | |
| GSO-064 | 76.12 |
| GSO-164 | 12.06 |
| GSO-233 | 11.82 |

| Starting Point | Formula |
|----------------|--------------|
| 1345 C | |
| GSO-TW | 77.72 |
| GSO-064 | 18.26 |
| GSO-114 | 4.02 |

| Starting Point | Formula |
|----------------|--------------|
| 1355 C | |
| GSO-TW | 71.59 |
| GSO-064 | 23.31 |
| GSO-114 | 5.10 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 1365 C | |
| GSO-TW | 45.83 |
| GSO-064 | 45.15 |
| GSO-114 | 9.02 |

| Starting Point | Formula |
|----------------|--------------|
| 1375 C | |
| GSO-064 | 54.94 |
| GSO-TW | 28.61 |
| GSO-114 | 16.45 |

| Starting Point | Formula |
|----------------|--------------|
| 1385 C | |
| GSO-064 | 79.59 |
| GSO-114 | 17.19 |
| GSO-127 | 3.22 |

| Starting Point | Formula |
|----------------|--------------|
| 1395 C | |
| GSO-064 | 68.89 |
| GSO-121 | 24.04 |
| GSO-233 | 7.07 |

| Starting Point | Formula |
|----------------|--------------|
| 1405 C | |
| GSO-064 | 54.64 |
| GSO-121 | 29.20 |
| GSO-233 | 16.16 |

| Starting Point | Formula |
|----------------|--------------|
| 141 C | |
| GSO-TW | 46.59 |
| GSO-064 | 49.51 |
| GSO-165 | 3.90 |

| Starting Point | Formula |
|----------------|--------------|
| 142 C | |
| GSO-064 | 69.66 |
| GSO-TW | 24.62 |
| GSO-165 | 5.72 |

| Starting Point | Formula |
|----------------|--------------|
| 143 C | |
| GSO-064 | 83.76 |
| GSO-TW | 8.55 |
| GSO-165 | 7.69 |

| Starting Point | Formula |
|----------------|--------------|
| 144 C | |
| GSO-064 | 86.03 |
| GSO-165 | 10.25 |
| GSO-164 | 3.72 |

| Starting Point | Formula |
|----------------|--------------|
| 145 C | |
| GSO-064 | 88.22 |
| GSO-164 | 8.76 |
| GSO-SB | 3.02 |

| Starting Point | Formula |
|----------------|--------------|
| 146 C | |
| GSO-064 | 80.49 |
| GSO-SB | 10.95 |
| GSO-164 | 8.56 |

| Starting Point | Formula |
|----------------|--------------|
| 147 C | |
| GSO-064 | 73.83 |
| GSO-233 | 14.41 |
| GSO-164 | 11.76 |

| Starting Point | Formula |
|----------------|--------------|
| 148 C | |
| GSO-TW | 81.55 |
| GSO-064 | 13.59 |
| GSO-114 | 4.86 |

| Starting Point | Formula |
|----------------|--------------|
| 149 C | |
| GSO-TW | 73.19 |
| GSO-064 | 19.62 |
| GSO-114 | 7.19 |

| Starting Point | Formula |
|----------------|--------------|
| 150 C | |
| GSO-TW | 43.25 |
| GSO-064 | 42.87 |
| GSO-114 | 13.88 |

| Starting Point | Formula |
|----------------|--------------|
| 151 C | |
| GSO-064 | 74.02 |
| GSO-121 | 17.71 |
| GSO-114 | 8.27 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 152 C | |
| GSO-064 | 73.63 |
| GSO-121 | 25.21 |
| GSO-325 | 1.16 |

| Starting Point | Formula |
|----------------|--------------|
| 153 C | |
| GSO-064 | 71.35 |
| GSO-121 | 24.78 |
| GSO-233 | 3.87 |

| Starting Point | Formula |
|----------------|--------------|
| 154 C | |
| GSO-064 | 62.74 |
| GSO-121 | 29.05 |
| GSO-233 | 8.21 |

| Starting Point | Formula |
|----------------|--------------|
| 1485 C | |
| GSO-TW | 67.36 |
| GSO-064 | 18.19 |
| GSO-114 | 14.45 |

| Starting Point | Formula |
|----------------|--------------|
| 1495 C | |
| GSO-064 | 39.54 |
| GSO-TW | 32.39 |
| GSO-114 | 28.07 |

| Starting Point | Formula |
|----------------|--------------|
| 1505 C | |
| GSO-064 | 56.25 |
| GSO-114 | 41.18 |
| GSO-165 | 2.57 |

| Starting Point | Formula |
|----------------|--------------|
| 1525 C | |
| GSO-114 | 88.99 |
| GSO-TW | 6.05 |
| GSO-233 | 4.96 |

| Starting Point | Formula |
|----------------|--------------|
| 1535 C | |
| GSO-066 | 57.25 |
| GSO-165 | 33.72 |
| GSO-325 | 9.03 |

| Starting Point | Formula |
|----------------|--------------|
| 1545 C | |
| GSO-064 | 49.79 |
| GSO-SB | 35.04 |
| GSO-114 | 15.17 |

| Starting Point | Formula |
|----------------|--------------|
| 155 C | |
| GSO-TW | 82.83 |
| GSO-064 | 14.28 |
| GSO-165 | 2.89 |

| Starting Point | Formula |
|----------------|--------------|
| 156 C | |
| GSO-TW | 64.20 |
| GSO-064 | 29.91 |
| GSO-165 | 5.89 |

| Starting Point | Formula |
|----------------|--------------|
| 157 C | |
| GSO-064 | 60.97 |
| GSO-TW | 27.33 |
| GSO-165 | 11.70 |

| Starting Point | Formula |
|----------------|--------------|
| 158 C | |
| GSO-064 | 75.25 |
| GSO-165 | 21.59 |
| GSO-121 | 3.16 |

| Starting Point | Formula |
|----------------|--------------|
| 159 C | |
| GSO-064 | 72.18 |
| GSO-165 | 26.23 |
| GSO-SB | 1.59 |

| Starting Point | Formula |
|----------------|--------------|
| 160 C | |
| GSO-064 | 68.36 |
| GSO-165 | 25.18 |
| GSO-SB | 6.46 |

| Starting Point | Formula |
|----------------|--------------|
| 161 C | |
| GSO-064 | 61.70 |
| GSO-SB | 26.75 |
| GSO-164 | 11.55 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 1555 C | |
| GSO-TW | 87.82 |
| GSO-066 | 6.71 |
| GSO-121 | 5.47 |

| Starting Point | Formula |
|----------------|--------------|
| 1565 C | |
| GSO-TW | 75.32 |
| GSO-066 | 15.49 |
| GSO-121 | 9.19 |

| Starting Point | Formula |
|----------------|--------------|
| 1575 C | |
| GSO-TW | 42.26 |
| GSO-066 | 41.64 |
| GSO-121 | 16.10 |

| Starting Point | Formula |
|----------------|--------------|
| 1585 C | |
| GSO-114 | 72.95 |
| GSO-TW | 26.53 |
| GSO-325 | 0.52 |

| Starting Point | Formula |
|----------------|--------------|
| 1595 C | |
| GSO-114 | 76.98 |
| GSO-TW | 21.47 |
| GSO-230 | 1.55 |

| Starting Point | Formula |
|----------------|--------------|
| 1605 C | |
| GSO-064 | 57.48 |
| GSO-121 | 35.33 |
| GSO-233 | 7.19 |

| Starting Point | Formula |
|----------------|--------------|
| 1615 C | |
| GSO-064 | 52.75 |
| GSO-121 | 36.53 |
| GSO-233 | 10.72 |

| Starting Point | Formula |
|----------------|--------------|
| 162 C | |
| GSO-TW | 89.37 |
| GSO-121 | 5.51 |
| GSO-066 | 5.12 |

| Starting Point | Formula |
|----------------|--------------|
| 163 C | |
| GSO-TW | 71.94 |
| GSO.114 | 27.72 |
| GSO-SB | 0.34 |

| Starting Point | Formula |
|----------------|--------------|
| 164 C | |
| GSO-114 | 56.27 |
| GSO-TW | 43.43 |
| GSO-233 | 0.30 |

| Starting Point | Formula |
|----------------|--------------|
| 165 C | |
| GSO-114 | 79.25 |
| GSO-TW | 20.38 |
| GSO-127 | 0.37 |

| Starting Point | Formula |
|----------------|--------------|
| 166 C | |
| GSO-114 | 85.10 |
| GSO-TW | 12.20 |
| GSO-SB | 2.70 |

| Starting Point | Formula |
|----------------|--------------|
| 167 C | |
| GSO-114 | 88.10 |
| GSO-SB | 6.64 |
| GSO-TW | 5.26 |

| Starting Point | Formula |
|----------------|--------------|
| 168 C | |
| GSO-121 | 47.12 |
| GSO-066 | 42.85 |
| GSO-230 | 10.03 |

| Starting Point | Formula |
|----------------|--------------|
| 1625 C | |
| GSO-TW | 81.48 |
| GSO-114 | 13.28 |
| GSO-121 | 5.24 |

| Starting Point | Formula |
|----------------|--------------|
| 1635 C | |
| GSO-TW | 68.42 |
| GSO-114 | 24.06 |
| GSO-121 | 7.52 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 1645 C | |
| GSO-114 | 54.63 |
| GSO-TW | 42.46 |
| GSO-164 | 2.91 |

| Starting Point | Formula |
|----------------|--------------|
| 1655 C | |
| GSO-114 | 77.29 |
| GSO-TW | 17.86 |
| GSO-165 | 4.85 |

| Starting Point | Formula |
|----------------|--------------|
| 1665 C | |
| GSO-114 | 84.65 |
| GSO-TW | 13.04 |
| GSO-127 | 2.31 |

| Starting Point | Formula |
|----------------|--------------|
| 1675 C | |
| GSO-064 | 52.43 |
| GSO-121 | 41.49 |
| GSO-233 | 6.08 |

| Starting Point | Formula |
|----------------|--------------|
| 1685 C | |
| GSO-121 | 47.55 |
| GSO-066 | 44.66 |
| GSO-230 | 7.79 |

| Starting Point | Formula |
|----------------|--------------|
| 169 C | |
| GSO-TW | 92.21 |
| GSO-114 | 5.32 |
| GSO-164 | 2.47 |

| Starting Point | Formula |
|----------------|--------------|
| 170 C | |
| GSO-TW | 70.44 |
| GSO-121 | 16.50 |
| GSO-114 | 13.06 |

| Starting Point | Formula |
|----------------|--------------|
| 171 C | |
| GSO-114 | 42.13 |
| GSO-TW | 35.93 |
| GSO-121 | 21.94 |

| Starting Point | Formula |
|----------------|--------------|
| 172 C | |
| GSO-114 | 75.31 |
| GSO-TW | 17.84 |
| GSO-164 | 6.85 |

| Starting Point | Formula |
|----------------|--------------|
| 173 C | |
| GSO-114 | 79.35 |
| GSO-TW | 17.24 |
| GSO-127 | 3.41 |

| Starting Point | Formula |
|----------------|--------------|
| 174 C | |
| GSO-121 | 46.26 |
| GSO-064 | 46.18 |
| GSO-233 | 7.56 |

| Starting Point | Formula |
|----------------|--------------|
| 175 C | |
| GSO-165 | 43.62 |
| GSO-066 | 42.56 |
| GSO-325 | 13.82 |

| Starting Point | Formula |
|----------------|--------------|
| 176 C | |
| GSO-TW | 91.91 |
| GSO-164 | 5.71 |
| GSO-114 | 2.38 |

| Starting Point | Formula |
|----------------|--------------|
| 177 C | |
| GSO-TW | 72.02 |
| GSO-121 | 27.98 |

| Starting Point | Formula |
|----------------|--------------|
| 178 C | |
| GSO-121 | 55.35 |
| GSO-TW | 39.88 |
| GSO-114 | 4.77 |

| Starting Point | Formula |
|----------------|--------------|
| 179 C | |
| GSO-114 | 58.96 |
| GSO-TW | 21.66 |
| GSO-165 | 19.38 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 180 C | |
| GSO-114 | 72.72 |
| GSO-TW | 21.52 |
| GSO-127 | 5.76 |

| Starting Point | Formula |
|----------------|--------------|
| 181 C | |
| GSO-066 | 45.04 |
| GSO-165 | 44.00 |
| GSO-325 | 10.96 |

| Starting Point | Formula |
|----------------|--------------|
| 1765 C | |
| GSO-TW | 88.55 |
| GSO-164 | 10.58 |
| GSO-114 | 0.87 |

| Starting Point | Formula |
|----------------|--------------|
| 1775 C | |
| GSO-TW | 81.82 |
| GSO-164 | 12.61 |
| GSO-121 | 5.57 |

| Starting Point | Formula |
|----------------|--------------|
| 1785 C | |
| GSO-121 | 47.63 |
| GSO-TW | 41.66 |
| GSO-164 | 10.71 |

| Starting Point | Formula |
|----------------|--------------|
| 1788 C | |
| GSO-121 | 72.33 |
| GSO-TW | 23.70 |
| GSO-066 | 3.97 |

| Starting Point | Formula |
|----------------|--------------|
| 1795 C | |
| GSO-121 | 85.10 |
| GSO-TW | 13.71 |
| GSO-325 | 1.19 |

| Starting Point | Formula |
|----------------|--------------|
| 1805 C | |
| GSO-121 | 85.77 |
| GSO-TW | 9.15 |
| GSO-325 | 5.08 |

| Starting Point | Formula |
|----------------|--------------|
| 1815 C | |
| GSO-114 | 56.18 |
| GSO-165 | 27.03 |
| GSO-SB | 16.79 |

| Starting Point | Formula |
|----------------|--------------|
| 1767 C | |
| GSO-TW | 94.00 |
| GSO-164 | 6.00 |

| Starting Point | Formula |
|----------------|--------------|
| 1777 C | |
| GSO-TW | 52.18 |
| GSO-121 | 29.35 |
| GSO-165 | 18.47 |

| Starting Point | Formula |
|----------------|--------------|
| 1787 C | |
| GSO-121 | 49.31 |
| GSO-TW | 30.28 |
| GSO-165 | 20.41 |

| Starting Point | Formula |
|----------------|--------------|
| 1797 C | |
| GSO-164 | 68.07 |
| GSO-TW | 27.05 |
| GSO-066 | 4.88 |

| Starting Point | Formula |
|----------------|--------------|
| 1807 C | |
| GSO-164 | 76.24 |
| GSO-TW | 19.40 |
| GSO-325 | 4.36 |

| Starting Point | Formula |
|----------------|--------------|
| 1817 C | |
| GSO-121 | 57.96 |
| GSO-SB | 27.91 |
| GSO-TW | 14.13 |

| Starting Point | Formula |
|----------------|--------------|
| 182 C | |
| GSO-TW | 95.12 |
| GSO-164 | 4.88 |

Techmark GSO

| Starting Point | Formula |
|-----------------------------|---------|
| 183 C | |
| GSO-TW 87.48 | |
| GSO-164 12.52 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 184 C | |
| GSO-TW 45.31 | |
| GSO-121 29.19 | |
| GSO-165 25.50 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 185 C | |
| GSO-121 65.39 | |
| GSO-165 18.06 | |
| GSO-TW 16.55 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 186 C | |
| GSO-164 61.90 | |
| GSO-TW 20.73 | |
| GSO-121 17.37 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 187 C | |
| GSO-121 75.74 | |
| GSO-TW 18.59 | |
| GSO-127 5.67 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 188 C | |
| GSO-165 58.55 | |
| GSO-066 32.07 | |
| GSO-325 9.38 | |

| Starting Point | Formula |
|----------------------------|---------|
| 189 C | |
| GSO-TW 90.12 | |
| GSO-165 5.29 | |
| GSO-164 4.59 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 190 C | |
| GSO-TW 74.68 | |
| GSO-164 14.36 | |
| GSO-165 10.96 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 191 C | |
| GSO-165 39.15 | |
| GSO-TW 31.52 | |
| GSO-121 29.33 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 192 C | |
| GSO-121 53.29 | |
| GSO-TW 12.81 | |
| GSO-165 33.90 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 193 C | |
| GSO-165 53.63 | |
| GSO-121 44.43 | |
| GSO-SB 1.94 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 194 C | |
| GSO-165 57.59 | |
| GSO-114 38.48 | |
| GSO-230 3.93 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 195 C | |
| GSO-165 59.58 | |
| GSO-066 28.52 | |
| GSO-325 11.90 | |

| Starting Point | Formula |
|----------------------------|---------|
| 1895 C | |
| GSO-TW 93.32 | |
| GSO-165 5.73 | |
| GSO-114 0.95 | |

| Starting Point | Formula |
|----------------------------|---------|
| 1905 C | |
| GSO-TW 86.12 | |
| GSO-165 8.61 | |
| GSO-164 5.27 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 1915 C | |
| GSO-TW 41.75 | |
| GSO-165 41.62 | |
| GSO-121 16.63 | |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 1925 C | |
| GSO-165 | 64.56 |
| GSO-121 | 35.44 |

| Starting Point | Formula |
|----------------|--------------|
| 1935 C | |
| GSO-165 | 66.36 |
| GSO-121 | 33.64 |

| Starting Point | Formula |
|----------------|--------------|
| 1945 C | |
| GSO-165 | 74.28 |
| GSO-066 | 23.13 |
| GSO-325 | 2.59 |

| Starting Point | Formula |
|----------------|--------------|
| 1955 C | |
| GSO-165 | 62.61 |
| GSO-164 | 32.85 |
| GSO-325 | 4.54 |

| Starting Point | Formula |
|----------------|--------------|
| 196 C | |
| GSO-TW | 93.00 |
| GSO-165 | 4.69 |
| GSO-064 | 2.31 |

| Starting Point | Formula |
|----------------|--------------|
| 197 C | |
| GSO-TW | 77.82 |
| GSO-165 | 15.09 |
| GSO-064 | 7.09 |

| Starting Point | Formula |
|----------------|--------------|
| 198 C | |
| GSO-165 | 35.58 |
| GSO-TW | 34.90 |
| GSO-121 | 29.52 |

| Starting Point | Formula |
|----------------|--------------|
| 199 C | |
| GSO-121 | 45.64 |
| GSO-165 | 45.29 |
| GSO-TW | 9.07 |

| Starting Point | Formula |
|----------------|--------------|
| 200 C | |
| GSO-165 | 50.16 |
| GSO-121 | 47.38 |
| GSO-SB | 2.46 |

| Starting Point | Formula |
|----------------|--------------|
| 201 C | |
| GSO-121 | 61.09 |
| GSO-165 | 35.31 |
| GSO-230 | 3.60 |

| Starting Point | Formula |
|----------------|--------------|
| 202 C | |
| GSO-165 | 62.75 |
| GSO-066 | 25.62 |
| GSO-SB | 11.63 |

| Starting Point | Formula |
|----------------|--------------|
| 203 C | |
| GSO-TW | 87.06 |
| GSO-165 | 10.16 |
| GSO-064 | 2.78 |

| Starting Point | Formula |
|----------------|--------------|
| 204 C | |
| GSO-TW | 72.63 |
| GSO-165 | 21.76 |
| GSO-121 | 5.61 |

| Starting Point | Formula |
|----------------|--------------|
| 205 C | |
| GSO-165 | 48.34 |
| GSO-TW | 39.39 |
| GSO-121 | 12.27 |

| Starting Point | Formula |
|----------------|--------------|
| 206 C | |
| GSO-165 | 68.39 |
| GSO-121 | 31.61 |

| Starting Point | Formula |
|----------------|--------------|
| 207 C | |
| GSO-165 | 65.40 |
| GSO-121 | 30.95 |
| GSO-SB | 3.65 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 208 C | |
| GSO-165 | 70.95 |
| GSO-114 | 22.54 |
| GSO-325 | 6.51 |

| Starting Point | Formula |
|----------------|--------------|
| 209 C | |
| GSO-165 | 61.21 |
| GSO-064 | 24.87 |
| GSO-SB | 13.92 |

| Starting Point | Formula |
|----------------|--------------|
| 210 C | |
| GSO-TW | 84.92 |
| GSO-165 | 13.08 |
| GSO-164 | 2.00 |

| Starting Point | Formula |
|----------------|--------------|
| 211 C | |
| GSO-TW | 67.95 |
| GSO-165 | 28.25 |
| GSO-164 | 3.80 |

| Starting Point | Formula |
|----------------|--------------|
| 212 C | |
| GSO-165 | 60.13 |
| GSO-TW | 33.94 |
| GSO-121 | 5.93 |

| Starting Point | Formula |
|----------------|--------------|
| 213 C | |
| GSO-165 | 88.24 |
| GSO-121 | 11.76 |

| Starting Point | Formula |
|----------------|--------------|
| 214 C | |
| GSO-165 | 71.37 |
| GSO-TW | 13.18 |
| GSO-121 | 15.45 |

| Starting Point | Formula |
|----------------|--------------|
| 215 C | |
| GSO-165 | 74.22 |
| GSO-064 | 23.38 |
| GSO-233 | 2.40 |

| Starting Point | Formula |
|----------------|--------------|
| 216 C | |
| GSO-165 | 71.01 |
| GSO-066 | 19.53 |
| GSO-325 | 9.46 |

| Starting Point | Formula |
|----------------|--------------|
| 217 C | |
| GSO-TW | 93.27 |
| GSO-165 | 6.54 |
| GSO-325 | 0.19 |

| Starting Point | Formula |
|----------------|--------------|
| 218 C | |
| GSO-TW | 60.01 |
| GSO-165 | 39.99 |

| Starting Point | Formula |
|----------------|--------------|
| 219 C | |
| GSO-165 | 99.79 |
| GSO-121 | 0.21 |

| Starting Point | Formula |
|----------------|--------------|
| 220 C | |
| GSO-165 | 82.69 |
| GSO-164 | 13.49 |
| GSO.SB | 3.82 |

| Starting Point | Formula |
|----------------|--------------|
| 221 C | |
| GSO-165 | 77.80 |
| GSO-164 | 15.00 |
| GSO-SB | 7.20 |

| Starting Point | Formula |
|----------------|--------------|
| 222 C | |
| GSO-165 | 70.06 |
| GSO-SB | 17.21 |
| GSO-164 | 12.73 |

| Starting Point | Formula |
|----------------|--------------|
| 223 C | |
| GSO-TW | 80.68 |
| GSO-165 | 19.32 |

Techmark GSO

| Starting Point | Formula |
|-----------------------------|---------|
| 224 C | |
| GSO-TW 61.24 | |
| GSO-165 38.76 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 225 C | |
| GSO-165 90.00 | |
| GSO-MX 10.00 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 226 C | |
| GSO-165 85.76 | |
| GSO-MX 10.00 | |
| GSO-164 4.24 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 227 C | |
| GSO-165 93.39 | |
| GSO-066 3.63 | |
| GSO-SB 2.98 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 228 C | |
| GSO-SB 9.99 | |
| GSO-165 85.89 | |
| GSO-114 4.12 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 229 C | |
| GSO-165 72.86 | |
| GSO-SB 19.90 | |
| GSO-114 7.24 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 230 C | |
| GSO-TW 76.83 | |
| GSO-165 13.17 | |
| GSO-MX 10.00 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 231 C | |
| GSO-TW 64.26 | |
| GSO-165 35.74 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 232 C | |
| GSO-165 75.00 | |
| GSO-MX 25.00 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 233 C | |
| GSO-165 99.97 | |
| GSO-325 0.03 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 234 C | |
| GSO-165 93.68 | |
| GSO-066 3.72 | |
| GSO-325 2.60 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 235 C | |
| GSO-165 76.62 | |
| GSO-164 15.69 | |
| GSO-233 7.69 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 236 C | |
| GSO-TW 89.59 | |
| GSO-165 10.10 | |
| GSO-127 0.31 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 237 C | |
| GSO-TW 57.40 | |
| GSO-165 27.60 | |
| GSO-MX 15.00 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 238 C | |
| GSO-165 49.64 | |
| GSO-TW 35.25 | |
| GSO-MX 15.00 | |
| GSO-230 0.11 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 239 C | |
| GSO-165 83.70 | |
| GSO-MX 15.00 | |
| GSO-127 1.30 | |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 240 C | |
| GSO-165 | 83.34 |
| GSO-MX | 15.00 |
| GSO-233 | 1.66 |

| Starting Point | Formula |
|----------------|--------------|
| 241 C | |
| GSO-165 | 76.90 |
| GSO-MX | 15.00 |
| GSO-TW | 5.53 |
| GSO-325 | 2.57 |

| Starting Point | Formula |
|----------------|--------------|
| 242 C | |
| GSO-165 | 82.71 |
| GSO-066 | 8.65 |
| GSO-325 | 8.64 |

| Starting Point | Formula |
|----------------|--------------|
| 2365 C | |
| GSO-TW | 93.99 |
| GSO-165 | 6.01 |

| Starting Point | Formula |
|----------------|--------------|
| 2375 C | |
| GSO-TW | 64.58 |
| GSO-165 | 34.17 |
| GSO-127 | 1.25 |

| Starting Point | Formula |
|----------------|--------------|
| 2385 C | |
| GSO-165 | 64.35 |
| GSO-TW | 34.10 |
| GSO127 | 1.55 |

| Starting Point | Formula |
|----------------|--------------|
| 2395 C | |
| GSO-165 | 98.24 |
| GSO-233 | 1.76 |

| Starting Point | Formula |
|----------------|--------------|
| 2405 C | |
| GSO-165 | 94.25 |
| GSO-127 | 5.75 |

| Starting Point | Formula |
|----------------|--------------|
| 2415 C | |
| GSO-165 | 90.85 |
| GSO-127 | 7.58 |
| GSO-114 | 1.57 |

| Starting Point | Formula |
|----------------|--------------|
| 2425 C | |
| GSO-165 | 82.36 |
| GSO-127 | 11.61 |
| GSO-164 | 6.03 |

| Starting Point | Formula |
|----------------|--------------|
| 243 C | |
| GSO-TW | 91.82 |
| GSO-165 | 7.35 |
| GSO-127 | 0.83 |

| Starting Point | Formula |
|----------------|--------------|
| 244 C | |
| GSO-TW | 86.85 |
| GSO-165 | 11.88 |
| GSO-127 | 1.27 |

| Starting Point | Formula |
|----------------|--------------|
| 245 C | |
| GSO-TW | 69.39 |
| GSO-165 | 28.50 |
| GSO-127 | 2.11 |

| Starting Point | Formula |
|----------------|--------------|
| 246 C | |
| GSO-165 | 97.17 |
| GSO-233 | 2.83 |

| Starting Point | Formula |
|----------------|--------------|
| 247 C | |
| GSO-165 | 96.47 |
| GSO-233 | 3.53 |

| Starting Point | Formula |
|----------------|--------------|
| 248 C | |
| GSO-165 | 92.83 |
| GSO-127 | 7.17 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 249 C | |
| GSO-165 | 87.31 |
| GSO-230 | 5.59 |
| GSO-114 | 7.10 |

| Starting Point | Formula |
|----------------|--------------|
| 250 C | |
| GSO-TW | 94.85 |
| GSO-165 | 4.28 |
| GSO-127 | 0.87 |

| Starting Point | Formula |
|----------------|--------------|
| 251 C | |
| GSO-TW | 85.10 |
| GSO-165 | 12.10 |
| GSO-127 | 2.80 |

| Starting Point | Formula |
|----------------|--------------|
| 252 C | |
| GSO-TW | 61.43 |
| GSO-165 | 33.14 |
| GSO-127 | 5.43 |

| Starting Point | Formula |
|----------------|--------------|
| 253 C | |
| GSO-165 | 92.55 |
| GSO-127 | 6.17 |
| GSO-230 | 1.28 |

| Starting Point | Formula |
|----------------|--------------|
| 254 C | |
| GSO-165 | 88.60 |
| GSO-127 | 11.40 |

| Starting Point | Formula |
|----------------|--------------|
| 255 C | |
| GSO-165 | 81.98 |
| GSO-233 | 11.16 |
| GSO-064 | 6.86 |

| Starting Point | Formula |
|----------------|--------------|
| 256 C | |
| GSO-TW | 97.25 |
| GSO-165 | 1.37 |
| GSO-127 | 1.38 |

| Starting Point | Formula |
|----------------|--------------|
| 257 C | |
| GSO-TW | 88.23 |
| GSO-165 | 10.57 |
| GSO-230 | 1.20 |

| Starting Point | Formula |
|----------------|--------------|
| 258 C | |
| GSO-TW | 48.00 |
| GSO-165 | 40.41 |
| GSO-127 | 11.59 |

| Starting Point | Formula |
|----------------|--------------|
| 259 C | |
| GSO-165 | 88.03 |
| GSO-325 | 6.24 |
| GSO-233 | 5.73 |

| Starting Point | Formula |
|----------------|--------------|
| 260 C | |
| GSO-165 | 80.97 |
| GSO-233 | 10.28 |
| GSO-SB | 8.75 |

| Starting Point | Formula |
|----------------|--------------|
| 261 C | |
| GSO-165 | 77.09 |
| GSO-SB | 15.29 |
| GSO-233 | 7.62 |

| Starting Point | Formula |
|----------------|--------------|
| 262 C | |
| GSO-165 | 72.31 |
| GSO-SB | 22.86 |
| GSO-325 | 4.83 |

| Starting Point | Formula |
|----------------|--------------|
| 2562 C | |
| GSO-TW | 92.20 |
| GSO-165 | 4.41 |
| GSO-127 | 3.39 |

| Starting Point | Formula |
|----------------|--------------|
| 2572 C | |
| GSO-TW | 82.44 |
| GSO-165 | 11.12 |
| GSO-127 | 6.44 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 2582 C | |
| GSO-165 | 56.64 |
| GSO-TW | 36.09 |
| GSO-233 | 7.27 |

| Starting Point | Formula |
|----------------|--------------|
| 2592 C | |
| GSO-165 | 86.41 |
| GSO-233 | 9.32 |
| GSO-127 | 4.27 |

| Starting Point | Formula |
|----------------|--------------|
| 2602 C | |
| GSO-165 | 81.59 |
| GSO-127 | 12.40 |
| GSO-233 | 6.01 |

| Starting Point | Formula |
|----------------|--------------|
| 2612 C | |
| GSO-165 | 80.61 |
| GSO-127 | 16.38 |
| GSO-325 | 3.01 |

| Starting Point | Formula |
|----------------|--------------|
| 2622 C | |
| GSO-165 | 76.44 |
| GSO-SB | 15.29 |
| GSO-233 | 8.27 |

| Starting Point | Formula |
|----------------|--------------|
| 2563 C | |
| GSO-TW | 92.29 |
| GSO-127 | 3.51 |
| GSO-165 | 4.20 |

| Starting Point | Formula |
|----------------|--------------|
| 2573 C | |
| GSO-TW | 80.21 |
| GSO-165 | 12.89 |
| GSO-127 | 6.90 |

| Starting Point | Formula |
|----------------|--------------|
| 2583 C | |
| GSO-TW | 58.20 |
| GSO-165 | 29.40 |
| GSO-127 | 12.40 |

| Starting Point | Formula |
|----------------|--------------|
| 2593 C | |
| GSO-165 | 88.22 |
| GSO-233 | 11.78 |

| Starting Point | Formula |
|----------------|--------------|
| 2603 C | |
| GSO-165 | 85.06 |
| GSO-233 | 10.64 |
| GSO-127 | 4.30 |

| Starting Point | Formula |
|----------------|--------------|
| 2613 C | |
| GSO-165 | 78.43 |
| GSO-127 | 17.67 |
| GSO-325 | 3.90 |

| Starting Point | Formula |
|----------------|--------------|
| 2623 C | |
| GSO-165 | 73.60 |
| GSO-233 | 17.02 |
| GSO-164 | 9.38 |

| Starting Point | Formula |
|----------------|--------------|
| 2567 C | |
| GSO-TW | 92.80 |
| GSO-127 | 4.78 |
| GSO-165 | 2.42 |

| Starting Point | Formula |
|----------------|--------------|
| 2577 C | |
| GSO-TW | 83.16 |
| GSO-127 | 10.17 |
| GSO-165 | 6.67 |

| Starting Point | Formula |
|----------------|--------------|
| 2587 C | |
| GSO-165 | 53.60 |
| GSO-TW | 34.52 |
| GSO-233 | 11.88 |

| Starting Point | Formula |
|----------------|--------------|
| 2597 C | |
| GSO-165 | 80.01 |
| GSO-233 | 14.91 |
| GSO-127 | 5.08 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 2607 C | |
| GSO-165 | 77.30 |
| GSO-233 | 12.18 |
| GSO-127 | 10.52 |

| Starting Point | Formula |
|----------------|--------------|
| 2617 C | |
| GSO-165 | 72.50 |
| GSO-127 | 22.87 |
| GSO-325 | 4.63 |

| Starting Point | Formula |
|----------------|--------------|
| 2627 C | |
| GSO-165 | 65.78 |
| GSO-127 | 24.68 |
| GSO-SB | 9.54 |

| Starting Point | Formula |
|----------------|--------------|
| 263 C | |
| GSO-TW | 97.93 |
| GSO-127 | 2.07 |

| Starting Point | Formula |
|----------------|--------------|
| 264 C | |
| GSO-TW | 95.28 |
| GSO-127 | 4.72 |

| Starting Point | Formula |
|----------------|--------------|
| 265 C | |
| GSO-TW | 54.10 |
| GSO-165 | 33.79 |
| GSO-233 | 12.11 |

| Starting Point | Formula |
|----------------|--------------|
| 266 C | |
| GSO-TW | 63.16 |
| GSO-127 | 36.84 |

| Starting Point | Formula |
|----------------|--------------|
| 267 C | |
| GSO-TW | 50.83 |
| GSO-127 | 49.17 |

| Starting Point | Formula |
|----------------|--------------|
| 268 C | |
| GSO-165 | 87.01 |
| GSO-230 | 11.00 |
| GSO-SB | 1.99 |

| Starting Point | Formula |
|----------------|--------------|
| 269 C | |
| GSO-165 | 81.43 |
| GSO-230 | 9.65 |
| GSO-SB | 8.92 |

| Starting Point | Formula |
|----------------|--------------|
| 2635 C | |
| GSO-TW | 95.71 |
| GSO-127 | 4.00 |
| GSO-230 | 0.29 |

| Starting Point | Formula |
|----------------|--------------|
| 2645 C | |
| GSO-TW | 92.27 |
| GSO-127 | 7.73 |

| Starting Point | Formula |
|----------------|--------------|
| 2655 C | |
| GSO-TW | 83.01 |
| GSO-127 | 16.99 |

| Starting Point | Formula |
|----------------|--------------|
| 2665 C | |
| GSO-TW | 69.45 |
| GSO-127 | 30.55 |

| Starting Point | Formula |
|----------------|--------------|
| 2685 C | |
| GSO-233 | 73.89 |
| GSO-127 | 26.11 |

| Starting Point | Formula |
|----------------|--------------|
| 2695 C | |
| GSO-165 | 74.14 |
| GSO-SB | 16.90 |
| GSO-230 | 8.96 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 270 C | |
| GSO-TW | 94.55 |
| GSO-127 | 2.90 |
| GSO-233 | 2.55 |

| Starting Point | Formula |
|----------------|--------------|
| 271 C | |
| GSO-TW | 89.09 |
| GSO-127 | 5.85 |
| GSO-233 | 5.06 |

| Starting Point | Formula |
|----------------|--------------|
| 272 C | |
| GSO-TW | 83.19 |
| GSO-127 | 12.75 |
| GSO-230 | 4.06 |

| Starting Point | Formula |
|----------------|--------------|
| 273 C | |
| GSO-165 | 47.32 |
| GSO-233 | 26.49 |
| GSO-127 | 26.19 |

| Starting Point | Formula |
|----------------|--------------|
| 274 C | |
| GSO-127 | 74.06 |
| GSO-233 | 22.59 |
| GSO-SB | 3.35 |

| Starting Point | Formula |
|----------------|--------------|
| 275 C | |
| GSO-165 | 48.31 |
| GSO-127 | 38.03 |
| GSO-SB | 13.66 |

| Starting Point | Formula |
|----------------|--------------|
| 276 C | |
| GSO-165 | 52.60 |
| GSO-SB | 30.40 |
| GSO-127 | 17.00 |

| Starting Point | Formula |
|----------------|--------------|
| 2705 C | |
| GSO-TW | 92.03 |
| GSO-127 | 6.17 |
| GSO-230 | 1.80 |

| Starting Point | Formula |
|----------------|--------------|
| 2715 C | |
| GSO-TW | 86.70 |
| GSO-127 | 10.68 |
| GSO-230 | 2.62 |

| Starting Point | Formula |
|----------------|--------------|
| 2725 C | |
| GSO-TW | 39.74 |
| GSO-165 | 32.83 |
| GSO-233 | 27.43 |

| Starting Point | Formula |
|----------------|--------------|
| 2735 C | |
| GSO-127 | 55.06 |
| GSO-TW | 44.94 |

| Starting Point | Formula |
|----------------|--------------|
| 2745 C | |
| GSO-165 | 57.33 |
| GSO-127 | 30.80 |
| GSO-230 | 11.87 |

| Starting Point | Formula |
|----------------|--------------|
| 2755 C | |
| GSO-127 | 87.65 |
| GSO-TW | 7.98 |
| GSO-SB | 4.37 |

| Starting Point | Formula |
|----------------|--------------|
| 2765 C | |
| GSO-127 | 82.14 |
| GSO-SB | 13.44 |
| GSO-TW | 4.42 |

| Starting Point | Formula |
|----------------|--------------|
| 2706 C | |
| GSO-TW | 98.00 |
| GSO-127 | 1.24 |
| GSO-230 | 0.76 |

| Starting Point | Formula |
|----------------|--------------|
| 2716 C | |
| GSO-TW | 92.21 |
| GSO-127 | 4.86 |
| GSO-230 | 2.93 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 2726 C | |
| GSO-165 | 43.12 |
| GSO-TW | 33.67 |
| GSO-230 | 23.21 |

| Starting Point | Formula |
|----------------|--------------|
| 2736 C | |
| GSO-230 | 56.73 |
| GSO-127 | 28.27 |
| GSO-MX | 15.00 |

| Starting Point | Formula |
|----------------|--------------|
| 2746 C | |
| GSO-233 | 67.19 |
| GSO-127 | 17.81 |
| GSO-MX | 15.00 |

| Starting Point | Formula |
|----------------|--------------|
| 2756 C | |
| GSO-127 | 78.32 |
| GSO-230 | 11.49 |
| GSO-TW | 10.19 |

| Starting Point | Formula |
|----------------|--------------|
| 2766 C | |
| GSO-233 | 54.07 |
| GSO-127 | 29.13 |
| GSO-SB | 16.80 |

| Starting Point | Formula |
|----------------|--------------|
| 2707 C | |
| GSO-TW | 97.97 |
| GSO-127 | 1.02 |
| GSO-230 | 1.01 |

| Starting Point | Formula |
|----------------|--------------|
| 2717 C | |
| GSO-TW | 95.62 |
| GSO-230 | 2.37 |
| GSO-127 | 2.01 |

| Starting Point | Formula |
|----------------|--------------|
| 2727 C | |
| GSO-TW | 70.61 |
| GSO-230 | 19.01 |
| GSO-127 | 10.38 |

| Starting Point | Formula |
|----------------|--------------|
| 2747 C | |
| GSO-233 | 83.74 |
| GSO-127 | 13.90 |
| GSO-SB | 2.36 |

| Starting Point | Formula |
|----------------|--------------|
| 2757 C | |
| GSO-233 | 70.65 |
| GSO-127 | 19.97 |
| GSO-SB | 9.38 |

| Starting Point | Formula |
|----------------|--------------|
| 2767 C | |
| GSO-127 | 54.52 |
| GSO-SB | 23.86 |
| GSO-233 | 21.62 |

| Starting Point | Formula |
|----------------|--------------|
| 2708 C | |
| GSO-TW | 96.71 |
| GSO-230 | 1.73 |
| GSO-127 | 1.56 |

| Starting Point | Formula |
|----------------|--------------|
| 2718 C | |
| GSO-TW | 76.93 |
| GSO-230 | 13.03 |
| GSO-127 | 10.04 |

| Starting Point | Formula |
|----------------|--------------|
| 2728 C | |
| GSO-233 | 85.00 |
| GSO-MX | 15.00 |

| Starting Point | Formula |
|----------------|--------------|
| 2738 C | |
| GSO-233 | 70.52 |
| GSO-127 | 14.48 |
| GSO-MX | 15.00 |

| Starting Point | Formula |
|----------------|--------------|
| 2748 C | |
| GSO-233 | 40.06 |
| GSO-230 | 33.04 |
| GSO-127 | 26.90 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 2758 C | |
| GSO-127 | 59.88 |
| GSO-233 | 18.83 |
| GSO-MX | 15.00 |
| GSO-SB | 6.29 |

| Starting Point | Formula |
|----------------|--------------|
| 2768 C | |
| GSO-127 | 40.67 |
| GSO-233 | 28.67 |
| GSO-SB | 15.66 |
| GSO-MX | 15.00 |

| Starting Point | Formula |
|----------------|--------------|
| 277 C | |
| GSO-TW | 96.97 |
| GSO-230 | 1.90 |
| GSO-127 | 1.13 |

| Starting Point | Formula |
|----------------|--------------|
| 278 C | |
| GSO-TW | 93.46 |
| GSO-230 | 4.28 |
| GSO-127 | 2.26 |

| Starting Point | Formula |
|----------------|--------------|
| 279 C | |
| GSO-TW | 78.48 |
| GSO-230 | 15.44 |
| GSO-127 | 6.08 |

| Starting Point | Formula |
|----------------|--------------|
| 280 C | |
| GSO-233 | 88.46 |
| GSO-127 | 8.99 |
| GSO-SB | 2.55 |

| Starting Point | Formula |
|----------------|--------------|
| 281 C | |
| GSO-165 | 48.15 |
| GSO-233 | 44.94 |
| GSO-SB | 6.91 |

| Starting Point | Formula |
|----------------|--------------|
| 282 C | |
| GSO-233 | 59.65 |
| GSO-127 | 22.57 |
| GSO-SB | 17.78 |

| Starting Point | Formula |
|----------------|--------------|
| 283 C | |
| GSO-TW | 95.25 |
| GSO-230 | 3.21 |
| GSO-127 | 1.54 |

| Starting Point | Formula |
|----------------|--------------|
| 284 C | |
| GSO-TW | 90.05 |
| GSO-230 | 7.12 |
| GSO-127 | 2.83 |

| Starting Point | Formula |
|----------------|--------------|
| 285 C | |
| GSO-TW | 62.31 |
| GSO-230 | 30.08 |
| GSO-127 | 7.61 |

| Starting Point | Formula |
|----------------|--------------|
| 286 C | |
| GSO-233 | 85.00 |
| GSO-MX | 15.00 |

| Starting Point | Formula |
|----------------|--------------|
| 287 C | |
| GSO-233 | 84.91 |
| GSO-MX | 15.00 |
| GSO-SB | 0.09 |

| Starting Point | Formula |
|----------------|--------------|
| 288 C | |
| GSO-233 | 92.68 |
| GSO-TW | 4.33 |
| GSO-SB | 2.99 |

| Starting Point | Formula |
|----------------|--------------|
| 289 C | |
| GSO-233 | 68.30 |
| GSO-121 | 31.70 |

| Starting Point | Formula |
|----------------|--------------|
| 290 C | |
| GSO-TW | 97.92 |
| GSO-230 | 1.52 |
| GSO-127 | 0.56 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 291 C | |
| GSO-TW | 96.30 |
| GSO-230 | 2.66 |
| GSO-127 | 1.04 |

| Starting Point | Formula |
|----------------|--------------|
| 292 C | |
| GSO-TW | 90.91 |
| GSO-230 | 7.00 |
| GSO-127 | 2.09 |

| Starting Point | Formula |
|----------------|---------------|
| 293 C | |
| GSO-233 | 100.00 |

| Starting Point | Formula |
|----------------|--------------|
| 294 C | |
| GSO-233 | 57.66 |
| GSO-230 | 39.15 |
| GSO-066 | 3.19 |

| Starting Point | Formula |
|----------------|--------------|
| 295 C | |
| GSO-233 | 53.66 |
| GSO-230 | 32.41 |
| GSO-SB | 13.93 |

| Starting Point | Formula |
|----------------|--------------|
| 296 C | |
| GSO-165 | 42.03 |
| GSO-SB | 30.93 |
| GSO-230 | 27.04 |

| Starting Point | Formula |
|----------------|--------------|
| 2905 C | |
| GSO-TW | 95.48 |
| GSO-230 | 3.64 |
| GSO-127 | 0.88 |

| Starting Point | Formula |
|----------------|--------------|
| 2915 C | |
| GSO-TW | 91.01 |
| GSO-230 | 7.56 |
| GSO-127 | 1.43 |

| Starting Point | Formula |
|----------------|--------------|
| 2925 C | |
| GSO-TW | 75.33 |
| GSO-230 | 22.38 |
| GSO-127 | 2.29 |

| Starting Point | Formula |
|----------------|--------------|
| 2935 C | |
| GSO-230 | 79.94 |
| GSO-233 | 20.06 |

| Starting Point | Formula |
|----------------|--------------|
| 2945 C | |
| GSO-230 | 70.47 |
| GSO-TW | 23.51 |
| GSO-127 | 6.02 |

| Starting Point | Formula |
|----------------|--------------|
| 2955 C | |
| GSO-233 | 79.06 |
| GSO-064 | 14.01 |
| GSO-TW | 6.93 |

| Starting Point | Formula |
|----------------|--------------|
| 2965 C | |
| GSO-233 | 65.06 |
| GSO-SB | 23.67 |
| GSO-TW | 11.27 |

| Starting Point | Formula |
|----------------|--------------|
| 297 C | |
| GSO-TW | 93.78 |
| GSO-230 | 5.62 |
| GSO-127 | 0.60 |

| Starting Point | Formula |
|----------------|--------------|
| 298 C | |
| GSO-TW | 90.31 |
| GSO-230 | 8.85 |
| GSO-127 | 0.84 |

| Starting Point | Formula |
|----------------|--------------|
| 299 C | |
| GSO-TW | 72.14 |
| GSO-230 | 27.86 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 300 C | |
| GSO-230 | 78.49 |
| GSO-MX | 15.00 |
| GSO-233 | 6.51 |

| Starting Point | Formula |
|----------------|--------------|
| 301 C | |
| GSO-230 | 74.52 |
| GSO-TW | 13.82 |
| GSO-233 | 11.66 |

| Starting Point | Formula |
|----------------|--------------|
| 302 C | |
| GSO-230 | 72.09 |
| GSO-233 | 17.19 |
| GSO-066 | 10.72 |

| Starting Point | Formula |
|----------------|--------------|
| 303 C | |
| GSO-233 | 59.86 |
| GSO-066 | 20.25 |
| GSO-230 | 19.89 |

| Starting Point | Formula |
|----------------|--------------|
| 2975 C | |
| GSO-TW | 97.42 |
| GSO-230 | 2.35 |
| GSO-127 | 0.23 |

| Starting Point | Formula |
|----------------|--------------|
| 2985 C | |
| GSO-TW | 90.23 |
| GSO-230 | 9.49 |
| GSO-127 | 0.28 |

| Starting Point | Formula |
|----------------|--------------|
| 2995 C | |
| GSO-TW | 60.76 |
| GSO-230 | 24.24 |
| GSO-MX | 15.00 |

| Starting Point | Formula |
|----------------|--------------|
| 3005 C | |
| GSO-230 | 64.31 |
| GSO-TW | 20.69 |
| GSO-MX | 15.00 |

| Starting Point | Formula |
|----------------|--------------|
| 3015 C | |
| GSO-230 | 76.57 |
| GSO-MX | 15.00 |
| GSO-TW | 6.17 |
| GSO-066 | 2.26 |

| Starting Point | Formula |
|----------------|--------------|
| 3025 C | |
| GSO-230 | 43.76 |
| GSO-233 | 28.43 |
| GSO-MX | 15.00 |
| GSO-066 | 12.81 |

| Starting Point | Formula |
|----------------|--------------|
| 3035 C | |
| GSO-230 | 72.74 |
| GSO-SB | 19.18 |
| GSO-066 | 8.08 |

| Starting Point | Formula |
|----------------|--------------|
| 304 C | |
| GSO-TW | 96.99 |
| GSO-230 | 2.70 |
| GSO-066 | 0.31 |

| Starting Point | Formula |
|----------------|--------------|
| 305 C | |
| GSO-TW | 92.67 |
| GSO-230 | 7.33 |

| Starting Point | Formula |
|----------------|--------------|
| 306 C | |
| GSO-TW | 68.47 |
| GSO-230 | 16.53 |
| GSO-MX | 15.00 |

| Starting Point | Formula |
|----------------|--------------|
| 307 C | |
| GSO-230 | 78.39 |
| GSO-MX | 15.00 |
| GSO-325 | 6.61 |

| Starting Point | Formula |
|----------------|--------------|
| 308 C | |
| GSO-230 | 76.30 |
| GSO-MX | 15.00 |
| GSO-066 | 8.70 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 309 C | |
| GSO-230 | 53.89 |
| GSO-SB | 29.03 |
| GSO-325 | 17.08 |

| Starting Point | Formula |
|----------------|--------------|
| 310 C | |
| GSO-TW | 93.33 |
| GSO-230 | 5.25 |
| GSO-325 | 1.42 |

| Starting Point | Formula |
|----------------|--------------|
| 311 C | |
| GSO-TW | 71.20 |
| GSO-MX | 15.00 |
| GSO-230 | 10.36 |
| GSO-325 | 3.44 |

| Starting Point | Formula |
|----------------|--------------|
| 312 C | |
| GSO-TW | 54.00 |
| GSO-230 | 23.29 |
| GSO-MX | 15.00 |
| GSO-325 | 7.71 |

| Starting Point | Formula |
|----------------|--------------|
| 313 C | |
| GSO-TW | 40.79 |
| GSO-230 | 34.19 |
| GSO-MX | 15.00 |
| GSO-325 | 10.02 |

| Starting Point | Formula |
|----------------|--------------|
| 314 C | |
| GSO-230 | 50.30 |
| GSO-325 | 18.12 |
| GSO-TW | 16.58 |
| GSO-MX | 15.00 |

| Starting Point | Formula |
|----------------|--------------|
| 315 C | |
| GSO-325 | 36.91 |
| GSO-233 | 34.10 |
| GSO-MX | 15.00 |
| GSO-230 | 13.99 |

| Starting Point | Formula |
|----------------|--------------|
| 316 C | |
| GSO-233 | 40.92 |
| GSO-066 | 23.75 |
| GSO-230 | 20.33 |
| GSO-MX | 15.00 |

| Starting Point | Formula |
|----------------|--------------|
| 3105 C | |
| GSO-TW | 93.04 |
| GSO-230 | 4.50 |
| GSO-325 | 2.46 |

| Starting Point | Formula |
|----------------|--------------|
| 3115 C | |
| GSO-TW | 86.09 |
| GSO-230 | 8.54 |
| GSO-325 | 5.37 |

| Starting Point | Formula |
|----------------|--------------|
| 3125 C | |
| GSO-TW | 54.63 |
| GSO-230 | 17.99 |
| GSO-MX | 15.00 |
| GSO-325 | 12.38 |

| Starting Point | Formula |
|----------------|--------------|
| 3135 C | |
| GSO-TW | 33.65 |
| GSO-230 | 31.36 |
| GSO-325 | 19.99 |
| GSO-MX | 15.00 |

| Starting Point | Formula |
|----------------|--------------|
| 3145 C | |
| GSO-230 | 51.51 |
| GSO-325 | 28.68 |
| GSO-TW | 19.81 |

| Starting Point | Formula |
|----------------|--------------|
| 3155 C | |
| GSO-325 | 48.96 |
| GSO-233 | 30.35 |
| GSO-230 | 20.69 |

| Starting Point | Formula |
|----------------|--------------|
| 3165 C | |
| GSO-230 | 76.60 |
| GSO-066 | 18.27 |
| GSO-325 | 5.13 |

| Starting Point | Formula |
|----------------|--------------|
| 317 C | |
| GSO-TW | 98.70 |
| GSO-230 | 1.30 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 318 C | |
| GSO-TW | 96.43 |
| GSO-230 | 2.30 |
| GSO-325 | 1.27 |

| Starting Point | Formula |
|----------------|--------------|
| 319 C | |
| GSO-TW | 90.18 |
| GSO-325 | 5.00 |
| GSO-230 | 4.82 |

| Starting Point | Formula |
|----------------|--------------|
| 320 C | |
| GSO-TW | 41.16 |
| GSO-325 | 34.84 |
| GSO-230 | 24.00 |

| Starting Point | Formula |
|----------------|--------------|
| 321 C | |
| GSO-325 | 37.44 |
| GSO-TW | 31.37 |
| GSO-230 | 31.19 |

| Starting Point | Formula |
|----------------|--------------|
| 322 C | |
| GSO-230 | 56.64 |
| GSO-064 | 24.86 |
| GSO-TW | 18.50 |

| Starting Point | Formula |
|----------------|--------------|
| 323 C | |
| GSO-325 | 81.89 |
| GSO-127 | 10.19 |
| GSO-TW | 7.92 |

| Starting Point | Formula |
|----------------|--------------|
| 324 C | |
| GSO-TW | 94.43 |
| GSO-230 | 3.08 |
| GSO-064 | 2.49 |

| Starting Point | Formula |
|----------------|--------------|
| 325 C | |
| GSO-TW | 87.37 |
| GSO-230 | 7.25 |
| GSO-064 | 5.38 |

| Starting Point | Formula |
|----------------|--------------|
| 326 C | |
| GSO-TW | 70.92 |
| GSO-325 | 19.53 |
| GSO-230 | 9.55 |

| Starting Point | Formula |
|----------------|--------------|
| 327 C | |
| GSO-325 | 59.14 |
| GSO-230 | 24.51 |
| GSO-TW | 16.35 |

| Starting Point | Formula |
|----------------|--------------|
| 328 C | |
| GSO-230 | 49.49 |
| GSO-064 | 32.86 |
| GSO-TW | 17.65 |

| Starting Point | Formula |
|----------------|--------------|
| 329 C | |
| GSO-325 | 90.45 |
| GSO-127 | 9.55 |

| Starting Point | Formula |
|----------------|--------------|
| 330 C | |
| GSO-230 | 58.74 |
| GSO-066 | 28.63 |
| GSO-TW | 12.63 |

| Starting Point | Formula |
|----------------|--------------|
| 3242 C | |
| GSO-TW | 93.39 |
| GSO-325 | 4.85 |
| GSO-230 | 1.76 |

| Starting Point | Formula |
|----------------|--------------|
| 3252 C | |
| GSO-TW | 88.78 |
| GSO-325 | 8.34 |
| GSO-230 | 2.88 |

| Starting Point | Formula |
|----------------|--------------|
| 3262 C | |
| GSO-TW | 67.15 |
| GSO-325 | 26.26 |
| GSO-230 | 6.59 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 3272 C | |
| GSO-325 | 48.91 |
| GSO-TW | 40.24 |
| GSO-230 | 10.85 |

| Starting Point | Formula |
|----------------|--------------|
| 3282 C | |
| GSO-325 | 63.72 |
| GSO-TW | 22.31 |
| GSO-233 | 13.97 |

| Starting Point | Formula |
|----------------|--------------|
| 3292 C | |
| GSO-325 | 55.21 |
| GSO-233 | 33.84 |
| GSO-066 | 10.95 |

| Starting Point | Formula |
|----------------|--------------|
| 3302 C | |
| GSO-325 | 53.81 |
| GSO-233 | 28.28 |
| GSO-114 | 17.91 |

| Starting Point | Formula |
|----------------|--------------|
| 3245 C | |
| GSO-TW | 92.96 |
| GSO-325 | 6.04 |
| GSO-230 | 1.00 |

| Starting Point | Formula |
|----------------|--------------|
| 3255 C | |
| GSO-TW | 86.58 |
| GSO-325 | 11.71 |
| GSO-230 | 1.71 |

| Starting Point | Formula |
|----------------|--------------|
| 3265 C | |
| GSO-TW | 69.34 |
| GSO-325 | 27.64 |
| GSO-230 | 3.02 |

| Starting Point | Formula |
|----------------|--------------|
| 3275 C | |
| GSO-325 | 53.38 |
| GSO-TW | 41.82 |
| GSO-230 | 4.80 |

| Starting Point | Formula |
|----------------|--------------|
| 3285 C | |
| GSO-325 | 56.93 |
| GSO-TW | 35.06 |
| GSO-233 | 8.01 |

| Starting Point | Formula |
|----------------|--------------|
| 3295 C | |
| GSO-325 | 70.57 |
| GSO-TW | 18.36 |
| GSO-165 | 11.07 |

| Starting Point | Formula |
|----------------|--------------|
| 3305 C | |
| GSO-325 | 58.06 |
| GSO-SB | 27.89 |
| GSO-TW | 14.05 |

| Starting Point | Formula |
|----------------|--------------|
| 3248 C | |
| GSO-TW | 89.57 |
| GSO-064 | 5.98 |
| GSO-230 | 4.45 |

| Starting Point | Formula |
|----------------|--------------|
| 3258 C | |
| GSO-TW | 80.02 |
| GSO-064 | 11.61 |
| GSO-230 | 8.37 |

| Starting Point | Formula |
|----------------|--------------|
| 3268 C | |
| GSO-TW | 53.08 |
| GSO-325 | 42.50 |
| GSO-233 | 4.42 |

| Starting Point | Formula |
|----------------|--------------|
| 3278 C | |
| GSO-325 | 63.60 |
| GSO-TW | 28.44 |
| GSO-230 | 7.96 |

| Starting Point | Formula |
|----------------|--------------|
| 3288 C | |
| GSO-325 | 85.78 |
| GSO-TW | 10.50 |
| GSO-127 | 3.72 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 3298 C | |
| GSO-325 | 74.33 |
| GSO-165 | 20.60 |
| GSO-066 | 5.07 |

| Starting Point | Formula |
|----------------|--------------|
| 3308 C | |
| GSO-233 | 55.38 |
| GSO-064 | 24.76 |
| GSO-066 | 19.86 |

| Starting Point | Formula |
|----------------|--------------|
| 331 C | |
| GSO-TW | 97.29 |
| GSO-325 | 2.38 |
| GSO-233 | 0.33 |

| Starting Point | Formula |
|----------------|--------------|
| 332 C | |
| GSO-TW | 95.61 |
| GSO-325 | 4.14 |
| GSO-233 | 0.25 |

| Starting Point | Formula |
|----------------|--------------|
| 333 C | |
| GSO-TW | 86.40 |
| GSO-325 | 13.30 |
| GSO-230 | 0.30 |

| Starting Point | Formula |
|----------------|--------------|
| 334 C | |
| GSO-325 | 78.65 |
| GSO-TW | 19.29 |
| GSO-165 | 2.06 |

| Starting Point | Formula |
|----------------|--------------|
| 335 C | |
| GSO-325 | 73.58 |
| GSO-TW | 18.51 |
| GSO-SB | 7.91 |

| Starting Point | Formula |
|----------------|--------------|
| 336 C | |
| GSO-325 | 72.47 |
| GSO-165 | 18.33 |
| GSO-066 | 9.20 |

| Starting Point | Formula |
|----------------|--------------|
| 337 C | |
| GSO-TW | 92.49 |
| GSO-064 | 4.90 |
| GSO-230 | 2.61 |

| Starting Point | Formula |
|----------------|--------------|
| 338 C | |
| GSO-TW | 86.19 |
| GSO-064 | 8.95 |
| GSO-230 | 4.86 |

| Starting Point | Formula |
|----------------|--------------|
| 339 C | |
| GSO-TW | 57.67 |
| GSO-325 | 39.04 |
| GSO-066 | 3.29 |

| Starting Point | Formula |
|----------------|--------------|
| 340 C | |
| GSO-325 | 75.46 |
| GSO-TW | 20.60 |
| GSO-066 | 3.94 |

| Starting Point | Formula |
|----------------|--------------|
| 341 C | |
| GSO-325 | 72.63 |
| GSO-TW | 18.41 |
| GSO-114 | 8.96 |

| Starting Point | Formula |
|----------------|--------------|
| 342 C | |
| GSO-325 | 66.26 |
| GSO-TW | 17.69 |
| GSO-121 | 16.05 |

| Starting Point | Formula |
|----------------|--------------|
| 343 C | |
| GSO-325 | 62.36 |
| GSO-121 | 27.81 |
| GSO-TW | 9.83 |

| Starting Point | Formula |
|----------------|--------------|
| 3375 C | |
| GSO-TW | 90.98 |
| GSO-325 | 6.91 |
| GSO-064 | 2.11 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 3385 C | |
| GSO-TW | 80.65 |
| GSO-325 | 14.19 |
| GSO-064 | 5.16 |

| Starting Point | Formula |
|----------------|--------------|
| 3395 C | |
| GSO-TW | 54.25 |
| GSO-325 | 33.13 |
| GSO-064 | 12.62 |

| Starting Point | Formula |
|----------------|--------------|
| 3405 C | |
| GSO-325 | 56.11 |
| GSO-TW | 23.61 |
| GSO-064 | 20.28 |

| Starting Point | Formula |
|----------------|--------------|
| 3415 C | |
| GSO-325 | 88.81 |
| GSO-114 | 11.19 |

| Starting Point | Formula |
|----------------|--------------|
| 3425 C | |
| GSO-325 | 68.00 |
| GSO-165 | 18.07 |
| GSO-066 | 13.93 |

| Starting Point | Formula |
|----------------|--------------|
| 3435 C | |
| GSO-325 | 52.40 |
| GSO-165 | 30.47 |
| GSO-066 | 17.13 |

| Starting Point | Formula |
|----------------|--------------|
| 344 C | |
| GSO-TW | 91.62 |
| GSO-064 | 6.40 |
| GSO-230 | 1.98 |

| Starting Point | Formula |
|----------------|--------------|
| 345 C | |
| GSO-TW | 84.48 |
| GSO-064 | 12.03 |
| GSO-230 | 3.49 |

| Starting Point | Formula |
|----------------|--------------|
| 346 C | |
| GSO-TW | 71.66 |
| GSO-064 | 22.37 |
| GSO-230 | 5.97 |

| Starting Point | Formula |
|----------------|--------------|
| 347 C | |
| GSO-064 | 73.05 |
| GSO-230 | 21.24 |
| GSO-TW | 5.71 |

| Starting Point | Formula |
|----------------|--------------|
| 348 C | |
| GSO-064 | 64.18 |
| GSO-230 | 27.18 |
| GSO-066 | 8.64 |

| Starting Point | Formula |
|----------------|--------------|
| 349 C | |
| GSO-064 | 63.01 |
| GSO-233 | 34.62 |
| GSO-066 | 2.37 |

| Starting Point | Formula |
|----------------|--------------|
| 350 C | |
| GSO-064 | 49.04 |
| GSO-233 | 37.41 |
| GSO-114 | 13.55 |

| Starting Point | Formula |
|----------------|--------------|
| 351 C | |
| GSO-TW | 90.20 |
| GSO-064 | 5.54 |
| GSO-325 | 4.26 |

| Starting Point | Formula |
|----------------|--------------|
| 352 C | |
| GSO-TW | 84.71 |
| GSO-064 | 8.58 |
| GSO-325 | 6.71 |

| Starting Point | Formula |
|----------------|--------------|
| 353 C | |
| GSO-TW | 79.79 |
| GSO-064 | 11.18 |
| GSO-325 | 9.03 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 354 C | |
| GSO-064 | 50.50 |
| GSO-325 | 48.51 |
| GSO-114 | 0.99 |

| Starting Point | Formula |
|----------------|--------------|
| 355 C | |
| GSO-325 | 53.79 |
| GSO-064 | 41.93 |
| GSO-114 | 4.28 |

| Starting Point | Formula |
|----------------|--------------|
| 356 C | |
| GSO-064 | 44.69 |
| GSO-325 | 42.54 |
| GSO-SB | 12.77 |

| Starting Point | Formula |
|----------------|--------------|
| 357 C | |
| GSO-064 | 47.80 |
| GSO-230 | 28.47 |
| GSO-114 | 23.73 |

| Starting Point | Formula |
|----------------|--------------|
| 358 C | |
| GSO-TW | 75.48 |
| GSO-064 | 22.39 |
| GSO-230 | 2.13 |

| Starting Point | Formula |
|----------------|--------------|
| 359 C | |
| GSO-TW | 68.79 |
| GSO-064 | 28.53 |
| GSO-230 | 2.68 |

| Starting Point | Formula |
|----------------|--------------|
| 360 C | |
| GSO-064 | 71.28 |
| GSO-TW | 22.32 |
| GSO-230 | 6.40 |

| Starting Point | Formula |
|----------------|--------------|
| 361 C | |
| GSO-064 | 89.33 |
| GSO-230 | 10.01 |
| GSO-165 | 0.66 |

| Starting Point | Formula |
|----------------|--------------|
| 362 C | |
| GSO-064 | 85.03 |
| GSO-233 | 10.19 |
| GSO-230 | 4.78 |

| Starting Point | Formula |
|----------------|--------------|
| 363 C | |
| GSO-064 | 84.12 |
| GSO-230 | 11.95 |
| GSO-164 | 3.93 |

| Starting Point | Formula |
|----------------|--------------|
| 364 C | |
| GSO-064 | 66.58 |
| GSO-233 | 24.14 |
| GSO-066 | 9.28 |

| Starting Point | Formula |
|----------------|--------------|
| 365 C | |
| GSO-TW | 81.44 |
| GSO-064 | 17.62 |
| GSO-230 | 0.94 |

| Starting Point | Formula |
|----------------|--------------|
| 366 C | |
| GSO-TW | 70.93 |
| GSO-064 | 27.62 |
| GSO-230 | 1.45 |

| Starting Point | Formula |
|----------------|--------------|
| 367 C | |
| GSO-TW | 49.65 |
| GSO-064 | 47.95 |
| GSO-230 | 2.40 |

| Starting Point | Formula |
|----------------|--------------|
| 368 C | |
| GSO-064 | 85.30 |
| GSO-TW | 9.13 |
| GSO-230 | 5.57 |

| Starting Point | Formula |
|----------------|--------------|
| 369 C | |
| GSO-064 | 90.83 |
| GSO-230 | 6.61 |
| GSO-SB | 2.56 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 370 C | |
| GSO-064 | 81.02 |
| GSO-233 | 15.31 |
| GSO-066 | 3.67 |

| Starting Point | Formula |
|----------------|--------------|
| 371 C | |
| GSO-064 | 67.81 |
| GSO-233 | 21.53 |
| GSO-114 | 10.66 |

| Starting Point | Formula |
|----------------|--------------|
| 372 C | |
| GSO-TW | 81.98 |
| GSO-064 | 17.48 |
| GSO-230 | 0.54 |

| Starting Point | Formula |
|----------------|--------------|
| 373 C | |
| GSO-TW | 70.81 |
| GSO-064 | 27.63 |
| GSO-325 | 1.56 |

| Starting Point | Formula |
|----------------|--------------|
| 374 C | |
| GSO-064 | 49.50 |
| GSO-TW | 47.68 |
| GSO-325 | 2.82 |

| Starting Point | Formula |
|----------------|--------------|
| 375 C | |
| GSO-064 | 94.06 |
| GSO-325 | 4.77 |
| GSO-230 | 1.17 |

| Starting Point | Formula |
|----------------|--------------|
| 376 C | |
| GSO-064 | 90.36 |
| GSO-230 | 5.14 |
| GSO-066 | 4.50 |

| Starting Point | Formula |
|----------------|--------------|
| 377 C | |
| GSO-064 | 84.01 |
| GSO-SB | 8.76 |
| GSO-325 | 7.23 |

| Starting Point | Formula |
|----------------|--------------|
| 378 C | |
| GSO-064 | 66.94 |
| GSO-233 | 20.24 |
| GSO-114 | 12.82 |

| Starting Point | Formula |
|----------------|--------------|
| 379 C | |
| GSO-TW | 62.38 |
| GSO-064 | 36.97 |
| GSO-233 | 0.65 |

| Starting Point | Formula |
|----------------|--------------|
| 380 C | |
| GSO-064 | 63.81 |
| GSO-TW | 35.50 |
| GSO-230 | 0.69 |

| Starting Point | Formula |
|----------------|--------------|
| 381 C | |
| GSO-064 | 87.80 |
| GSO-TW | 11.08 |
| GSO-230 | 1.12 |

| Starting Point | Formula |
|----------------|--------------|
| 382 C | |
| GSO-064 | 97.59 |
| GSO-233 | 1.36 |
| GSO-230 | 1.05 |

| Starting Point | Formula |
|----------------|--------------|
| 383 C | |
| GSO-064 | 91.74 |
| GSO-233 | 5.72 |
| GSO-114 | 2.54 |

| Starting Point | Formula |
|----------------|--------------|
| 384 C | |
| GSO-064 | 89.48 |
| GSO-SB | 7.68 |
| GSO-233 | 2.84 |

| Starting Point | Formula |
|----------------|--------------|
| 385 C | |
| GSO-064 | 71.55 |
| GSO-SB | 18.05 |
| GSO-TW | 10.40 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 386 C | |
| GSO-TW | 59.67 |
| GSO-064 | 40.09 |
| GSO-230 | 0.24 |

| Starting Point | Formula |
|----------------|--------------|
| 387 C | |
| GSO-064 | 62.14 |
| GSO-TW | 37.06 |
| GSO-325 | 0.80 |

| Starting Point | Formula |
|----------------|--------------|
| 388 C | |
| GSO-064 | 74.46 |
| GSO-TW | 24.32 |
| GSO-325 | 1.22 |

| Starting Point | Formula |
|----------------|--------------|
| 389 C | |
| GSO-064 | 98.84 |
| GSO-230 | 1.16 |

| Starting Point | Formula |
|----------------|--------------|
| 390 C | |
| GSO-064 | 86.82 |
| GSO-066 | 10.77 |
| GSO-230 | 2.41 |

| Starting Point | Formula |
|----------------|--------------|
| 391 C | |
| GSO-064 | 89.92 |
| GSO-SB | 9.16 |
| GSO-325 | 0.92 |

| Starting Point | Formula |
|----------------|--------------|
| 392 C | |
| GSO-064 | 82.33 |
| GSO-SB | 13.89 |
| GSO-TW | 3.78 |

| Starting Point | Formula |
|----------------|--------------|
| 393 C | |
| GSO-TW | 75.88 |
| GSO-064 | 24.04 |
| GSO-127 | 0.08 |

| Starting Point | Formula |
|----------------|--------------|
| 394 C | |
| GSO-064 | 62.77 |
| GSO-TW | 36.89 |
| GSO-325 | 0.34 |

| Starting Point | Formula |
|----------------|--------------|
| 395 C | |
| GSO-064 | 89.93 |
| GSO-TW | 9.43 |
| GSO-325 | 0.64 |

| Starting Point | Formula |
|----------------|--------------|
| 396 C | |
| GSO-064 | 99.07 |
| GSO-325 | 0.93 |

| Starting Point | Formula |
|----------------|--------------|
| 397 C | |
| GSO-064 | 87.84 |
| GSO-066 | 8.77 |
| GSO-233 | 3.39 |

| Starting Point | Formula |
|----------------|--------------|
| 398 C | |
| GSO-064 | 90.63 |
| GSO-SB | 6.31 |
| GSO-TW | 3.06 |

| Starting Point | Formula |
|----------------|--------------|
| 399 C | |
| GSO-064 | 90.41 |
| GSO-SB | 9.59 |

| Starting Point | Formula |
|----------------|--------------|
| 3935 C | |
| GSO-TW | 63.45 |
| GSO-064 | 36.55 |

| Starting Point | Formula |
|----------------|--------------|
| 3945 C | |
| GSO-064 | 85.57 |
| GSO-TW | 14.31 |
| GSO-230 | 0.12 |

Techmark GSO

| Starting Point | Formula |
|-----------------------------|---------|
| 3955 C | |
| GSO-064 99.80 | |
| GSO-325 0.20 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 3965 C | |
| GSO-064 95.09 | |
| GSO-066 4.46 | |
| GSO-230 0.45 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 3975 C | |
| GSO-066 93.32 | |
| GSO-325 6.68 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 3985 C | |
| GSO-064 84.06 | |
| GSO-SB 10.86 | |
| GSO-066 5.08 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 3995 C | |
| GSO-064 75.52 | |
| GSO-SB 21.80 | |
| GSO-165 2.68 | |

| Starting Point | Formula |
|----------------------------|---------|
| 400 C | |
| GSO-TW 80.12 | |
| GSO-MX 15.00 | |
| GSO-SB 3.89 | |
| GSO-066 0.99 | |

| Starting Point | Formula |
|----------------------------|---------|
| 401 C | |
| GSO-TW 77.60 | |
| GSO-MX 15.10 | |
| GSO-SB 5.60 | |
| GSO-066 1.70 | |

| Starting Point | Formula |
|----------------------------|---------|
| 402 C | |
| GSO-TW 74.09 | |
| GSO-MX 15.00 | |
| GSO-SB 8.63 | |
| GSO-066 2.28 | |

| Starting Point | Formula |
|----------------------------|---------|
| 403 C | |
| GSO-TW 65.32 | |
| GSO-MX 15.00 | |
| GSO-SB 14.39 | |
| GSO-066 5.29 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 404 C | |
| GSO-TW 48.24 | |
| GSO-SB 25.22 | |
| GSO-MX 15.00 | |
| GSO-066 11.54 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 405 C | |
| GSO-TW 35.06 | |
| GSO-SB 33.63 | |
| GSO-066 16.31 | |
| GSO-MX 15.00 | |

| Starting Point | Formula |
|----------------------------|---------|
| 406 C | |
| GSO-TW 80.45 | |
| GSO-MX 15.00 | |
| GSO-SB 3.61 | |
| GSO-114 0.94 | |

| Starting Point | Formula |
|----------------------------|---------|
| 407 C | |
| GSO-TW 71.94 | |
| GSO-MX 15.00 | |
| GSO-114 9.57 | |
| GSO-230 3.49 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 408 C | |
| GSO-TW 66.00 | |
| GSO-MX 14.99 | |
| GSO-114 13.96 | |
| GSO-230 5.05 | |

| Starting Point | Formula |
|----------------------------|---------|
| 409 C | |
| GSO-TW 62.32 | |
| GSO-SB 15.82 | |
| GSO-MX 15.00 | |
| GSO-114 6.86 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 410 C | |
| GSO-TW 51.45 | |
| GSO-SB 22.87 | |
| GSO-MX 15.00 | |
| GSO-114 10.68 | |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 411 C | |
| GSO-TW | 36.22 |
| GSO-SB | 32.36 |
| GSO-114 | 16.42 |
| GSO-MX | 15.00 |

| Starting Point | Formula |
|----------------|--------------|
| 412 C | |
| GSO-064 | 47.05 |
| GSO-TW | 23.75 |
| GSO-MX | 15.00 |
| GSO-127 | 14.20 |

| Starting Point | Formula |
|----------------|--------------|
| 413 C | |
| GSO-TW | 79.66 |
| GSO-MX | 15.00 |
| GSO-SB | 3.91 |
| GSO-064 | 1.43 |

| Starting Point | Formula |
|----------------|--------------|
| 414 C | |
| GSO-TW | 76.14 |
| GSO-MX | 15.00 |
| GSO-SB | 6.62 |
| GSO-064 | 2.24 |

| Starting Point | Formula |
|----------------|--------------|
| 415 C | |
| GSO-TW | 67.22 |
| GSO-MX | 15.00 |
| GSO-SB | 11.99 |
| GSO-064 | 5.79 |

| Starting Point | Formula |
|----------------|--------------|
| 416 C | |
| GSO-TW | 57.79 |
| GSO-SB | 18.18 |
| GSO-MX | 15.00 |
| GSO-064 | 9.03 |

| Starting Point | Formula |
|----------------|--------------|
| 417 C | |
| GSO-TW | 40.03 |
| GSO-SB | 28.62 |
| GSO-064 | 16.35 |
| GSO-MX | 15.00 |

| Starting Point | Formula |
|----------------|--------------|
| 418 C | |
| GSO-SB | 35.20 |
| GSO-TW | 30.81 |
| GSO-064 | 18.99 |
| GSO-MX | 15.00 |

| Starting Point | Formula |
|----------------|--------------|
| 419 C | |
| GSO-SB | 69.31 |
| GSO-MX | 15.00 |
| GSO-066 | 11.46 |
| GSO-TW | 4.23 |

| Starting Point | Formula |
|----------------|--------------|
| 420 C | |
| GSO-TW | 81.99 |
| GSO-MX | 15.00 |
| GSO-SB | 2.83 |
| GSO-233 | 0.18 |

| Starting Point | Formula |
|----------------|--------------|
| 421 C | |
| GSO-TW | 79.78 |
| GSO-MX | 15.00 |
| GSO-SB | 5.16 |
| GSO-230 | 0.06 |

| Starting Point | Formula |
|----------------|--------------|
| 422 C | |
| GSO-TW | 90.81 |
| GSO-SB | 9.15 |
| GSO-230 | 0.04 |

| Starting Point | Formula |
|----------------|--------------|
| 423 C | |
| GSO-TW | 84.01 |
| GSO-SB | 14.98 |
| GSO-064 | 1.01 |

| Starting Point | Formula |
|----------------|--------------|
| 424 C | |
| GSO-TW | 73.08 |
| GSO-SB | 24.73 |
| GSO-064 | 2.19 |

| Starting Point | Formula |
|----------------|--------------|
| 425 C | |
| GSO-TW | 43.17 |
| GSO-SB | 39.55 |
| GSO-MX | 15.00 |
| GSO-066 | 2.28 |

| Starting Point | Formula |
|----------------|--------------|
| 426 C | |
| GSO-SB | 62.64 |
| GSO-MX | 15.00 |
| GSO-121 | 13.39 |
| GSO-TW | 8.97 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 427 C | |
| GSO-TW | 82.41 |
| GSO-MX | 15.00 |
| GSO-233 | 1.62 |
| GSO-114 | 0.97 |

| Starting Point | Formula |
|----------------|--------------|
| 428 C | |
| GSO-TW | 80.50 |
| GSO-MX | 15.00 |
| GSO-121 | 3.00 |
| GSO-230 | 1.50 |

| Starting Point | Formula |
|----------------|--------------|
| 429 C | |
| GSO-TW | 92.27 |
| GSO-SB | 6.10 |
| GSO-233 | 1.63 |

| Starting Point | Formula |
|----------------|--------------|
| 430 C | |
| GSO-TW | 84.02 |
| GSO-SB | 13.43 |
| GSO-233 | 2.55 |

| Starting Point | Formula |
|----------------|--------------|
| 431 C | |
| GSO-TW | 64.61 |
| GSO-SB | 29.00 |
| GSO-233 | 6.39 |

| Starting Point | Formula |
|----------------|--------------|
| 432 C | |
| GSO-SB | 47.90 |
| GSO-TW | 38.67 |
| GSO-233 | 13.43 |

| Starting Point | Formula |
|----------------|--------------|
| 433 C | |
| GSO-SB | 58.84 |
| GSO-165 | 18.34 |
| GSO-MX | 15.00 |
| GSO-TW | 7.82 |

| Starting Point | Formula |
|----------------|--------------|
| 434 C | |
| GSO-TW | 81.25 |
| GSO-MX | 15.00 |
| GSO-121 | 2.45 |
| GSO-233 | 1.30 |

| Starting Point | Formula |
|----------------|--------------|
| 435 C | |
| GSO-TW | 79.29 |
| GSO-MX | 15.00 |
| GSO-164 | 3.32 |
| GSO-325 | 2.39 |

| Starting Point | Formula |
|----------------|--------------|
| 436 C | |
| GSO-TW | 74.49 |
| GSO-MX | 15.00 |
| GSO-164 | 6.24 |
| GSO-325 | 4.27 |

| Starting Point | Formula |
|----------------|--------------|
| 437 C | |
| GSO-TW | 57.60 |
| GSO-121 | 35.03 |
| GSO-230 | 7.37 |

| Starting Point | Formula |
|----------------|--------------|
| 438 C | |
| GSO-114 | 49.65 |
| GSO-233 | 30.01 |
| GSO-TW | 20.34 |

| Starting Point | Formula |
|----------------|--------------|
| 439 C | |
| GSO-SB | 45.16 |
| GSO-TW | 20.10 |
| GSO-114 | 19.74 |
| GSO-MX | 15.00 |

| Starting Point | Formula |
|----------------|--------------|
| 440 C | |
| GSO-233 | 35.89 |
| GSO-114 | 35.68 |
| GSO-064 | 14.97 |
| GSO-MX | 13.46 |

| Starting Point | Formula |
|----------------|--------------|
| 441 C | |
| GSO-TW | 81.28 |
| GSO-MX | 15.00 |
| GSO-325 | 2.17 |
| GSO-164 | 1.55 |

| Starting Point | Formula |
|----------------|--------------|
| 442 C | |
| GSO-TW | 78.26 |
| GSO-MX | 15.00 |
| GSO-325 | 3.95 |
| GSO-164 | 2.79 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 443 C | |
| GSO-TW | 89.51 |
| GSO-SB | 9.77 |
| GSO-233 | 0.72 |

| Starting Point | Formula |
|----------------|--------------|
| 444 C | |
| GSO-TW | 56.58 |
| GSO-114 | 18.01 |
| GSO-MX | 15.00 |
| GSO-230 | 10.41 |

| Starting Point | Formula |
|----------------|--------------|
| 445 C | |
| GSO-SB | 43.42 |
| GSO-TW | 41.49 |
| GSO-MX | 15.00 |
| GSO-233 | 0.09 |

| Starting Point | Formula |
|----------------|--------------|
| 446 C | |
| GSO-TW | 44.72 |
| GSO-114 | 36.55 |
| GSO-230 | 18.73 |

| Starting Point | Formula |
|----------------|--------------|
| 447 C | |
| GSO-SB | 60.43 |
| GSO-TW | 23.16 |
| GSO-066 | 16.41 |

| Starting Point | Formula |
|----------------|--------------|
| Warm Gray 1 C | |
| GSO-TW | 83.75 |
| GSO-MX | 15.00 |
| GSO-SB | 1.13 |
| GSO-121 | 0.12 |

| Starting Point | Formula |
|----------------|--------------|
| Warm Gray 2 C | |
| GSO-TW | 82.59 |
| GSO-MX | 15.00 |
| GSO-SB | 2.05 |
| GSO-114 | 0.36 |

| Starting Point | Formula |
|----------------|--------------|
| Warm Gray 3 C | |
| GSO-TW | 81.37 |
| GSO-MX | 15.00 |
| GSO-SB | 3.12 |
| GSO-114 | 0.51 |

| Starting Point | Formula |
|----------------|--------------|
| Warm Gray 4 C | |
| GSO-TW | 75.80 |
| GSO-MX | 15.00 |
| GSO-114 | 6.59 |
| GSO-230 | 2.61 |

| Starting Point | Formula |
|----------------|--------------|
| Warm Gray 5 C | |
| GSO-TW | 67.82 |
| GSO-MX | 15.00 |
| GSO-121 | 11.08 |
| GSO-325 | 6.10 |

| Starting Point | Formula |
|----------------|--------------|
| Warm Gray 6 C | |
| GSO-TW | 69.97 |
| GSO-MX | 15.00 |
| GSO-114 | 10.83 |
| GSO-230 | 4.20 |

| Starting Point | Formula |
|----------------|--------------|
| Warm Gray 7 C | |
| GSO-TW | 68.14 |
| GSO-MX | 15.00 |
| GSO-114 | 12.17 |
| GSO-230 | 4.69 |

| Starting Point | Formula |
|----------------|--------------|
| Warm Gray 8 C | |
| GSO-TW | 56.37 |
| GSO-114 | 20.96 |
| GSO-MX | 15.00 |
| GSO-230 | 7.67 |

| Starting Point | Formula |
|----------------|--------------|
| Warm Gray 9 C | |
| GSO-TW | 51.56 |
| GSO-114 | 24.53 |
| GSO-MX | 15.00 |
| GSO-230 | 8.91 |

| Starting Point | Formula |
|----------------|--------------|
| Warm Gray 10 C | |
| GSO-TW | 39.01 |
| GSO-114 | 33.66 |
| GSO-MX | 15.00 |
| GSO-230 | 12.33 |

| Starting Point | Formula |
|----------------|--------------|
| Warm Gray 11 C | |
| GSO-114 | 41.89 |
| GSO-TW | 27.48 |
| GSO-230 | 15.63 |
| GSO-MX | 15.00 |

Techmark GSO

| Starting Point | Formula |
|----------------------------|---------|
| Cool Gray 1 C | |
| GSO-TW 99.00 | |
| GSO-165 0.56 | |
| GSO-233 0.44 | |

| Starting Point | Formula |
|----------------------------|---------|
| Cool Gray 2 C | |
| GSO-TW 82.55 | |
| GSO-MX 15.00 | |
| GSO-SB 2.45 | |

| Starting Point | Formula |
|----------------------------|---------|
| Cool Gray 3 C | |
| GSO-TW 96.04 | |
| GSO-SB 3.89 | |
| GSO-233 0.07 | |

| Starting Point | Formula |
|----------------------------|---------|
| Cool Gray 4 C | |
| GSO-TW 79.81 | |
| GSO-MX 15.00 | |
| GSO-SB 5.19 | |

| Starting Point | Formula |
|----------------------------|---------|
| Cool Gray 5 C | |
| GSO-TW 78.45 | |
| GSO-MX 15.00 | |
| GSO-SB 6.55 | |

| Starting Point | Formula |
|----------------------------|---------|
| Cool Gray 6 C | |
| GSO-TW 79.14 | |
| GSO-MX 15.00 | |
| GSO-SB 5.43 | |
| GSO-127 0.43 | |

| Starting Point | Formula |
|----------------------------|---------|
| Cool Gray 7 C | |
| GSO-TW 89.53 | |
| GSO-SB 9.71 | |
| GSO-121 0.76 | |

| Starting Point | Formula |
|----------------------------|---------|
| Cool Gray 8 C | |
| GSO-TW 72.08 | |
| GSO-MX 15.00 | |
| GSO-SB 11.87 | |
| GSO-165 1.05 | |

| Starting Point | Formula |
|----------------------------|---------|
| Cool Gray 9 C | |
| GSO-TW 80.62 | |
| GSO-SB 18.63 | |
| GSO-121 0.75 | |

| Starting Point | Formula |
|----------------------------|---------|
| Cool Gray 10 C | |
| GSO-TW 66.74 | |
| GSO-SB 30.79 | |
| GSO-121 2.47 | |

| Starting Point | Formula |
|----------------------------|---------|
| Cool Gray 11 C | |
| GSO-TW 54.47 | |
| GSO-SB 41.63 | |
| GSO-121 3.90 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 448 C | |
| GSO-064 61.12 | |
| GSO-233 23.15 | |
| GSO-164 15.73 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 449 C | |
| GSO-064 59.99 | |
| GSO-SB 33.67 | |
| GSO-165 6.34 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 450 C | |
| GSO-064 62.01 | |
| GSO-SB 31.67 | |
| GSO-165 6.32 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 451 C | |
| GSO-TW 59.39 | |
| GSO-064 29.82 | |
| GSO-SB 10.79 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 452 C | |
| GSO-TW 77.85 | |
| GSO-064 15.75 | |
| GSO-SB 6.40 | |

Techmark GSO

| Starting Point | Formula |
|----------------------------|---------|
| 453 C | |
| GSO-TW 88.15 | |
| GSO-064 8.10 | |
| GSO-SB 3.75 | |

| Starting Point | Formula |
|----------------------------|---------|
| 454 C | |
| GSO-TW 94.44 | |
| GSO-064 3.65 | |
| GSO-SB 1.91 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 4485 C | |
| GSO-064 68.22 | |
| GSO-233 18.20 | |
| GSO-164 13.58 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 4495 C | |
| GSO-064 80.15 | |
| GSO-233 11.00 | |
| GSO-164 8.85 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 4505 C | |
| GSO-066 49.50 | |
| GSO-TW 39.90 | |
| GSO-233 10.60 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 4515 C | |
| GSO-TW 48.89 | |
| GSO-064 46.85 | |
| GSO-127 4.26 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 4525 C | |
| GSO-TW 72.45 | |
| GSO-064 25.08 | |
| GSO-127 2.47 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 4535 C | |
| GSO-TW 83.93 | |
| GSO-064 14.54 | |
| GSO-127 1.53 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 4545 C | |
| GSO-064 74.62 | |
| GSO-233 14.93 | |
| GSO-164 10.45 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 455 C | |
| GSO-064 74.62 | |
| GSO-233 14.93 | |
| GSO-164 10.45 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 456 C | |
| GSO-064 86.64 | |
| GSO-233 7.34 | |
| GSO-164 6.02 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 457 C | |
| GSO-064 89.23 | |
| GSO-SB 5.94 | |
| GSO-165 4.83 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 458 C | |
| GSO-064 50.00 | |
| GSO-TW 48.67 | |
| GSO-127 1.33 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 459 C | |
| GSO-TW 62.37 | |
| GSO-064 36.59 | |
| GSO-127 1.04 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 460 C | |
| GSO-TW 77.98 | |
| GSO-064 21.37 | |
| GSO-127 0.65 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 461 C | |
| GSO-TW 88.62 | |
| GSO-064 10.94 | |
| GSO-127 0.44 | |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 462 C | |
| GSO-064 | 55.47 |
| GSO-SB | 29.73 |
| GSO-165 | 14.80 |

| Starting Point | Formula |
|----------------|--------------|
| 463 C | |
| GSO-064 | 61.28 |
| GSO-SB | 21.15 |
| GSO-165 | 17.57 |

| Starting Point | Formula |
|----------------|--------------|
| 464 C | |
| GSO-064 | 67.33 |
| GSO-165 | 18.07 |
| GSO-SB | 14.60 |

| Starting Point | Formula |
|----------------|--------------|
| 465 C | |
| GSO-064 | 53.59 |
| GSO-TW | 41.48 |
| GSO-127 | 4.93 |

| Starting Point | Formula |
|----------------|--------------|
| 466 C | |
| GSO-TW | 63.07 |
| GSO-064 | 33.69 |
| GSO-127 | 3.24 |

| Starting Point | Formula |
|----------------|--------------|
| 467 C | |
| GSO-TW | 80.18 |
| GSO-064 | 17.89 |
| GSO-127 | 1.93 |

| Starting Point | Formula |
|----------------|--------------|
| 468 C | |
| GSO-TW | 90.15 |
| GSO-064 | 8.81 |
| GSO-127 | 1.04 |

| Starting Point | Formula |
|----------------|--------------|
| 4625 C | |
| GSO-064 | 58.00 |
| GSO-SB | 31.68 |
| GSO-164 | 10.32 |

| Starting Point | Formula |
|----------------|--------------|
| 4635 C | |
| GSO-064 | 80.85 |
| GSO-127 | 9.93 |
| GSO-165 | 9.22 |

| Starting Point | Formula |
|----------------|--------------|
| 4645 C | |
| GSO-TW | 52.94 |
| GSO-066 | 39.46 |
| GSO-127 | 7.60 |

| Starting Point | Formula |
|----------------|--------------|
| 4655 C | |
| GSO-TW | 72.05 |
| GSO-066 | 22.97 |
| GSO-127 | 4.98 |

| Starting Point | Formula |
|----------------|--------------|
| 4665 C | |
| GSO-TW | 81.05 |
| GSO-114 | 14.73 |
| GSO-325 | 4.22 |

| Starting Point | Formula |
|----------------|--------------|
| 4675 C | |
| GSO-TW | 89.60 |
| GSO-114 | 7.92 |
| GSO-325 | 2.48 |

| Starting Point | Formula |
|----------------|--------------|
| 4685 C | |
| GSO-TW | 94.63 |
| GSO-066 | 4.38 |
| GSO-127 | 0.99 |

| Starting Point | Formula |
|----------------|--------------|
| 469 C | |
| GSO-066 | 42.35 |
| GSO-165 | 40.29 |
| GSO-325 | 17.36 |

| Starting Point | Formula |
|----------------|--------------|
| 470 C | |
| GSO-064 | 77.47 |
| GSO-114 | 13.30 |
| GSO-127 | 9.23 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 471 C | |
| GSO-064 | 63.36 |
| GSO-121 | 31.99 |
| GSO-233 | 4.65 |

| Starting Point | Formula |
|----------------|--------------|
| 472 C | |
| GSO-064 | 45.37 |
| GSO-TW | 40.45 |
| GSO-165 | 14.18 |

| Starting Point | Formula |
|----------------|--------------|
| 473 C | |
| GSO-TW | 82.54 |
| GSO-064 | 13.96 |
| GSO-164 | 3.50 |

| Starting Point | Formula |
|----------------|--------------|
| 474 C | |
| GSO-TW | 88.24 |
| GSO-064 | 9.25 |
| GSO-164 | 2.51 |

| Starting Point | Formula |
|----------------|--------------|
| 475 C | |
| GSO-TW | 93.13 |
| GSO-064 | 5.36 |
| GSO-164 | 1.51 |

| Starting Point | Formula |
|----------------|--------------|
| 4695 C | |
| GSO-064 | 46.96 |
| GSO-165 | 29.89 |
| GSO-SB | 23.15 |

| Starting Point | Formula |
|----------------|--------------|
| 4705 C | |
| GSO-064 | 54.46 |
| GSO-165 | 36.39 |
| GSO-233 | 9.15 |

| Starting Point | Formula |
|----------------|--------------|
| 4715 C | |
| GSO-TW | 60.71 |
| GSO-114 | 24.89 |
| GSO-SB | 14.40 |

| Starting Point | Formula |
|----------------|--------------|
| 4725 C | |
| GSO-TW | 68.74 |
| GSO-114 | 26.13 |
| GSO-230 | 5.13 |

| Starting Point | Formula |
|----------------|--------------|
| 4735 C | |
| GSO-TW | 85.92 |
| GSO-114 | 11.46 |
| GSO-230 | 2.62 |

| Starting Point | Formula |
|----------------|--------------|
| 4745 C | |
| GSO-TW | 91.32 |
| GSO-114 | 6.99 |
| GSO-230 | 1.69 |

| Starting Point | Formula |
|----------------|--------------|
| 4755 C | |
| GSO-TW | 90.27 |
| GSO-064 | 7.90 |
| GSO-127 | 1.83 |

| Starting Point | Formula |
|----------------|--------------|
| 476 C | |
| GSO-064 | 50.65 |
| GSO-SB | 34.83 |
| GSO-164 | 14.52 |

| Starting Point | Formula |
|----------------|--------------|
| 477 C | |
| GSO-064 | 55.45 |
| GSO-SB | 27.21 |
| GSO-164 | 17.34 |

| Starting Point | Formula |
|----------------|--------------|
| 478 C | |
| GSO-064 | 60.40 |
| GSO-164 | 25.35 |
| GSO-233 | 14.25 |

| Starting Point | Formula |
|----------------|--------------|
| 479 C | |
| GSO-064 | 53.58 |
| GSO-TW | 37.43 |
| GSO-127 | 8.99 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 480 C | |
| GSO-TW | 81.05 |
| GSO-114 | 13.62 |
| GSO-325 | 5.33 |

| Starting Point | Formula |
|----------------|--------------|
| 481 C | |
| GSO-TW | 90.77 |
| GSO-114 | 6.46 |
| GSO-325 | 2.77 |

| Starting Point | Formula |
|----------------|--------------|
| 482 C | |
| GSO-TW | 94.58 |
| GSO-114 | 3.75 |
| GSO-325 | 1.67 |

| Starting Point | Formula |
|----------------|--------------|
| 483 C | |
| GSO-064 | 49.58 |
| GSO-165 | 33.21 |
| GSO-SB | 17.21 |

| Starting Point | Formula |
|----------------|--------------|
| 484 C | |
| GSO-064 | 70.30 |
| GSO-164 | 21.43 |
| GSO-127 | 8.27 |

| Starting Point | Formula |
|----------------|--------------|
| 485 C | |
| GSO-064 | 59.27 |
| GSO-165 | 25.45 |
| GSO-164 | 15.28 |

| Starting Point | Formula |
|----------------|--------------|
| 486 C | |
| GSO-064 | 59.35 |
| GSO-165 | 25.23 |
| GSO-164 | 15.42 |

| Starting Point | Formula |
|----------------|--------------|
| 487 C | |
| GSO-TW | 58.30 |
| GSO-064 | 26.47 |
| GSO-165 | 15.23 |

| Starting Point | Formula |
|----------------|--------------|
| 488 C | |
| GSO-TW | 82.75 |
| GSO-064 | 10.80 |
| GSO-165 | 6.45 |

| Starting Point | Formula |
|----------------|--------------|
| 489 C | |
| GSO-TW | 89.59 |
| GSO-064 | 6.45 |
| GSO-165 | 3.96 |

| Starting Point | Formula |
|----------------|--------------|
| 490 C | |
| GSO-165 | 50.36 |
| GSO-066 | 33.49 |
| GSO-325 | 16.15 |

| Starting Point | Formula |
|----------------|--------------|
| 491 C | |
| GSO-165 | 52.57 |
| GSO-066 | 36.71 |
| GSO-325 | 10.72 |

| Starting Point | Formula |
|----------------|--------------|
| 492 C | |
| GSO-121 | 61.36 |
| GSO-TW | 27.67 |
| GSO-SB | 10.97 |

| Starting Point | Formula |
|----------------|--------------|
| 493 C | |
| GSO-TW | 87.16 |
| GSO-164 | 11.94 |
| GSO-233 | 0.90 |

| Starting Point | Formula |
|----------------|--------------|
| 494 C | |
| GSO-TW | 89.64 |
| GSO-165 | 7.51 |
| GSO-114 | 2.85 |

| Starting Point | Formula |
|----------------|--------------|
| 495 C | |
| GSO-TW | 92.79 |
| GSO-165 | 5.24 |
| GSO-114 | 1.97 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 496 C | |
| GSO-TW | 95.15 |
| GSO-165 | 3.48 |
| GSO-114 | 1.37 |

| Starting Point | Formula |
|----------------|--------------|
| 497 C | |
| GSO-114 | 44.02 |
| GSO-SB | 39.15 |
| GSO-TW | 16.83 |

| Starting Point | Formula |
|----------------|--------------|
| 498 C | |
| GSO-121 | 65.75 |
| GSO-325 | 17.60 |
| GSO-TW | 16.65 |

| Starting Point | Formula |
|----------------|--------------|
| 499 C | |
| GSO-114 | 54.54 |
| GSO-SB | 23.11 |
| GSO-TW | 22.35 |

| Starting Point | Formula |
|----------------|--------------|
| 500 C | |
| GSO-TW | 86.00 |
| GSO-164 | 10.87 |
| GSO-SB | 3.13 |

| Starting Point | Formula |
|----------------|--------------|
| 501 C | |
| GSO-TW | 93.37 |
| GSO-164 | 5.60 |
| GSO-325 | 1.03 |

| Starting Point | Formula |
|----------------|--------------|
| 502 C | |
| GSO-TW | 96.11 |
| GSO-164 | 3.24 |
| GSO-325 | 0.65 |

| Starting Point | Formula |
|----------------|--------------|
| 503 C | |
| GSO-TW | 97.63 |
| GSO-164 | 1.99 |
| GSO-325 | 0.38 |

| Starting Point | Formula |
|----------------|--------------|
| 4975 C | |
| GSO-066 | 36.17 |
| GSO-121 | 33.57 |
| GSO-233 | 30.26 |

| Starting Point | Formula |
|----------------|--------------|
| 4985 C | |
| GSO-164 | 53.18 |
| GSO-TW | 35.79 |
| GSO-325 | 11.03 |

| Starting Point | Formula |
|----------------|--------------|
| 4995 C | |
| GSO-TW | 62.71 |
| GSO-114 | 27.13 |
| GSO-127 | 10.16 |

| Starting Point | Formula |
|----------------|--------------|
| 5005 C | |
| GSO-TW | 79.27 |
| GSO-114 | 15.00 |
| GSO-127 | 5.73 |

| Starting Point | Formula |
|----------------|--------------|
| 5015 C | |
| GSO-TW | 92.55 |
| GSO-164 | 4.46 |
| GSO-SB | 2.99 |

| Starting Point | Formula |
|----------------|--------------|
| 5025 C | |
| GSO-TW | 96.37 |
| GSO-164 | 2.13 |
| GSO-SB | 1.50 |

| Starting Point | Formula |
|----------------|--------------|
| 5035 C | |
| GSO-TW | 97.93 |
| GSO-164 | 1.23 |
| GSO-SB | 0.84 |

| Starting Point | Formula |
|----------------|--------------|
| 504 C | |
| GSO-114 | 49.58 |
| GSO-SB | 38.54 |
| GSO-TW | 11.88 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 505 C | |
| GSO-121 | 55.99 |
| GSO-SB | 22.78 |
| GSO-TW | 21.23 |

| Starting Point | Formula |
|----------------|--------------|
| 506 C | |
| GSO-114 | 54.94 |
| GSO-TW | 27.43 |
| GSO-127 | 17.63 |

| Starting Point | Formula |
|----------------|--------------|
| 507 C | |
| GSO-TW | 90.28 |
| GSO-164 | 7.89 |
| GSO-127 | 1.83 |

| Starting Point | Formula |
|----------------|--------------|
| 508 C | |
| GSO-TW | 91.22 |
| GSO-165 | 7.67 |
| GSO-066 | 1.11 |

| Starting Point | Formula |
|----------------|--------------|
| 509 C | |
| GSO-TW | 92.98 |
| GSO-165 | 6.09 |
| GSO-066 | 0.93 |

| Starting Point | Formula |
|----------------|--------------|
| 510 C | |
| GSO-TW | 97.19 |
| GSO-164 | 2.34 |
| GSO-127 | 0.47 |

| Starting Point | Formula |
|----------------|--------------|
| 511 C | |
| GSO-165 | 66.97 |
| GSO-114 | 22.51 |
| GSO-230 | 10.52 |

| Starting Point | Formula |
|----------------|--------------|
| 512 C | |
| GSO-165 | 91.24 |
| GSO-325 | 8.76 |

| Starting Point | Formula |
|----------------|--------------|
| 513 C | |
| GSO-165 | 89.90 |
| GSO-127 | 10.10 |

| Starting Point | Formula |
|----------------|--------------|
| 514 C | |
| GSO-TW | 76.19 |
| GSO-165 | 22.19 |
| GSO-127 | 1.62 |

| Starting Point | Formula |
|----------------|--------------|
| 515 C | |
| GSO-TW | 87.43 |
| GSO-165 | 11.76 |
| GSO-127 | 0.81 |

| Starting Point | Formula |
|----------------|--------------|
| 516 C | |
| GSO-TW | 92.56 |
| GSO-165 | 7.44 |

| Starting Point | Formula |
|----------------|--------------|
| 517 C | |
| GSO-TW | 95.70 |
| GSO-165 | 4.30 |

| Starting Point | Formula |
|----------------|--------------|
| 5115 C | |
| GSO-165 | 63.91 |
| GSO-066 | 25.02 |
| GSO-230 | 11.07 |

| Starting Point | Formula |
|----------------|--------------|
| 5125 C | |
| GSO-165 | 51.51 |
| GSO-TW | 29.56 |
| GSO-SB | 18.93 |

| Starting Point | Formula |
|----------------|--------------|
| 5135 C | |
| GSO-TW | 46.92 |
| GSO-165 | 37.73 |
| GSO-SB | 15.35 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 5145 C | |
| GSO-TW | 75.50 |
| GSO-165 | 15.75 |
| GSO-SB | 8.75 |

| Starting Point | Formula |
|----------------|--------------|
| 5155 C | |
| GSO-TW | 92.72 |
| GSO-164 | 5.25 |
| GSO-230 | 2.03 |

| Starting Point | Formula |
|----------------|--------------|
| 5165 C | |
| GSO-TW | 96.87 |
| GSO-164 | 1.68 |
| GSO-233 | 1.45 |

| Starting Point | Formula |
|----------------|--------------|
| 5175 C | |
| GSO-TW | 97.96 |
| GSO-064 | 1.08 |
| GSO-127 | 0.96 |

| Starting Point | Formula |
|----------------|--------------|
| 518 C | |
| GSO-165 | 53.70 |
| GSO-SB | 32.30 |
| GSO-TW | 14.00 |

| Starting Point | Formula |
|----------------|--------------|
| 519 C | |
| GSO-165 | 71.72 |
| GSO-064 | 19.19 |
| GSO-230 | 9.09 |

| Starting Point | Formula |
|----------------|--------------|
| 520 C | |
| GSO-165 | 80.50 |
| GSO-325 | 13.50 |
| GSO-TW | 6.00 |

| Starting Point | Formula |
|----------------|--------------|
| 521 C | |
| GSO-TW | 69.01 |
| GSO-165 | 26.06 |
| GSO-325 | 4.93 |

| Starting Point | Formula |
|----------------|--------------|
| 522 C | |
| GSO-TW | 81.47 |
| GSO-165 | 15.20 |
| GSO-325 | 3.33 |

| Starting Point | Formula |
|----------------|--------------|
| 523 C | |
| GSO-TW | 88.96 |
| GSO-165 | 8.90 |
| GSO-325 | 2.14 |

| Starting Point | Formula |
|----------------|--------------|
| 524 C | |
| GSO-TW | 94.02 |
| GSO-165 | 4.77 |
| GSO-325 | 1.21 |

| Starting Point | Formula |
|----------------|--------------|
| 5185 C | |
| GSO-164 | 65.74 |
| GSO-TW | 16.66 |
| GSO-230 | 17.60 |

| Starting Point | Formula |
|----------------|--------------|
| 5195 C | |
| GSO-164 | 65.74 |
| GSO-230 | 17.60 |
| GSO-TW | 16.66 |

| Starting Point | Formula |
|----------------|--------------|
| 5205 C | |
| GSO-164 | 46.37 |
| GSO-TW | 30.97 |
| GSO-233 | 22.66 |

| Starting Point | Formula |
|----------------|--------------|
| 5215 C | |
| GSO-TW | 66.66 |
| GSO-164 | 26.14 |
| GSO-230 | 7.20 |

| Starting Point | Formula |
|----------------|--------------|
| 5225 C | |
| GSO-TW | 85.22 |
| GSO-066 | 7.86 |
| GSO-127 | 6.92 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 5235 C | |
| GSO-TW | 91.70 |
| GSO-165 | 4.70 |
| GSO-SB | 3.60 |

| Starting Point | Formula |
|----------------|--------------|
| 5245 C | |
| GSO-TW | 94.99 |
| GSO-165 | 2.67 |
| GSO-SB | 2.34 |

| Starting Point | Formula |
|----------------|--------------|
| 525 C | |
| GSO-165 | 76.21 |
| GSO-066 | 11.95 |
| GSO-230 | 11.84 |

| Starting Point | Formula |
|----------------|--------------|
| 526 C | |
| GSO-165 | 90.34 |
| GSO-230 | 9.66 |

| Starting Point | Formula |
|----------------|--------------|
| 527 C | |
| GSO-165 | 83.33 |
| GSO-233 | 15.25 |
| GSO-127 | 1.42 |

| Starting Point | Formula |
|----------------|--------------|
| 528 C | |
| GSO-TW | 82.24 |
| GSO-127 | 10.76 |
| GSO-165 | 7.00 |

| Starting Point | Formula |
|----------------|--------------|
| 529 C | |
| GSO-TW | 93.24 |
| GSO-127 | 4.44 |
| GSO-165 | 2.32 |

| Starting Point | Formula |
|----------------|--------------|
| 530 C | |
| GSO-TW | 95.93 |
| GSO-127 | 2.89 |
| GSO-165 | 1.18 |

| Starting Point | Formula |
|----------------|--------------|
| 531 C | |
| GSO-TW | 97.72 |
| GSO-127 | 1.61 |
| GSO-165 | 0.67 |

| Starting Point | Formula |
|----------------|--------------|
| 5255 C | |
| GSO-165 | 52.77 |
| GSO-114 | 25.98 |
| GSO-230 | 21.25 |

| Starting Point | Formula |
|----------------|--------------|
| 5265 C | |
| GSO-TW | 39.79 |
| GSO-127 | 38.37 |
| GSO-SB | 21.84 |

| Starting Point | Formula |
|----------------|--------------|
| 5275 C | |
| GSO-TW | 51.69 |
| GSO-233 | 30.20 |
| GSO-164 | 18.11 |

| Starting Point | Formula |
|----------------|--------------|
| 5285 C | |
| GSO-TW | 82.45 |
| GSO-233 | 10.41 |
| GSO-164 | 7.14 |

| Starting Point | Formula |
|----------------|--------------|
| 5295 C | |
| GSO-TW | 92.87 |
| GSO-164 | 4.12 |
| GSO-230 | 3.01 |

| Starting Point | Formula |
|----------------|--------------|
| 5305 C | |
| GSO-TW | 96.24 |
| GSO-233 | 2.38 |
| GSO-164 | 1.38 |

| Starting Point | Formula |
|----------------|--------------|
| 5315 C | |
| GSO-TW | 97.90 |
| GSO-164 | 0.76 |
| GSO-233 | 1.34 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 532 C | |
| GSO-SB | 64.26 |
| GSO-TW | 18.16 |
| GSO-127 | 17.58 |

| Starting Point | Formula |
|----------------|--------------|
| 533 C | |
| GSO-165 | 55.59 |
| GSO-325 | 31.26 |
| GSO-SB | 13.15 |

| Starting Point | Formula |
|----------------|--------------|
| 534 C | |
| GSO-233 | 63.06 |
| GSO-SB | 20.20 |
| GSO-TW | 16.74 |

| Starting Point | Formula |
|----------------|--------------|
| 535 C | |
| GSO-TW | 89.37 |
| GSO-230 | 5.52 |
| GSO-164 | 5.11 |

| Starting Point | Formula |
|----------------|--------------|
| 536 C | |
| GSO-TW | 85.57 |
| GSO-165 | 8.89 |
| GSO-325 | 5.54 |

| Starting Point | Formula |
|----------------|--------------|
| 537 C | |
| GSO-TW | 92.64 |
| GSO-165 | 4.53 |
| GSO-325 | 2.83 |

| Starting Point | Formula |
|----------------|--------------|
| 538 C | |
| GSO-TW | 98.17 |
| GSO-233 | 1.35 |
| GSO-164 | 0.48 |

| Starting Point | Formula |
|----------------|--------------|
| 539 C | |
| GSO-233 | 54.99 |
| GSO-121 | 36.60 |
| GSO-064 | 8.41 |

| Starting Point | Formula |
|----------------|--------------|
| 540 C | |
| GSO-233 | 72.63 |
| GSO-SB | 20.19 |
| GSO-TW | 7.18 |

| Starting Point | Formula |
|----------------|--------------|
| 541 C | |
| GSO-233 | 80.95 |
| GSO-064 | 11.52 |
| GSO-TW | 7.53 |

| Starting Point | Formula |
|----------------|--------------|
| 542 C | |
| GSO-TW | 82.86 |
| GSO-233 | 15.65 |
| GSO-325 | 1.49 |

| Starting Point | Formula |
|----------------|--------------|
| 543 C | |
| GSO-TW | 92.72 |
| GSO-233 | 7.28 |

| Starting Point | Formula |
|----------------|--------------|
| 544 C | |
| GSO-TW | 95.57 |
| GSO-165 | 2.38 |
| GSO-230 | 2.05 |

| Starting Point | Formula |
|----------------|--------------|
| 545 C | |
| GSO-TW | 98.49 |
| GSO-230 | 0.88 |
| GSO-127 | 0.63 |

| Starting Point | Formula |
|----------------|--------------|
| 5395 C | |
| GSO-SB | 50.45 |
| GSO-165 | 44.54 |
| GSO-230 | 5.01 |

| Starting Point | Formula |
|----------------|--------------|
| 5405 C | |
| GSO-TW | 47.18 |
| GSO-230 | 26.73 |
| GSO-121 | 26.09 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 5415 C | |
| GSO-TW | 65.61 |
| GSO-121 | 18.48 |
| GSO-230 | 15.91 |

| Starting Point | Formula |
|----------------|--------------|
| 5425 C | |
| GSO-TW | 83.47 |
| GSO-233 | 9.02 |
| GSO-SB | 7.51 |

| Starting Point | Formula |
|----------------|--------------|
| 5435 C | |
| GSO-TW | 93.72 |
| GSO-233 | 3.63 |
| GSO-SB | 2.65 |

| Starting Point | Formula |
|----------------|--------------|
| 5445 C | |
| GSO-TW | 95.54 |
| GSO-233 | 3.22 |
| GSO-114 | 1.24 |

| Starting Point | Formula |
|----------------|--------------|
| 5455 C | |
| GSO-TW | 97.26 |
| GSO-233 | 1.96 |
| GSO-114 | 0.78 |

| Starting Point | Formula |
|----------------|--------------|
| 546 C | |
| GSO-SB | 52.27 |
| GSO-230 | 34.77 |
| GSO-TW | 12.96 |

| Starting Point | Formula |
|----------------|--------------|
| 547 C | |
| GSO-230 | 46.72 |
| GSO-SB | 34.53 |
| GSO-TW | 18.75 |

| Starting Point | Formula |
|----------------|--------------|
| 548 C | |
| GSO-233 | 45.00 |
| GSO-064 | 34.04 |
| GSO-165 | 20.96 |

| Starting Point | Formula |
|----------------|--------------|
| 549 C | |
| GSO-TW | 75.52 |
| GSO-233 | 17.53 |
| GSO-064 | 6.95 |

| Starting Point | Formula |
|----------------|--------------|
| 550 C | |
| GSO-TW | 89.37 |
| GSO-230 | 6.08 |
| GSO-121 | 4.55 |

| Starting Point | Formula |
|----------------|--------------|
| 551 C | |
| GSO-TW | 93.78 |
| GSO-230 | 3.40 |
| GSO-121 | 2.82 |

| Starting Point | Formula |
|----------------|--------------|
| 552 C | |
| GSO-TW | 96.15 |
| GSO-233 | 3.15 |
| GSO-066 | 0.70 |

| Starting Point | Formula |
|----------------|--------------|
| 5463 C | |
| GSO-230 | 52.86 |
| GSO-SB | 47.14 |

| Starting Point | Formula |
|----------------|--------------|
| 5473 C | |
| GSO-233 | 45.11 |
| GSO-TW | 27.61 |
| GSO-064 | 27.28 |

| Starting Point | Formula |
|----------------|--------------|
| 5483 C | |
| GSO-TW | 59.93 |
| GSO-233 | 23.62 |
| GSO-064 | 16.45 |

| Starting Point | Formula |
|----------------|--------------|
| 5493 C | |
| GSO-TW | 89.26 |
| GSO-SB | 6.31 |
| GSO-230 | 4.43 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 5503 C | |
| GSO-TW | 94.54 |
| GSO-SB | 3.32 |
| GSO-230 | 2.14 |

| Starting Point | Formula |
|----------------|--------------|
| 5513 C | |
| GSO-TW | 97.36 |
| GSO-SB | 1.54 |
| GSO-230 | 1.10 |

| Starting Point | Formula |
|----------------|--------------|
| 5523 C | |
| GSO-TW | 98.22 |
| GSO-SB | 1.09 |
| GSO-230 | 0.69 |

| Starting Point | Formula |
|----------------|--------------|
| 5467 C | |
| GSO-SB | 64.28 |
| GSO-325 | 19.20 |
| GSO-TW | 16.52 |

| Starting Point | Formula |
|----------------|--------------|
| 5477 C | |
| GSO-233 | 39.80 |
| GSO-TW | 32.30 |
| GSO-066 | 27.90 |

| Starting Point | Formula |
|----------------|--------------|
| 5487 C | |
| GSO-TW | 59.32 |
| GSO-233 | 22.94 |
| GSO-066 | 17.74 |

| Starting Point | Formula |
|----------------|--------------|
| 5497 C | |
| GSO-TW | 94.87 |
| GSO-SB | 4.42 |
| GSO-230 | 0.71 |

| Starting Point | Formula |
|----------------|--------------|
| 5507 C | |
| GSO-TW | 93.47 |
| GSO-SB | 4.89 |
| GSO-325 | 1.64 |

| Starting Point | Formula |
|----------------|--------------|
| 5517 C | |
| GSO-TW | 95.52 |
| GSO-114 | 2.55 |
| GSO-230 | 1.93 |

| Starting Point | Formula |
|----------------|--------------|
| 5527 C | |
| GSO-TW | 97.16 |
| GSO-114 | 1.61 |
| GSO-230 | 1.23 |

| Starting Point | Formula |
|----------------|--------------|
| 553 C | |
| GSO-064 | 55.11 |
| GSO-233 | 33.47 |
| GSO-164 | 11.42 |

| Starting Point | Formula |
|----------------|--------------|
| 554 C | |
| GSO-064 | 57.75 |
| GSO-165 | 26.75 |
| GSO-230 | 15.50 |

| Starting Point | Formula |
|----------------|--------------|
| 555 C | |
| GSO-064 | 52.72 |
| GSO-233 | 31.42 |
| GSO-TW | 15.86 |

| Starting Point | Formula |
|----------------|--------------|
| 556 C | |
| GSO-TW | 77.27 |
| GSO-066 | 13.47 |
| GSO-230 | 9.26 |

| Starting Point | Formula |
|----------------|--------------|
| 557 C | |
| GSO-TW | 81.65 |
| GSO-064 | 11.85 |
| GSO-233 | 6.50 |

| Starting Point | Formula |
|----------------|--------------|
| 558 C | |
| GSO-TW | 90.48 |
| GSO-325 | 6.08 |
| GSO-114 | 3.44 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 559 C | |
| GSO-TW | 93.99 |
| GSO-064 | 3.76 |
| GSO-233 | 2.25 |

| Starting Point | Formula |
|----------------|--------------|
| 5535 C | |
| GSO-SB | 51.10 |
| GSO-325 | 41.30 |
| GSO-TW | 7.60 |

| Starting Point | Formula |
|----------------|--------------|
| 5545 C | |
| GSO-325 | 37.26 |
| GSO-TW | 36.21 |
| GSO-121 | 26.53 |

| Starting Point | Formula |
|----------------|--------------|
| 5555 C | |
| GSO-TW | 61.32 |
| GSO-325 | 21.13 |
| GSO-121 | 17.55 |

| Starting Point | Formula |
|----------------|--------------|
| 5565 C | |
| GSO-TW | 78.18 |
| GSO-325 | 11.51 |
| GSO-121 | 10.31 |

| Starting Point | Formula |
|----------------|--------------|
| 5575 C | |
| GSO-TW | 87.20 |
| GSO-325 | 6.65 |
| GSO-121 | 6.15 |

| Starting Point | Formula |
|----------------|--------------|
| 5585 C | |
| GSO-TW | 93.71 |
| GSO-325 | 3.23 |
| GSO-121 | 3.06 |

| Starting Point | Formula |
|----------------|--------------|
| 5595 C | |
| GSO-T W | 97.04 |
| GSO-233 | 1.58 |
| GSO-066 | 1.38 |

| Starting Point | Formula |
|----------------|--------------|
| 560 C | |
| GSO-233 | 45.14 |
| GSO-064 | 38.30 |
| GSO-114 | 16.56 |

| Starting Point | Formula |
|----------------|--------------|
| 561 C | |
| GSO-325 | 49.01 |
| GSO-TW | 25.10 |
| GSO-SB | 25.89 |

| Starting Point | Formula |
|----------------|--------------|
| 562 C | |
| GSO-325 | 56.91 |
| GSO-TW | 33.82 |
| GSO-164 | 9.27 |

| Starting Point | Formula |
|----------------|--------------|
| 563 C | |
| GSO-TW | 83.93 |
| GSO-325 | 13.42 |
| GSO-164 | 2.65 |

| Starting Point | Formula |
|----------------|--------------|
| 564 C | |
| GSO-TW | 92.02 |
| GSO-325 | 5.29 |
| GSO-SB | 2.69 |

| Starting Point | Formula |
|----------------|--------------|
| 565 C | |
| GSO-TW | 95.87 |
| GSO-325 | 3.37 |
| GSO-164 | 0.76 |

| Starting Point | Formula |
|----------------|--------------|
| 566 C | |
| GSO-TW | 97.65 |
| GSO-325 | 1.88 |
| GSO-164 | 0.47 |

| Starting Point | Formula |
|----------------|--------------|
| 5605 C | |
| GSO-SB | 44.93 |
| GSO-064 | 37.32 |
| GSO-233 | 17.75 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 5615 C | |
| GSO-TW | 39.61 |
| GSO-066 | 32.13 |
| GSO-233 | 28.26 |

| Starting Point | Formula |
|----------------|--------------|
| 5625 C | |
| GSO-TW | 63.55 |
| GSO-066 | 19.22 |
| GSO-233 | 17.23 |

| Starting Point | Formula |
|----------------|--------------|
| 5635 C | |
| GSO-TW | 80.48 |
| GSO-066 | 10.12 |
| GSO-233 | 9.40 |

| Starting Point | Formula |
|----------------|--------------|
| 5645 C | |
| GSO-TW | 90.15 |
| GSO-233 | 4.96 |
| GSO-066 | 4.89 |

| Starting Point | Formula |
|----------------|--------------|
| 5655 C | |
| GSO-TW | 93.66 |
| GSO-066 | 3.23 |
| GSO-233 | 3.11 |

| Starting Point | Formula |
|----------------|--------------|
| 5665 C | |
| GSO-TW | 96.29 |
| GSO-066 | 1.89 |
| GSO-233 | 1.82 |

| Starting Point | Formula |
|----------------|--------------|
| 567 C | |
| GSO-325 | 43.00 |
| GSO-SB | 37.65 |
| GSO-TW | 19.35 |

| Starting Point | Formula |
|----------------|--------------|
| 568 C | |
| GSO-325 | 52.35 |
| GSO-TW | 28.31 |
| GSO-SB | 19.34 |

| Starting Point | Formula |
|----------------|--------------|
| 569 C | |
| GSO-325 | 52.81 |
| GSO-TW | 41.89 |
| GSO-164 | 5.30 |

| Starting Point | Formula |
|----------------|--------------|
| 570 C | |
| GSO-TW | 88.32 |
| GSO-325 | 10.29 |
| GSO-164 | 1.39 |

| Starting Point | Formula |
|----------------|--------------|
| 571 C | |
| GSO-TW | 93.66 |
| GSO-325 | 5.51 |
| GSO-164 | 0.83 |

| Starting Point | Formula |
|----------------|--------------|
| 572 C | |
| GSO-TW | 96.01 |
| GSO-325 | 3.43 |
| GSO-164 | 0.56 |

| Starting Point | Formula |
|----------------|--------------|
| 573 C | |
| GSO-TW | 96.62 |
| GSO-325 | 2.58 |
| GSO-121 | 0.80 |

| Starting Point | Formula |
|----------------|--------------|
| 574 C | |
| GSO-064 | 70.31 |
| GSO-164 | 15.22 |
| GSO-230 | 14.47 |

| Starting Point | Formula |
|----------------|--------------|
| 575 C | |
| GSO-064 | 86.59 |
| GSO-127 | 6.79 |
| GSO-230 | 6.62 |

| Starting Point | Formula |
|----------------|--------------|
| 576 C | |
| GSO-064 | 82.06 |
| GSO-165 | 10.27 |
| GSO-230 | 7.67 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 577 C | |
| GSO-TW | 67.33 |
| GSO-064 | 28.22 |
| GSO-233 | 4.45 |

| Starting Point | Formula |
|----------------|--------------|
| 578 C | |
| GSO-TW | 81.83 |
| GSO-064 | 15.54 |
| GSO-233 | 2.63 |

| Starting Point | Formula |
|----------------|--------------|
| 579 C | |
| GSO-TW | 85.60 |
| GSO-064 | 12.32 |
| GSO-233 | 2.08 |

| Starting Point | Formula |
|----------------|--------------|
| 580 C | |
| GSO-TW | 89.17 |
| GSO-064 | 9.34 |
| GSO-233 | 1.49 |

| Starting Point | Formula |
|----------------|--------------|
| 5743 C | |
| GSO-064 | 66.34 |
| GSO-164 | 17.89 |
| GSO-233 | 15.77 |

| Starting Point | Formula |
|----------------|--------------|
| 5753 C | |
| GSO-064 | 69.00 |
| GSO-165 | 16.25 |
| GSO-233 | 14.75 |

| Starting Point | Formula |
|----------------|--------------|
| 5763 C | |
| GSO-066 | 45.15 |
| GSO-TW | 36.33 |
| GSO-233 | 18.52 |

| Starting Point | Formula |
|----------------|--------------|
| 5773 C | |
| GSO-TW | 61.14 |
| GSO-064 | 27.61 |
| GSO-SB | 11.25 |

| Starting Point | Formula |
|----------------|--------------|
| 5783 C | |
| GSO-TW | 77.33 |
| GSO-064 | 15.78 |
| GSO-SB | 6.89 |

| Starting Point | Formula |
|----------------|--------------|
| 5793 C | |
| GSO-TW | 86.61 |
| GSO-064 | 9.11 |
| GSO-SB | 4.28 |

| Starting Point | Formula |
|----------------|--------------|
| 5803 C | |
| GSO-TW | 92.73 |
| GSO-064 | 4.93 |
| GSO-SB | 2.34 |

| Starting Point | Formula |
|----------------|--------------|
| 5747 C | |
| GSO-064 | 65.59 |
| GSO-SB | 28.22 |
| GSO-233 | 6.19 |

| Starting Point | Formula |
|----------------|--------------|
| 5757 C | |
| GSO-064 | 71.60 |
| GSO-233 | 16.33 |
| GSO-114 | 12.07 |

| Starting Point | Formula |
|----------------|--------------|
| 5767 C | |
| GSO-064 | 51.62 |
| GSO-TW | 37.14 |
| GSO-SB | 11.24 |

| Starting Point | Formula |
|----------------|--------------|
| 5777 C | |
| GSO-TW | 61.91 |
| GSO-064 | 30.77 |
| GSO-SB | 7.32 |

| Starting Point | Formula |
|----------------|--------------|
| 5787 C | |
| GSO-TW | 79.69 |
| GSO-064 | 15.98 |
| GSO-SB | 4.33 |

Techmark GSO

| Starting Point | Formula |
|----------------------------|---------|
| 5797 C | |
| GSO-TW 90.05 | |
| GSO-064 7.60 | |
| GSO-SB 2.35 | |

| Starting Point | Formula |
|----------------------------|---------|
| 5807 C | |
| GSO-TW 92.47 | |
| GSO-064 5.80 | |
| GSO-SB 1.73 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 581 C | |
| GSO-064 70.83 | |
| GSO-SB 28.02 | |
| GSO-233 1.15 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 582 C | |
| GSO-064 86.65 | |
| GSO-SB 12.28 | |
| GSO-230 1.07 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 583 C | |
| GSO-064 95.41 | |
| GSO-SB 3.17 | |
| GSO-230 1.42 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 584 C | |
| GSO-064 72.43 | |
| GSO-TW 25.44 | |
| GSO-233 2.13 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 585 C | |
| GSO-064 50.25 | |
| GSO-TW 48.75 | |
| GSO-233 1.00 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 586 C | |
| GSO-TW 67.99 | |
| GSO-064 31.02 | |
| GSO-SB 0.99 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 587 C | |
| GSO-TW 77.82 | |
| GSO-064 21.46 | |
| GSO-SB 0.72 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 5815 C | |
| GSO-064 63.61 | |
| GSO-SB 36.39 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 5825 C | |
| GSO-064 73.30 | |
| GSO-SB 17.14 | |
| GSO-TW 9.56 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 5835 C | |
| GSO-064 52.04 | |
| GSO-TW 38.07 | |
| GSO-SB 9.89 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 5845 C | |
| GSO-TW 54.43 | |
| GSO-064 37.90 | |
| GSO-SB 7.67 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 5855 C | |
| GSO-TW 76.53 | |
| GSO-064 19.15 | |
| GSO-SB 4.32 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 5865 C | |
| GSO-TW 87.19 | |
| GSO-064 10.30 | |
| GSO-SB 2.51 | |

| Starting Point | Formula |
|----------------------------|---------|
| 5875 C | |
| GSO-TW 89.34 | |
| GSO-064 8.60 | |
| GSO-SB 2.06 | |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 600 C | |
| GSO-TW | 84.79 |
| GSO-064 | 14.74 |
| GSO-165 | 0.47 |

| Starting Point | Formula |
|----------------|--------------|
| 601 C | |
| GSO-TW | 79.77 |
| GSO-064 | 19.76 |
| GSO-165 | 0.47 |

| Starting Point | Formula |
|----------------|--------------|
| 602 C | |
| GSO-TW | 72.39 |
| GSO-064 | 27.41 |
| GSO-127 | 0.20 |

| Starting Point | Formula |
|----------------|--------------|
| 603 C | |
| GSO-064 | 50.27 |
| GSO-TW | 49.47 |
| GSO-127 | 0.26 |

| Starting Point | Formula |
|----------------|--------------|
| 604 C | |
| GSO-064 | 73.81 |
| GSO-TW | 25.45 |
| GSO-SB | 0.74 |

| Starting Point | Formula |
|----------------|--------------|
| 605 C | |
| GSO-064 | 88.08 |
| GSO-066 | 11.15 |
| GSO-230 | 0.77 |

| Starting Point | Formula |
|----------------|--------------|
| 606 C | |
| GSO-064 | 74.11 |
| GSO-066 | 24.47 |
| GSO-230 | 1.42 |

| Starting Point | Formula |
|----------------|--------------|
| 607 C | |
| GSO-TW | 89.63 |
| GSO-064 | 10.09 |
| GSO-127 | 0.28 |

| Starting Point | Formula |
|----------------|--------------|
| 608 C | |
| GSO-TW | 84.02 |
| GSO-064 | 15.61 |
| GSO-127 | 0.37 |

| Starting Point | Formula |
|----------------|--------------|
| 609 C | |
| GSO-TW | 74.49 |
| GSO-064 | 24.99 |
| GSO-127 | 0.52 |

| Starting Point | Formula |
|----------------|--------------|
| 610 C | |
| GSO-TW | 53.51 |
| GSO-064 | 44.95 |
| GSO-SB | 1.54 |

| Starting Point | Formula |
|----------------|--------------|
| 611 C | |
| GSO-064 | 70.19 |
| GSO-TW | 27.39 |
| GSO-SB | 2.42 |

| Starting Point | Formula |
|----------------|--------------|
| 612 C | |
| GSO-064 | 91.81 |
| GSO-SB | 4.84 |
| GSO-066 | 3.35 |

| Starting Point | Formula |
|----------------|--------------|
| 613 C | |
| GSO-064 | 55.70 |
| GSO-TW | 40.72 |
| GSO-127 | 3.58 |

| Starting Point | Formula |
|----------------|--------------|
| 614 C | |
| GSO-TW | 88.07 |
| GSO-064 | 11.25 |
| GSO-127 | 0.68 |

| Starting Point | Formula |
|----------------|--------------|
| 615 C | |
| GSO-TW | 81.84 |
| GSO-064 | 17.13 |
| GSO-127 | 1.03 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 616 C | |
| GSO-TW | 74.43 |
| GSO-064 | 24.16 |
| GSO-127 | 1.41 |

| Starting Point | Formula |
|----------------|--------------|
| 617 C | |
| GSO-TW | 63.40 |
| GSO-064 | 32.68 |
| GSO-SB | 3.92 |

| Starting Point | Formula |
|----------------|--------------|
| 618 C | |
| GSO-064 | 64.20 |
| GSO-TW | 28.61 |
| GSO-SB | 7.19 |

| Starting Point | Formula |
|----------------|--------------|
| 619 C | |
| GSO-064 | 93.25 |
| GSO-127 | 5.26 |
| GSO-230 | 1.49 |

| Starting Point | Formula |
|----------------|--------------|
| 620 C | |
| GSO-064 | 81.85 |
| GSO-SB | 16.45 |
| GSO-114 | 1.70 |

| Starting Point | Formula |
|----------------|--------------|
| 621 C | |
| GSO-TW | 96.36 |
| GSO-325 | 2.01 |
| GSO-121 | 1.63 |

| Starting Point | Formula |
|----------------|--------------|
| 622 C | |
| GSO-TW | 92.64 |
| GSO-325 | 4.12 |
| GSO-121 | 3.24 |

| Starting Point | Formula |
|----------------|--------------|
| 623 C | |
| GSO-TW | 86.75 |
| GSO-325 | 7.65 |
| GSO-121 | 5.60 |

| Starting Point | Formula |
|----------------|--------------|
| 624 C | |
| GSO-TW | 73.79 |
| GSO-325 | 15.59 |
| GSO-121 | 10.62 |

| Starting Point | Formula |
|----------------|--------------|
| 625 C | |
| GSO-TW | 49.92 |
| GSO-325 | 31.68 |
| GSO-121 | 18.40 |

| Starting Point | Formula |
|----------------|--------------|
| 626 C | |
| GSO-325 | 55.13 |
| GSO-121 | 28.26 |
| GSO-TW | 16.61 |

| Starting Point | Formula |
|----------------|--------------|
| 627 C | |
| GSO-SB | 50.61 |
| GSO-325 | 42.69 |
| GSO-230 | 6.70 |

| Starting Point | Formula |
|----------------|--------------|
| 628 C | |
| GSO-TW | 97.46 |
| GSO-233 | 1.45 |
| GSO-325 | 1.09 |

| Starting Point | Formula |
|----------------|--------------|
| 629 C | |
| GSO-TW | 95.50 |
| GSO-233 | 2.61 |
| GSO-325 | 1.89 |

| Starting Point | Formula |
|----------------|--------------|
| 630 C | |
| GSO-TW | 93.61 |
| GSO-230 | 5.32 |
| GSO-066 | 1.07 |

| Starting Point | Formula |
|----------------|--------------|
| 631 C | |
| GSO-TW | 86.51 |
| GSO-230 | 11.48 |
| GSO-066 | 2.01 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 632 C | |
| GSO-TW | 73.05 |
| GSO-230 | 23.89 |
| GSO-066 | 3.06 |

| Starting Point | Formula |
|----------------|--------------|
| 633 C | |
| GSO-230 | 58.97 |
| GSO-TW | 31.82 |
| GSO-064 | 9.21 |

| Starting Point | Formula |
|----------------|--------------|
| 634 C | |
| GSO-230 | 87.09 |
| GSO-064 | 11.16 |
| GSO-164 | 1.75 |

| Starting Point | Formula |
|----------------|--------------|
| 635 C | |
| GSO-TW | 97.66 |
| GSO-230 | 2.08 |
| GSO-121 | 0.26 |

| Starting Point | Formula |
|----------------|--------------|
| 636 C | |
| GSO-TW | 95.78 |
| GSO-230 | 3.94 |
| GSO-SB | 0.28 |

| Starting Point | Formula |
|----------------|--------------|
| 637 C | |
| GSO-TW | 92.55 |
| GSO-230 | 7.14 |
| GSO-066 | 0.31 |

| Starting Point | Formula |
|----------------|--------------|
| 638 C | |
| GSO-TW | 80.51 |
| GSO-230 | 16.79 |
| GSO-325 | 2.70 |

| Starting Point | Formula |
|----------------|--------------|
| 639 C | |
| GSO-TW | 62.13 |
| GSO-230 | 33.49 |
| GSO-325 | 4.38 |

| Starting Point | Formula |
|----------------|--------------|
| 640 C | |
| GSO-TW | 47.86 |
| GSO-230 | 47.67 |
| GSO-325 | 4.47 |

| Starting Point | Formula |
|----------------|--------------|
| 641 C | |
| GSO-230 | 67.11 |
| GSO-TW | 27.48 |
| GSO-325 | 5.41 |

| Starting Point | Formula |
|----------------|--------------|
| 642 C | |
| GSO-TW | 97.76 |
| GSO-233 | 1.89 |
| GSO-164 | 0.35 |

| Starting Point | Formula |
|----------------|--------------|
| 643 C | |
| GSO-TW | 96.50 |
| GSO-233 | 3.01 |
| GSO-164 | 0.49 |

| Starting Point | Formula |
|----------------|--------------|
| 644 C | |
| GSO-TW | 87.72 |
| GSO-233 | 10.22 |
| GSO-114 | 2.06 |

| Starting Point | Formula |
|----------------|--------------|
| 645 C | |
| GSO-TW | 81.48 |
| GSO-233 | 15.17 |
| GSO-SB | 3.35 |

| Starting Point | Formula |
|----------------|--------------|
| 646 C | |
| GSO-TW | 65.90 |
| GSO-233 | 30.66 |
| GSO-066 | 3.44 |

| Starting Point | Formula |
|----------------|--------------|
| 647 C | |
| GSO-233 | 64.45 |
| GSO-TW | 27.25 |
| GSO-064 | 8.30 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 648 C | |
| GSO-233 | 85.58 |
| GSO-114 | 14.42 |

| Starting Point | Formula |
|----------------|--------------|
| 649 C | |
| GSO-TW | 97.90 |
| GSO-165 | 1.38 |
| GSO-230 | 0.72 |

| Starting Point | Formula |
|----------------|--------------|
| 650 C | |
| GSO-TW | 96.72 |
| GSO-233 | 2.11 |
| GSO-165 | 1.17 |

| Starting Point | Formula |
|----------------|--------------|
| 651 C | |
| GSO-TW | 90.33 |
| GSO-233 | 6.87 |
| GSO-121 | 2.80 |

| Starting Point | Formula |
|----------------|--------------|
| 652 C | |
| GSO-TW | 78.24 |
| GSO-233 | 15.92 |
| GSO-121 | 5.84 |

| Starting Point | Formula |
|----------------|--------------|
| 653 C | |
| GSO-TW | 49.53 |
| GSO-233 | 42.54 |
| GSO-SB | 7.93 |

| Starting Point | Formula |
|----------------|--------------|
| 654 C | |
| GSO-233 | 75.92 |
| GSO-TW | 12.36 |
| GSO-SB | 11.72 |

| Starting Point | Formula |
|----------------|--------------|
| 655 C | |
| GSO-233 | 77.05 |
| GSO-SB | 18.79 |
| GSO-127 | 4.16 |

| Starting Point | Formula |
|----------------|--------------|
| 656 C | |
| GSO-TW | 98.92 |
| GSO-127 | 0.58 |
| GSO-230 | 0.50 |

| Starting Point | Formula |
|----------------|--------------|
| 657 C | |
| GSO-TW | 97.96 |
| GSO-230 | 1.07 |
| GSO-127 | 0.97 |

| Starting Point | Formula |
|----------------|--------------|
| 658 C | |
| GSO-TW | 95.88 |
| GSO-230 | 2.22 |
| GSO-127 | 1.90 |

| Starting Point | Formula |
|----------------|--------------|
| 659 C | |
| GSO-TW | 80.78 |
| GSO-165 | 10.93 |
| GSO-230 | 8.29 |

| Starting Point | Formula |
|----------------|--------------|
| 660 C | |
| GSO-TW | 66.85 |
| GSO-230 | 23.65 |
| GSO-127 | 9.50 |

| Starting Point | Formula |
|----------------|--------------|
| 661 C | |
| GSO-233 | 78.17 |
| GSO-TW | 11.96 |
| GSO-230 | 9.87 |

| Starting Point | Formula |
|----------------|--------------|
| 662 C | |
| GSO-233 | 95.47 |
| GSO-164 | 4.53 |

| Starting Point | Formula |
|----------------|--------------|
| 663 C | |
| GSO-TW | 99.05 |
| GSO-127 | 0.74 |
| GSO-233 | 0.21 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 664 C | |
| GSO-TW | 98.18 |
| GSO-127 | 1.23 |
| GSO-SB | 0.59 |

| Starting Point | Formula |
|----------------|--------------|
| 665 C | |
| GSO-TW | 96.07 |
| GSO-127 | 2.18 |
| GSO-SB | 1.75 |

| Starting Point | Formula |
|----------------|--------------|
| 666 C | |
| GSO-TW | 88.93 |
| GSO-127 | 5.71 |
| GSO-SB | 5.36 |

| Starting Point | Formula |
|----------------|--------------|
| 667 C | |
| GSO-TW | 60.57 |
| GSO-127 | 22.12 |
| GSO-064 | 17.31 |

| Starting Point | Formula |
|----------------|--------------|
| 668 C | |
| GSO-TW | 44.80 |
| GSO-127 | 34.63 |
| GSO-064 | 20.57 |

| Starting Point | Formula |
|----------------|--------------|
| 669 C | |
| GSO-127 | 59.61 |
| GSO-TW | 23.78 |
| GSO-066 | 16.61 |

| Starting Point | Formula |
|----------------|--------------|
| 670 C | |
| GSO-TW | 96.78 |
| GSO-165 | 2.97 |
| GSO-233 | 0.25 |

| Starting Point | Formula |
|----------------|--------------|
| 671 C | |
| GSO-TW | 94.75 |
| GSO-165 | 5.08 |
| GSO-230 | 0.17 |

| Starting Point | Formula |
|----------------|--------------|
| 672 C | |
| GSO-TW | 88.92 |
| GSO-165 | 10.34 |
| GSO-SB | 0.74 |

| Starting Point | Formula |
|----------------|--------------|
| 673 C | |
| GSO-TW | 77.76 |
| GSO-165 | 21.09 |
| GSO-SB | 1.15 |

| Starting Point | Formula |
|----------------|--------------|
| 674 C | |
| GSO-TW | 58.80 |
| GSO-165 | 39.83 |
| GSO-SB | 1.37 |

| Starting Point | Formula |
|----------------|--------------|
| 675 C | |
| GSO-165 | 83.70 |
| GSO-TW | 13.37 |
| GSO-SB | 2.93 |

| Starting Point | Formula |
|----------------|--------------|
| 676 C | |
| GSO-165 | 81.50 |
| GSO-164 | 16.15 |
| GSO-230 | 2.35 |

| Starting Point | Formula |
|----------------|--------------|
| 677 C | |
| GSO-TW | 97.00 |
| GSO-165 | 2.60 |
| GSO-325 | 0.40 |

| Starting Point | Formula |
|----------------|--------------|
| 678 C | |
| GSO-TW | 98.10 |
| GSO-127 | 1.01 |
| GSO-164 | 0.89 |

| Starting Point | Formula |
|----------------|--------------|
| 679 C | |
| GSO-TW | 93.61 |
| GSO-165 | 5.73 |
| GSO-325 | 0.66 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 680 C | |
| GSO-TW | 86.36 |
| GSO-165 | 11.36 |
| GSO-SB | 2.28 |

| Starting Point | Formula |
|----------------|--------------|
| 681 C | |
| GSO-TW | 69.95 |
| GSO-165 | 25.81 |
| GSO-SB | 4.24 |

| Starting Point | Formula |
|----------------|--------------|
| 682 C | |
| GSO-165 | 61.43 |
| GSO-TW | 30.93 |
| GSO-SB | 7.64 |

| Starting Point | Formula |
|----------------|--------------|
| 683 C | |
| GSO-165 | 75.67 |
| GSO-114 | 15.13 |
| GSO-325 | 9.20 |

| Starting Point | Formula |
|----------------|--------------|
| 684 C | |
| GSO-TW | 98.49 |
| GSO-164 | 0.95 |
| GSO-127 | 0.56 |

| Starting Point | Formula |
|----------------|--------------|
| 685 C | |
| GSO-TW | 96.98 |
| GSO-164 | 2.01 |
| GSO-127 | 1.01 |

| Starting Point | Formula |
|----------------|--------------|
| 686 C | |
| GSO-TW | 95.41 |
| GSO-164 | 3.02 |
| GSO-127 | 1.57 |

| Starting Point | Formula |
|----------------|--------------|
| 687 C | |
| GSO-TW | 88.51 |
| GSO-164 | 7.99 |
| GSO-127 | 3.50 |

| Starting Point | Formula |
|----------------|--------------|
| 688 C | |
| GSO-TW | 59.88 |
| GSO-165 | 35.21 |
| GSO-SB | 4.91 |

| Starting Point | Formula |
|----------------|--------------|
| 689 C | |
| GSO-165 | 60.90 |
| GSO-TW | 31.00 |
| GSO-SB | 8.10 |

| Starting Point | Formula |
|----------------|--------------|
| 690 C | |
| GSO-165 | 69.70 |
| GSO-114 | 18.59 |
| GSO-325 | 11.71 |

| Starting Point | Formula |
|----------------|--------------|
| 691 C | |
| GSO-TW | 97.62 |
| GSO-164 | 1.48 |
| GSO-SB | 0.90 |

| Starting Point | Formula |
|----------------|--------------|
| 692 C | |
| GSO-TW | 96.25 |
| GSO-164 | 2.36 |
| GSO-SB | 1.39 |

| Starting Point | Formula |
|----------------|--------------|
| 693 C | |
| GSO-TW | 92.43 |
| GSO-164 | 5.03 |
| GSO-SB | 2.54 |

| Starting Point | Formula |
|----------------|--------------|
| 694 C | |
| GSO-TW | 86.04 |
| GSO-164 | 9.68 |
| GSO-SB | 4.28 |

| Starting Point | Formula |
|----------------|--------------|
| 695 C | |
| GSO-TW | 67.95 |
| GSO-164 | 26.98 |
| GSO-325 | 5.07 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 696 C | |
| GSO-164 | 54.34 |
| GSO-TW | 40.74 |
| GSO-230 | 4.92 |

| Starting Point | Formula |
|----------------|--------------|
| 697 C | |
| GSO-165 | 68.76 |
| GSO-066 | 22.29 |
| GSO-325 | 8.95 |

| Starting Point | Formula |
|----------------|--------------|
| 698 C | |
| GSO-TW | 94.89 |
| GSO-165 | 3.63 |
| GSO-066 | 1.48 |

| Starting Point | Formula |
|----------------|--------------|
| 699 C | |
| GSO-TW | 96.52 |
| GSO-164 | 3.27 |
| GSO-325 | 0.21 |

| Starting Point | Formula |
|----------------|--------------|
| 700 C | |
| GSO-TW | 92.75 |
| GSO-164 | 6.85 |
| GSO-325 | 0.40 |

| Starting Point | Formula |
|----------------|--------------|
| 701 C | |
| GSO-TW | 85.01 |
| GSO-164 | 14.59 |
| GSO-230 | 0.40 |

| Starting Point | Formula |
|----------------|--------------|
| 702 C | |
| GSO-TW | 68.60 |
| GSO-164 | 29.79 |
| GSO-127 | 1.61 |

| Starting Point | Formula |
|----------------|--------------|
| 703 C | |
| GSO-165 | 64.31 |
| GSO-064 | 32.51 |
| GSO-SB | 3.18 |

| Starting Point | Formula |
|----------------|--------------|
| 704 C | |
| GSO-165 | 62.18 |
| GSO-114 | 33.25 |
| GSO-325 | 4.57 |

| Starting Point | Formula |
|----------------|--------------|
| 705 C | |
| GSO-TW | 97.16 |
| GSO-165 | 2.31 |
| GSO-114 | 0.53 |

| Starting Point | Formula |
|----------------|--------------|
| 706 C | |
| GSO-TW | 94.19 |
| GSO-165 | 4.07 |
| GSO-114 | 1.74 |

| Starting Point | Formula |
|----------------|--------------|
| 707 C | |
| GSO-TW | 93.85 |
| GSO-164 | 6.15 |

| Starting Point | Formula |
|----------------|--------------|
| 708 C | |
| GSO-TW | 86.85 |
| GSO-164 | 13.15 |

| Starting Point | Formula |
|----------------|--------------|
| 709 C | |
| GSO-TW | 53.88 |
| GSO-121 | 24.72 |
| GSO-165 | 21.40 |

| Starting Point | Formula |
|----------------|--------------|
| 710 C | |
| GSO-121 | 37.47 |
| GSO-165 | 31.89 |
| GSO-TW | 30.64 |

| Starting Point | Formula |
|----------------|--------------|
| 711 C | |
| GSO-164 | 73.52 |
| GSO-TW | 26.32 |
| GSO-325 | 0.16 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 712 C | |
| GSO-TW | 93.42 |
| GSO-066 | 5.41 |
| GSO-164 | 1.17 |

| Starting Point | Formula |
|----------------|--------------|
| 713 C | |
| GSO-TW | 86.37 |
| GSO-066 | 11.57 |
| GSO-164 | 2.06 |

| Starting Point | Formula |
|----------------|--------------|
| 714 C | |
| GSO-TW | 75.57 |
| GSO-066 | 21.16 |
| GSO-164 | 3.27 |

| Starting Point | Formula |
|----------------|--------------|
| 715 C | |
| GSO-066 | 43.25 |
| GSO-TW | 47.95 |
| GSO-165 | 8.80 |

| Starting Point | Formula |
|----------------|--------------|
| 716 C | |
| GSO-064 | 67.98 |
| GSO-114 | 29.71 |
| GSO-127 | 2.31 |

| Starting Point | Formula |
|----------------|--------------|
| 717 C | |
| GSO-064 | 57.96 |
| GSO-114 | 38.99 |
| GSO-127 | 3.05 |

| Starting Point | Formula |
|----------------|--------------|
| 718 C | |
| GSO-114 | 70.20 |
| GSO-066 | 24.55 |
| GSO-SB | 5.25 |

| Starting Point | Formula |
|----------------|--------------|
| 719 C | |
| GSO-TW | 92.11 |
| GSO-066 | 6.86 |
| GSO-127 | 1.03 |

| Starting Point | Formula |
|----------------|--------------|
| 720 C | |
| GSO-TW | 88.24 |
| GSO-066 | 10.30 |
| GSO-127 | 1.46 |

| Starting Point | Formula |
|----------------|--------------|
| 721 C | |
| GSO-TW | 77.35 |
| GSO-066 | 20.18 |
| GSO-127 | 2.47 |

| Starting Point | Formula |
|----------------|--------------|
| 722 C | |
| GSO-TW | 52.30 |
| GSO-066 | 43.28 |
| GSO-127 | 4.42 |

| Starting Point | Formula |
|----------------|--------------|
| 723 C | |
| GSO-114 | 65.36 |
| GSO-TW | 27.74 |
| GSO-325 | 6.90 |

| Starting Point | Formula |
|----------------|--------------|
| 724 C | |
| GSO-114 | 43.36 |
| GSO-064 | 42.77 |
| GSO-SB | 13.87 |

| Starting Point | Formula |
|----------------|--------------|
| 725 C | |
| GSO-066 | 53.88 |
| GSO-121 | 38.92 |
| GSO-230 | 7.20 |

| Starting Point | Formula |
|----------------|--------------|
| 726 C | |
| GSO-TW | 92.16 |
| GSO-066 | 6.63 |
| GSO-127 | 1.21 |

| Starting Point | Formula |
|----------------|--------------|
| 727 C | |
| GSO-TW | 87.95 |
| GSO-066 | 10.14 |
| GSO-127 | 1.91 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 728 C | |
| GSO-TW | 80.04 |
| GSO-066 | 16.93 |
| GSO-127 | 3.03 |

| Starting Point | Formula |
|----------------|--------------|
| 729 C | |
| GSO-TW | 65.61 |
| GSO-066 | 29.61 |
| GSO-127 | 4.78 |

| Starting Point | Formula |
|----------------|--------------|
| 730 C | |
| GSO-066 | 58.99 |
| GSO-TW | 32.65 |
| GSO-127 | 8.36 |

| Starting Point | Formula |
|----------------|--------------|
| 731 C | |
| GSO-064 | 43.31 |
| GSO-114 | 36.00 |
| GSO-SB | 20.69 |

| Starting Point | Formula |
|----------------|--------------|
| 732 C | |
| GSO-064 | 44.18 |
| GSO-114 | 29.61 |
| GSO-SB | 26.21 |

| Starting Point | Formula |
|----------------|--------------|
| 7401 C | |
| GSO-TW | 93.03 |
| GSO-064 | 6.30 |
| GSO-164 | 0.67 |

| Starting Point | Formula |
|----------------|--------------|
| 7402 C | |
| GSO-TW | 82.32 |
| GSO-064 | 15.84 |
| GSO-165 | 1.84 |

| Starting Point | Formula |
|----------------|--------------|
| 7403 C | |
| GSO-TW | 70.69 |
| GSO-064 | 26.36 |
| GSO-165 | 2.95 |

| Starting Point | Formula |
|----------------|--------------|
| 7404 C | |
| GSO-064 | 78.63 |
| GSO-TW | 19.49 |
| GSO-165 | 1.88 |

| Starting Point | Formula |
|----------------|--------------|
| 7405 C | |
| GSO-064 | 97.54 |
| GSO-114 | 1.70 |
| GSO-127 | 0.76 |

| Starting Point | Formula |
|----------------|--------------|
| 7406 C | |
| GSO-064 | 95.96 |
| GSO-114 | 3.03 |
| GSO-127 | 1.01 |

| Starting Point | Formula |
|----------------|--------------|
| 7407 C | |
| GSO-TW | 49.87 |
| GSO-066 | 44.43 |
| GSO-SB | 5.70 |

| Starting Point | Formula |
|----------------|--------------|
| 7408 C | |
| GSO-064 | 86.14 |
| GSO-TW | 11.17 |
| GSO-164 | 2.69 |

| Starting Point | Formula |
|----------------|--------------|
| 7409 C | |
| GSO-064 | 85.21 |
| GSO-TW | 7.63 |
| GSO-165 | 7.16 |

| Starting Point | Formula |
|----------------|--------------|
| 7410 C | |
| GSO-TW | 73.34 |
| GSO-066 | 21.99 |
| GSO-164 | 4.67 |

| Starting Point | Formula |
|----------------|--------------|
| 7411 C | |
| GSO-064 | 57.14 |
| GSO-TW | 30.93 |
| GSO-165 | 11.93 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 7412 C | |
| GSO-114 | 70.67 |
| GSO-TW | 24.04 |
| GSO-325 | 5.29 |

| Starting Point | Formula |
|----------------|--------------|
| 7413 C | |
| GSO-064 | 78.40 |
| GSO-165 | 20.30 |
| GSO-SB | 1.30 |

| Starting Point | Formula |
|----------------|--------------|
| 7414 C | |
| GSO-064 | 74.30 |
| GSO-114 | 20.20 |
| GSO-127 | 5.50 |

| Starting Point | Formula |
|----------------|--------------|
| 7415 C | |
| GSO-TW | 79.19 |
| GSO-064 | 13.11 |
| GSO-165 | 7.70 |

| Starting Point | Formula |
|----------------|--------------|
| 7416 C | |
| GSO-066 | 52.16 |
| GSO-165 | 33.02 |
| GSO-TW | 14.82 |

| Starting Point | Formula |
|----------------|--------------|
| 7417 C | |
| GSO-064 | 56.43 |
| GSO-165 | 40.90 |
| GSO-121 | 2.67 |

| Starting Point | Formula |
|----------------|--------------|
| 7418 C | |
| GSO-121 | 64.30 |
| GSO-TW | 31.22 |
| GSO-127 | 4.48 |

| Starting Point | Formula |
|----------------|--------------|
| 7419 C | |
| GSO-164 | 57.94 |
| GSO-TW | 37.70 |
| GSO-233 | 4.36 |

| Starting Point | Formula |
|----------------|--------------|
| 7420 C | |
| GSO-165 | 67.36 |
| GSO-114 | 27.09 |
| GSO-325 | 5.55 |

| Starting Point | Formula |
|----------------|--------------|
| 7421 C | |
| GSO-165 | 57.99 |
| GSO-066 | 22.55 |
| GSO-SB | 19.46 |

| Starting Point | Formula |
|----------------|--------------|
| 7422 C | |
| GSO-TW | 96.89 |
| GSO-165 | 1.80 |
| GSO-121 | 1.31 |

| Starting Point | Formula |
|----------------|--------------|
| 7423 C | |
| GSO-TW | 51.81 |
| GSO-165 | 31.59 |
| GSO-121 | 16.60 |

| Starting Point | Formula |
|----------------|--------------|
| 7424 C | |
| GSO-165 | 87.10 |
| GSO-064 | 12.90 |

| Starting Point | Formula |
|----------------|--------------|
| 7425 C | |
| GSO-165 | 75.82 |
| GSO-064 | 22.83 |
| GSO-233 | 1.35 |

| Starting Point | Formula |
|----------------|--------------|
| 7426 C | |
| GSO-165 | 78.51 |
| GSO-066 | 19.18 |
| GSO-325 | 2.31 |

| Starting Point | Formula |
|----------------|--------------|
| 7427 C | |
| GSO-165 | 65.62 |
| GSO-066 | 27.70 |
| GSO-SB | 6.68 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 7428 C | |
| GSO-165 | 71.94 |
| GSO-066 | 16.74 |
| GSO-325 | 11.32 |

| Starting Point | Formula |
|----------------|--------------|
| 7429 C | |
| GSO-TW | 96.30 |
| GSO-121 | 2.45 |
| GSO-127 | 1.25 |

| Starting Point | Formula |
|----------------|--------------|
| 7430 C | |
| GSO-TW | 92.55 |
| GSO-121 | 5.14 |
| GSO-127 | 2.31 |

| Starting Point | Formula |
|----------------|--------------|
| 7431 C | |
| GSO-TW | 89.57 |
| GSO-164 | 7.58 |
| GSO-127 | 2.85 |

| Starting Point | Formula |
|----------------|--------------|
| 7432 C | |
| GSO-TW | 75.16 |
| GSO-164 | 19.29 |
| GSO-127 | 5.55 |

| Starting Point | Formula |
|----------------|--------------|
| 7433 C | |
| GSO-165 | 78.78 |
| GSO-064 | 18.99 |
| GSO-230 | 2.23 |

| Starting Point | Formula |
|----------------|--------------|
| 7434 C | |
| GSO-165 | 73.79 |
| GSO-064 | 23.58 |
| GSO-230 | 2.63 |

| Starting Point | Formula |
|----------------|--------------|
| 7435 C | |
| GSO-165 | 74.49 |
| GSO-064 | 15.46 |
| GSO-SB | 10.05 |

| Starting Point | Formula |
|----------------|--------------|
| 7436 C | |
| GSO-TW | 98.36 |
| GSO-165 | 0.95 |
| GSO-127 | 0.69 |

| Starting Point | Formula |
|----------------|--------------|
| 7437 C | |
| GSO-TW | 89.40 |
| GSO-165 | 8.67 |
| GSO-325 | 1.93 |

| Starting Point | Formula |
|----------------|--------------|
| 7438 C | |
| GSO-TW | 87.86 |
| GSO-165 | 9.02 |
| GSO-127 | 3.12 |

| Starting Point | Formula |
|----------------|--------------|
| 7439 C | |
| GSO-TW | 78.37 |
| GSO-165 | 18.26 |
| GSO-325 | 3.37 |

| Starting Point | Formula |
|----------------|--------------|
| 7440 C | |
| GSO-TW | 84.32 |
| GSO-127 | 10.39 |
| GSO-066 | 5.29 |

| Starting Point | Formula |
|----------------|--------------|
| 7441 C | |
| GSO-TW | 72.78 |
| GSO-127 | 15.89 |
| GSO-165 | 11.33 |

| Starting Point | Formula |
|----------------|--------------|
| 7442 C | |
| GSO-165 | 85.92 |
| GSO-233 | 14.08 |

| Starting Point | Formula |
|----------------|--------------|
| 7443 C | |
| GSO-TW | 98.88 |
| GSO-127 | 0.84 |
| GSO-230 | 0.28 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 7444 C | |
| GSO-TW | 92.57 |
| GSO-165 | 5.61 |
| GSO-230 | 1.82 |

| Starting Point | Formula |
|----------------|--------------|
| 7445 C | |
| GSO-TW | 92.58 |
| GSO-127 | 4.23 |
| GSO-SB | 3.19 |

| Starting Point | Formula |
|----------------|--------------|
| 7446 C | |
| GSO-TW | 88.16 |
| GSO-127 | 7.00 |
| GSO-233 | 4.84 |

| Starting Point | Formula |
|----------------|--------------|
| 7447 C | |
| GSO-TW | 48.12 |
| GSO-127 | 31.27 |
| GSO-064 | 20.61 |

| Starting Point | Formula |
|----------------|--------------|
| 7448 C | |
| GSO-164 | 39.50 |
| GSO-TW | 30.54 |
| GSO-233 | 29.96 |

| Starting Point | Formula |
|----------------|--------------|
| 7449 C | |
| GSO-164 | 69.86 |
| GSO-TW | 11.84 |
| GSO-230 | 18.30 |

| Starting Point | Formula |
|----------------|--------------|
| 7450 C | |
| GSO-TW | 96.92 |
| GSO-127 | 1.74 |
| GSO-325 | 1.34 |

| Starting Point | Formula |
|----------------|--------------|
| 7451 C | |
| GSO-TW | 93.31 |
| GSO-230 | 3.45 |
| GSO-127 | 3.24 |

| Starting Point | Formula |
|----------------|--------------|
| 7452 C | |
| GSO-TW | 88.34 |
| GSO-127 | 7.07 |
| GSO-230 | 4.59 |

| Starting Point | Formula |
|----------------|--------------|
| 7453 C | |
| GSO-TW | 84.36 |
| GSO-165 | 9.06 |
| GSO-230 | 6.58 |

| Starting Point | Formula |
|----------------|--------------|
| 7454 C | |
| GSO-TW | 79.06 |
| GSO-233 | 18.03 |
| GSO-SB | 2.91 |

| Starting Point | Formula |
|----------------|--------------|
| 7455 C | |
| GSO-TW | 56.97 |
| GSO-233 | 34.86 |
| GSO-127 | 8.17 |

| Starting Point | Formula |
|----------------|--------------|
| 7456 C | |
| GSO-TW | 66.70 |
| GSO-233 | 18.56 |
| GSO-165 | 14.74 |

| Starting Point | Formula |
|----------------|--------------|
| 7457 C | |
| GSO-TW | 98.68 |
| GSO-230 | 1.00 |
| GSO-127 | 0.32 |

| Starting Point | Formula |
|----------------|--------------|
| 7458 C | |
| GSO-TW | 87.00 |
| GSO-233 | 9.26 |
| GSO-325 | 3.74 |

| Starting Point | Formula |
|----------------|--------------|
| 7459 C | |
| GSO-TW | 75.71 |
| GSO-230 | 18.15 |
| GSO-121 | 6.14 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 7460 C | |
| GSO-TW | 50.14 |
| GSO-230 | 44.69 |
| GSO-325 | 5.17 |

| Starting Point | Formula |
|----------------|--------------|
| 7461 C | |
| GSO-TW | 60.81 |
| GSO-230 | 28.58 |
| GSO-233 | 10.61 |

| Starting Point | Formula |
|----------------|--------------|
| 7462 C | |
| GSO-230 | 61.48 |
| GSO-TW | 31.57 |
| GSO-164 | 6.95 |

| Starting Point | Formula |
|----------------|--------------|
| 7463 C | |
| GSO-233 | 72.19 |
| GSO-114 | 20.36 |
| GSO-TW | 7.45 |

| Starting Point | Formula |
|----------------|--------------|
| 7464 C | |
| GSO-TW | 96.52 |
| GSO-230 | 2.25 |
| GSO-066 | 1.23 |

| Starting Point | Formula |
|----------------|--------------|
| 7465 C | |
| GSO-TW | 82.07 |
| GSO-064 | 9.84 |
| GSO-230 | 8.09 |

| Starting Point | Formula |
|----------------|--------------|
| 7466 C | |
| GSO-TW | 67.27 |
| GSO-325 | 19.56 |
| GSO-230 | 13.17 |

| Starting Point | Formula |
|----------------|--------------|
| 7467 C | |
| GSO-TW | 60.52 |
| GSO-325 | 23.57 |
| GSO-230 | 15.91 |

| Starting Point | Formula |
|----------------|--------------|
| 7468 C | |
| GSO-TW | 55.61 |
| GSO-230 | 36.66 |
| GSO-SB | 7.73 |

| Starting Point | Formula |
|----------------|--------------|
| 7469 C | |
| GSO-230 | 59.21 |
| GSO-TW | 32.07 |
| GSO-114 | 8.72 |

| Starting Point | Formula |
|----------------|--------------|
| 7470 C | |
| GSO-230 | 56.16 |
| GSO-TW | 31.94 |
| GSO-066 | 11.90 |

| Starting Point | Formula |
|----------------|--------------|
| 7471 C | |
| GSO-TW | 94.35 |
| GSO-325 | 4.40 |
| GSO-230 | 1.25 |

| Starting Point | Formula |
|----------------|--------------|
| 7472 C | |
| GSO-TW | 79.19 |
| GSO-325 | 15.67 |
| GSO-165 | 5.14 |

| Starting Point | Formula |
|----------------|--------------|
| 7473 C | |
| GSO-TW | 63.70 |
| GSO-325 | 29.05 |
| GSO-SB | 7.25 |

| Starting Point | Formula |
|----------------|--------------|
| 7474 C | |
| GSO-TW | 38.76 |
| GSO-325 | 36.23 |
| GSO-233 | 25.01 |

| Starting Point | Formula |
|----------------|--------------|
| 7475 C | |
| GSO-TW | 57.72 |
| GSO-325 | 31.92 |
| GSO-164 | 10.36 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 7476 C | |
| GSO-233 | 53.24 |
| GSO-064 | 33.65 |
| GSO-TW | 13.11 |

| Starting Point | Formula |
|----------------|--------------|
| 7477 C | |
| GSO-TW | 36.72 |
| GSO-SB | 33.35 |
| GSO-230 | 29.93 |

| Starting Point | Formula |
|----------------|--------------|
| 7478 C | |
| GSO-TW | 92.42 |
| GSO-325 | 4.41 |
| GSO-064 | 3.17 |

| Starting Point | Formula |
|----------------|--------------|
| 7479 C | |
| GSO-TW | 61.93 |
| GSO-064 | 21.82 |
| GSO-325 | 16.25 |

| Starting Point | Formula |
|----------------|--------------|
| 7480 C | |
| GSO-TW | 44.97 |
| GSO-325 | 29.31 |
| GSO-064 | 25.72 |

| Starting Point | Formula |
|----------------|--------------|
| 7481 C | |
| GSO-064 | 43.23 |
| GSO-325 | 32.22 |
| GSO-TW | 24.55 |

| Starting Point | Formula |
|----------------|--------------|
| 7482 C | |
| GSO-064 | 64.22 |
| GSO-TW | 19.60 |
| GSO-230 | 16.18 |

| Starting Point | Formula |
|----------------|--------------|
| 7483 C | |
| GSO-064 | 60.25 |
| GSO-233 | 32.80 |
| GSO-114 | 6.95 |

| Starting Point | Formula |
|----------------|--------------|
| 7484 C | |
| GSO-325 | 61.41 |
| GSO-165 | 23.27 |
| GSO-066 | 15.32 |

| Starting Point | Formula |
|----------------|--------------|
| 7485 C | |
| GSO-TW | 95.49 |
| GSO-064 | 3.66 |
| GSO-233 | 0.85 |

| Starting Point | Formula |
|----------------|--------------|
| 7486 C | |
| GSO-TW | 81.69 |
| GSO-064 | 17.04 |
| GSO-230 | 1.27 |

| Starting Point | Formula |
|----------------|--------------|
| 7487 C | |
| GSO-TW | 53.66 |
| GSO-064 | 40.03 |
| GSO-325 | 6.31 |

| Starting Point | Formula |
|----------------|--------------|
| 7488 C | |
| GSO-064 | 64.25 |
| GSO-TW | 25.12 |
| GSO-325 | 10.63 |

| Starting Point | Formula |
|----------------|--------------|
| 7489 C | |
| GSO-064 | 70.73 |
| GSO-TW | 18.51 |
| GSO-233 | 10.76 |

| Starting Point | Formula |
|----------------|--------------|
| 7490 C | |
| GSO-064 | 81.35 |
| GSO-165 | 10.05 |
| GSO-230 | 8.60 |

| Starting Point | Formula |
|----------------|--------------|
| 7491 C | |
| GSO-064 | 78.85 |
| GSO-165 | 14.37 |
| GSO-230 | 6.78 |

Techmark GSO

| Starting Point | Formula |
|-----------------------------|---------|
| 7492 C | |
| GSO-TW 84.77 | |
| GSO-066 11.21 | |
| GSO-325 4.02 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 7493 C | |
| GSO-TW 87.09 | |
| GSO-066 10.52 | |
| GSO-230 2.39 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 7494 C | |
| GSO-TW 82.14 | |
| GSO-066 13.11 | |
| GSO-230 4.75 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 7495 C | |
| GSO-064 83.34 | |
| GSO-165 11.28 | |
| GSO-230 5.38 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 7496 C | |
| GSO-064 79.66 | |
| GSO-233 14.31 | |
| GSO-114 6.03 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 7497 C | |
| GSO-TW 47.99 | |
| GSO-066 27.12 | |
| GSO-SB 24.89 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 7498 C | |
| GSO-064 68.62 | |
| GSO-233 21.24 | |
| GSO-164 10.14 | |

| Starting Point | Formula |
|----------------------------|---------|
| 7499 C | |
| GSO-TW 93.59 | |
| GSO-064 5.51 | |
| GSO-165 0.90 | |

| Starting Point | Formula |
|----------------------------|---------|
| 7500 C | |
| GSO-TW 94.85 | |
| GSO-066 4.18 | |
| GSO-233 0.97 | |

| Starting Point | Formula |
|----------------------------|---------|
| 7501 C | |
| GSO-TW 93.43 | |
| GSO-066 4.61 | |
| GSO-SB 1.96 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 7502 C | |
| GSO-TW 85.44 | |
| GSO-066 10.77 | |
| GSO-SB 3.79 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 7503 C | |
| GSO-TW 66.95 | |
| GSO-066 25.24 | |
| GSO-233 7.81 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 7504 C | |
| GSO-064 62.81 | |
| GSO-TW 25.84 | |
| GSO-127 11.35 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 7505 C | |
| GSO-TW 9.01 | |
| GSO-064 77.28 | |
| GSO-127 13.71 | |

| Starting Point | Formula |
|----------------------------|---------|
| 7506 C | |
| GSO-TW 89.28 | |
| GSO-064 8.48 | |
| GSO-165 2.24 | |

| Starting Point | Formula |
|-----------------------------|---------|
| 7507 C | |
| GSO-TW 84.31 | |
| GSO-064 11.96 | |
| GSO-121 3.73 | |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 7508 C | |
| GSO-TW | 69.78 |
| GSO-064 | 24.34 |
| GSO-165 | 5.88 |

| Starting Point | Formula |
|----------------|--------------|
| 7509 C | |
| GSO-TW | 69.38 |
| GSO-066 | 28.11 |
| GSO-127 | 2.51 |

| Starting Point | Formula |
|----------------|--------------|
| 7510 C | |
| GSO-066 | 53.54 |
| GSO-TW | 42.16 |
| GSO-127 | 4.30 |

| Starting Point | Formula |
|----------------|--------------|
| 7511 C | |
| GSO-064 | 83.21 |
| GSO-114 | 10.44 |
| GSO-127 | 6.35 |

| Starting Point | Formula |
|----------------|--------------|
| 7512 C | |
| GSO-064 | 69.48 |
| GSO-121 | 20.54 |
| GSO-SB | 9.98 |

| Starting Point | Formula |
|----------------|--------------|
| 7513 C | |
| GSO-TW | 91.56 |
| GSO-114 | 6.99 |
| GSO-233 | 1.45 |

| Starting Point | Formula |
|----------------|--------------|
| 7514 C | |
| GSO-TW | 81.63 |
| GSO-066 | 15.18 |
| GSO-127 | 3.19 |

| Starting Point | Formula |
|----------------|--------------|
| 7515 C | |
| GSO-TW | 62.70 |
| GSO-066 | 32.80 |
| GSO-127 | 4.50 |

| Starting Point | Formula |
|----------------|--------------|
| 7516 C | |
| GSO-114 | 71.57 |
| GSO-TW | 22.39 |
| GSO-230 | 6.04 |

| Starting Point | Formula |
|----------------|--------------|
| 7517 C | |
| GSO-066 | 51.46 |
| GSO-165 | 38.43 |
| GSO-325 | 10.11 |

| Starting Point | Formula |
|----------------|--------------|
| 7518 C | |
| GSO-TW | 35.29 |
| GSO-SB | 32.95 |
| GSO-114 | 31.76 |

| Starting Point | Formula |
|----------------|--------------|
| 7519 C | |
| GSO-064 | 52.66 |
| GSO-165 | 32.39 |
| GSO-233 | 14.95 |

| Starting Point | Formula |
|----------------|--------------|
| 7520 C | |
| GSO-TW | 93.43 |
| GSO-121 | 5.81 |
| GSO-325 | 0.76 |

| Starting Point | Formula |
|----------------|--------------|
| 7521 C | |
| GSO-TW | 86.09 |
| GSO-114 | 11.48 |
| GSO-230 | 2.43 |

| Starting Point | Formula |
|----------------|--------------|
| 7522 C | |
| GSO-TW | 57.40 |
| GSO-114 | 33.12 |
| GSO-SB | 9.48 |

| Starting Point | Formula |
|----------------|--------------|
| 7523 C | |
| GSO-121 | 46.62 |
| GSO-TW | 46.35 |
| GSO-325 | 7.03 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 7524 C | |
| GSO-121 | 55.22 |
| GSO-TW | 37.70 |
| GSO-325 | 7.08 |

| Starting Point | Formula |
|----------------|--------------|
| 7525 C | |
| GSO-064 | 66.00 |
| GSO-TW | 22.99 |
| GSO-127 | 11.01 |

| Starting Point | Formula |
|----------------|--------------|
| 7526 C | |
| GSO-121 | 55.78 |
| GSO-066 | 37.97 |
| GSO-230 | 6.25 |

| Starting Point | Formula |
|----------------|--------------|
| 7527 C | |
| GSO-TW | 96.08 |
| GSO-SB | 2.30 |
| GSO-064 | 1.62 |

| Starting Point | Formula |
|----------------|--------------|
| 7528 C | |
| GSO-TW | 93.04 |
| GSO-114 | 5.17 |
| GSO-230 | 1.79 |

| Starting Point | Formula |
|----------------|--------------|
| 7529 C | |
| GSO-TW | 81.00 |
| GSO-064 | 15.07 |
| GSO-127 | 3.93 |

| Starting Point | Formula |
|----------------|--------------|
| 7530 C | |
| GSO-TW | 61.87 |
| GSO-064 | 30.76 |
| GSO-127 | 7.37 |

| Starting Point | Formula |
|----------------|--------------|
| 7531 C | |
| GSO-064 | 54.28 |
| GSO-TW | 33.06 |
| GSO-127 | 12.66 |

| Starting Point | Formula |
|----------------|--------------|
| 7532 C | |
| GSO-SB | 34.81 |
| GSO-066 | 34.73 |
| GSO-TW | 30.46 |

| Starting Point | Formula |
|----------------|--------------|
| 7533 C | |
| GSO-SB | 44.83 |
| GSO-066 | 37.36 |
| GSO-TW | 17.81 |

| Starting Point | Formula |
|----------------|--------------|
| 7534 C | |
| GSO-TW | 95.56 |
| GSO-SB | 2.66 |
| GSO-064 | 1.78 |

| Starting Point | Formula |
|----------------|--------------|
| 7535 C | |
| GSO-TW | 91.79 |
| GSO-SB | 4.98 |
| GSO-066 | 3.23 |

| Starting Point | Formula |
|----------------|--------------|
| 7536 C | |
| GSO-TW | 84.60 |
| GSO-SB | 8.62 |
| GSO-066 | 6.78 |

| Starting Point | Formula |
|----------------|--------------|
| 7537 C | |
| GSO-TW | 90.32 |
| GSO-SB | 6.62 |
| GSO-064 | 3.06 |

| Starting Point | Formula |
|----------------|--------------|
| 7538 C | |
| GSO-TW | 86.30 |
| GSO-SB | 9.59 |
| GSO-064 | 4.11 |

| Starting Point | Formula |
|----------------|--------------|
| 7539 C | |
| GSO-TW | 83.39 |
| GSO-SB | 13.44 |
| GSO-064 | 3.17 |

Techmark GSO

| Starting Point | Formula |
|----------------|--------------|
| 7540 C | |
| GSO-TW | 63.54 |
| GSO-SB | 34.69 |
| GSO-127 | 1.77 |

| Starting Point | Formula |
|----------------|--------------|
| 7541 C | |
| GSO-TW | 99.34 |
| GSO-127 | 0.36 |
| GSO-230 | 0.30 |

| Starting Point | Formula |
|----------------|--------------|
| 7542 C | |
| GSO-TW | 93.51 |
| GSO-121 | 3.80 |
| GSO-230 | 2.69 |

| Starting Point | Formula |
|----------------|--------------|
| 7543 C | |
| GSO-TW | 89.67 |
| GSO-121 | 6.80 |
| GSO-230 | 3.53 |

| Starting Point | Formula |
|----------------|--------------|
| 7544 C | |
| GSO-TW | 77.09 |
| GSO-121 | 15.06 |
| GSO-230 | 7.85 |

| Starting Point | Formula |
|----------------|--------------|
| 7545 C | |
| GSO-TW | 58.50 |
| GSO-SB | 27.75 |
| GSO-233 | 13.75 |

| Starting Point | Formula |
|----------------|--------------|
| 7546 C | |
| GSO-121 | 47.59 |
| GSO-TW | 25.75 |
| GSO-230 | 26.66 |

| Starting Point | Formula |
|----------------|--------------|
| 7547 C | |
| GSO-SB | 59.82 |
| GSO-165 | 30.85 |
| GSO-TW | 9.33 |