

【全国】(猫) 2021年度

| 菌名 | ペニシリン系 | | | セファロスポリン系 | | | カルバペネム系 | フルオロキノロン系 | | マクロライド系 | | テトラサイクリン系 | | アミノグリコシド系 | | その他 | | | | | 株数 |
|---|--------|------|----------|-----------|------|------|---------|-----------|------|---------|-----|-----------|------|-----------|------|-----|------|------|------|------|------|
| | ABPC | AMPC | CVA/AMPC | CEZ | CEX | CFV | IPM/CS | ERFX | OBFX | EM | AZM | MINO | DOXY | GM | AMK | CP | CLDM | FOM | ST | VCM | |
| <i>Staphylococcus pseudintermedius</i> | 54% | 69% | 100% | 100% | 100% | 100% | 100% | 24% | 31% | 18% | 21% | 83% | 70% | 32% | 100% | 39% | 22% | 94% | 22% | 100% | 66 |
| <i>Staphylococcus pseudintermedius</i> (MRSP) | R | R | R | R | R | R | R | 0% | 1% | 4% | 0% | 88% | 62% | 6% | 100% | 29% | 6% | 74% | 47% | 100% | 163 |
| <i>Enterococcus faecalis</i> (腸球菌) | 100% | 100% | 100% | R | R | R | 100% | 45% | 31% | 54% | 17% | 34% | 35% | R | R | 79% | R | 44% | 0% | 100% | 225 |
| <i>Enterococcus faecium</i> (腸球菌) | R | R | R | R | R | R | 4% | 7% | 4% | 41% | 0% | 48% | 52% | R | R | 97% | R | 15% | 0% | 100% | 98 |
| <i>Streptococcus canis</i> | 100% | 100% | 99% | 100% | 100% | 100% | 100% | 84% | 83% | 65% | 63% | 86% | 88% | R | R | 98% | 73% | 100% | 100% | 100% | 97 |
| <i>Escherichia coli</i> | 36% | 51% | 75% | 85% | 72% | 89% | 100% | 80% | 80% | R | R | 90% | 81% | 93% | 100% | 94% | R | 96% | 88% | R | 452 |
| <i>Escherichia coli</i> (ESBL産生) | R | R | 43% | R | R | R | 100% | 15% | 13% | R | R | 90% | 60% | 64% | 93% | 94% | R | 88% | 60% | R | 144 |
| <i>Klebsiella pneumoniae</i> (肺炎桿菌) | R | R | 81% | 100% | 89% | 93% | 100% | 77% | 85% | R | R | 82% | 69% | 100% | 100% | 91% | R | 0% | 82% | R | 21 |
| <i>Klebsiella pneumoniae</i> (肺炎桿菌、ESBL産生) | R | R | 16% | R | R | R | 100% | 4% | 3% | R | R | 44% | 14% | 27% | 100% | 77% | R | 0% | 8% | R | 68 |
| <i>Proteus mirabilis</i> | 75% | 73% | 92% | 100% | 47% | 88% | 100% | 91% | 81% | R | R | R | R | 100% | 100% | 76% | R | 42% | 85% | R | 28 |
| <i>Pseudomonas aeruginosa</i> (緑膿菌) | R | R | R | R | R | R | 97% | 48% | 51% | R | R | R | R | 93% | 98% | R | R | 31% | R | R | 245 |
| | | | | | | | | | | | | | | | | | | | | | 1607 |

| | |
|---------------------------------------|-------|
| <i>S. pseudintermedius</i> メチシリン耐性率 | 71.2% |
| <i>E.coli</i> ESBL 産生率 | 24.2% |
| <i>Klebsiella pneumoniae</i> ESBL 産生率 | 76.4% |

~80%未満
 ~90%未満
 90%~100%

R 自然耐性を含む
 ND データなし

感受性判定基準：CLSI M100-S26

集計対象：2021年度に、富士フイルムVETシステムズ(株)にて検査した、猫検体。

※ 検出菌、および薬剤の種類によってはn数が少ないものもございますので、ご注意ください。