



15.09.21

Declaration of conformity (CE)

We, FUJIFILM Recording Media GmbH at Fujistr.1, 47533 Kleve, Germany declare under our own responsibility that the product:

LTO Ultrium 1 DATA CARTRIDGE

to which this declaration refers conforms with the relevant standards or other standardizing documents:

Standard	Description
EN 62368-1:2014/A11:2017	Information technology equipment – Safety –
	Part 1: General requirements
EN 301 489-1 V2.2.3:2019	Electromagnetic compatibility and Radio spectrum Matters
	(ERM); ElectroMagnetic Compatibility (EMC) standard for radio
	equipment and services;
	Part 1: Common technical requirements
EN 301 489-3 V2.1.1:2019	Electromagnetic compatibility and Radio spectrum Matters
	(ERM); ElectroMagnetic Compatibility (EMC) standard for radio
	equipment and services;
	Part 3: Specific conditions for Short-Range Devices (SRD)
	operating on frequencies between 9 kHz and 246 GHz
EN 300 330 V2.1.1:2017	Short Range Devices (SRD); Radio equipment in the frequency
	range 9 kHz to 25 MHz and inductive loop systems in the
	frequency range 9 kHz to 30 MHz; Harmonised Standard
	covering the essential requirements of article 3.2 of Directive
	20 <mark>14/53/EU</mark>
EN 50364:2010	Limitation of human exposure to electromagnetic fields from
	devices operating in the frequency range 0 Hz to 300 GHz, used
	in Electronic Article Surveillance (EAS), Radio Frequency
	Identification (RFID) and similar applications
EN 63000:2018	RoHS2 Directive : 2011/65/EU + (EU) 2015/863

according to the regulations as below

- Radio Equipment Directive 2014/53/EU
- Restriction of the Use of certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) Directive

Kleve, 15th May 2021

Wolfgang May Managing Director FUJIFILM Recording Media GmbH





15.09.21

Declaration of conformity (CE)

We, FUJIFILM Recording Media GmbH at Fujistr.1, 47533 Kleve, Germany declare under our own responsibility that the product:

LTO Ultrium 2 DATA CARTRIDGE

to which this declaration refers conforms with the relevant standards or other standardizing documents:

Standard	Description
EN 62368-1:2014/A11:2017	Information technology equipment – Safety –
	Part 1: General requirements
EN 301 489-1 V2.2.3:2019	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services;
	Part 1: Common technical requirements
EN 301 489-3 V2.1.1:2019	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services;
	Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz
EN 300 330 V2.1.1:2017	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU
EN 50364:2010	Limitation of human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN 63000:2018	RoHS2 Directive : 2011/65/EU + (EU) 2015/863

according to the regulations as below

- Radio Equipment Directive 2014/53/EU
- Restriction of the Use of certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) Directive

Kleve, 15th May 2021

Wolfgang May Managing Director FUJIFILM Recording Media GmbH





15.09.21

Declaration of conformity (CE)

We, FUJIFILM Recording Media GmbH at Fujistr.1, 47533 Kleve, Germany declare under our own responsibility that the product:

LTO Ultrium 3 DATA/WORM CARTRIDGE

to which this declaration refers conforms with the relevant standards or other standardizing documents:

Standard	Description
EN 62368-1:2014/A11:2017	Information technology equipment – Safety –
	Part 1: General requirements
EN 301 489-1 V2.2.3:2019	Electromagnetic compatibility and Radio spectrum Matters
	(ERM); ElectroMagnetic Compatibility (EMC) standard for radio
	equipment and services;
	Part 1: Common technical requirements
EN 301 489-3 V2.1.1:2019	Electromagnetic compatibility and Radio spectrum Matters
	(ERM); ElectroMagnetic Compatibility (EMC) standard for radio
	equipment and services;
	Part 3: Specific conditions for Short-Range Devices (SRD)
	operating on frequencies between 9 kHz and 246 GHz
EN 300 330 V2.1.1:2017	Short Range Devices (SRD); Radio equipment in the frequency
	range 9 kHz to 25 MHz and inductive loop systems in the
	frequency range 9 kHz to 30 MHz; Harmonised Standard
	covering the essential requirements of article 3.2 of Directive
	20 <mark>14/53/</mark> EU
EN 50364:2010	Limitation of human exposure to electromagnetic fields from
	devices operating in the frequency range 0 Hz to 300 GHz, used
	in Electronic Article Surveillance (EAS), Radio Frequency
	Identification (RFID) and similar applications
EN 63000:2018	RoHS2 Directive : 2011/65/EU + (EU) 2015/863

according to the regulations as below

- Radio Equipment Directive 2014/53/EU
- Restriction of the Use of certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) Directive

Kleve, 15th May 2021

Wolfgang May Managing Director FUJIFILM Recording Media GmbH





15.09.21

Declaration of conformity (CE)

We, FUJIFILM Recording Media GmbH at Fujistr.1, 47533 Kleve, Germany declare under our own responsibility that the product:

LTO Ultrium 4 DATA/WORM CARTRIDGE

to which this declaration refers conforms with the relevant standards or other standardizing documents:

Standard	Description
EN 62368-1:2014/A11:2017	Information technology equipment – Safety –
	Part 1: General requirements
EN 301 489-1 V2.2.3:2019	Electromagnetic compatibility and Radio spectrum Matters
	(ERM); ElectroMagnetic Compatibility (EMC) standard for radio
	equipment and services;
	Part 1: Common technical requirements
EN 301 489-3 V2.1.1:2019	Electromagnetic compatibility and Radio spectrum Matters
	(ERM); ElectroMagnetic Compatibility (EMC) standard for radio
	equipment and services;
	Part 3: Specific conditions for Short-Range Devices (SRD)
	operating on frequencies between 9 kHz and 246 GHz
EN 300 330 V2.1.1:2017	Short Range Devices (SRD); Radio equipment in the frequency
	range 9 kHz to 25 MHz and inductive loop systems in the
	frequency range 9 kHz to 30 MHz; Harmonised Standard
	covering the essential requirements of article 3.2 of Directive
	20 <mark>14/53/EU</mark>
EN 50364:2010	Limitation of human exposure to electromagnetic fields from
	d <mark>evices</mark> ope <mark>rating in the</mark> frequency range 0 Hz to 300 GHz, used
	in Electronic Article Surveillance (EAS), Radio Frequency
	Identification (RFID) and similar applications
EN 63000:2018	RoHS2 Directive : 2011/65/EU + (EU) 2015/863

according to the regulations as below

- Radio Equipment Directive 2014/53/EU
- Restriction of the Use of certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) Directive

Kleve, 15th May 2021

Wolfgang May Managing Director FUJIFILM Recording Media GmbH





15.09.21

Declaration of conformity (CE)

We, FUJIFILM Recording Media GmbH at Fujistr.1, 47533 Kleve, Germany declare under our own responsibility that the product:

LTO Ultrium 5 DATA/WORM CARTRIDGE

to which this declaration refers conforms with the relevant standards or other standardizing documents:

Standard	Description
EN 62368-1:2014/A11:2017	Information technology equipment – Safety –
	Part 1: General requirements
EN 301 489-1 V2.2.3:2019	Electromagnetic compatibility and Radio spectrum Matters
	(ERM); ElectroMagnetic Compatibility (EMC) standard for radio
	equipment and services;
	Part 1: Common technical requirements
EN 301 489-3 V2.1.1:2019	Electromagnetic compatibility and Radio spectrum Matters
	(ERM); ElectroMagnetic Compatibility (EMC) standard for radio
	equipment and services;
	Part 3: Specific conditions for Short-Range Devices (SRD)
	operating on frequencies between 9 kHz and 246 GHz
EN 300 330 V2.1.1:2017	Short Range Devices (SRD); Radio equipment in the frequency
	range 9 kHz to 25 MHz and inductive loop systems in the
	frequency range 9 kHz to 30 MHz; Harmonised Standard
	covering the essential requirements of article 3.2 of Directive
	20 <mark>14/53/E</mark> U
EN 50364:2010	Limitation of human exposure to electromagnetic fields from
	devices operating in the frequency range 0 Hz to 300 GHz, used
	in Electronic Article Surveillance (EAS), Radio Frequency
	Identification (RFID) and similar applications
EN 63000:2018	RoHS2 Directive : 2011/65/EU + (EU) 2015/863

according to the regulations as below

- Radio Equipment Directive 2014/53/EU
- Restriction of the Use of certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) Directive

Kleve, 15th May 2021

Wolfgang May Managing Director FUJIFILM Recording Media GmbH





15.09.21

Declaration of conformity (CE)

We, FUJIFILM Recording Media GmbH at Fujistr.1, 47533 Kleve, Germany declare under our own responsibility that the product:

LTO Ultrium 6 DATA/WORM CARTRIDGE

to which this declaration refers conforms with the relevant standards or other standardizing documents:

Standard	Description
EN 62368-1:2014/A11:2017	Information technology equipment – Safety –
	Part 1: General requirements
EN 301 489-1 V2.2.3:2019	Electromagnetic compatibility and Radio spectrum Matters
	(ERM); ElectroMagnetic Compatibility (EMC) standard for radio
	equipment and services;
	Part 1: Common technical requirements
EN 301 489-3 V2.1.1:2019	Electromagnetic compatibility and Radio spectrum Matters
	(ERM); ElectroMagnetic Compatibility (EMC) standard for radio
	equipment and services;
	Part 3: Specific conditions for Short-Range Devices (SRD)
	operating on frequencies between 9 kHz and 246 GHz
EN 300 330 V2.1.1:2017	Short Range Devices (SRD); Radio equipment in the frequency
	range 9 kHz to 25 MHz and inductive loop systems in the
	frequency range 9 kHz to 30 MHz; Harmonised Standard
	covering the essential requirements of article 3.2 of Directive
	20 <mark>14/53/EU</mark>
EN 50364:2010	Limitation of human exposure to electromagnetic fields from
	devices operating in the frequency range 0 Hz to 300 GHz, used
	in Electronic Article Surveillance (EAS), Radio Frequency
	Identification (RFID) and similar applications
EN 63000:2018	RoHS2 Directive : 2011/65/EU + (EU) 2015/863

according to the regulations as below

- Radio Equipment Directive 2014/53/EU
- Restriction of the Use of certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) Directive

Kleve, 15th May 2021

Wolfgang May Managing Director FUJIFILM Recording Media GmbH





15.09.21

Declaration of conformity (CE)

We, FUJIFILM Recording Media GmbH at Fujistr.1, 47533 Kleve, Germany declare under our own responsibility that the product:

LTO Ultrium 7 DATA/WORM CARTRIDGE

to which this declaration refers conforms with the relevant standards or other standardizing documents:

Standard	Description
EN 62368-1:2014/A11:2017	Information technology equipment – Safety –
	Part 1: General requirements
EN 301 489-1 V2.2.3:2019	Electromagnetic compatibility and Radio spectrum Matters
	(ERM); ElectroMagnetic Compatibility (EMC) standard for radio
	equipment and services;
	Part 1: Common technical requirements
EN 301 489-3 V2.1.1:2019	Electromagnetic compatibility and Radio spectrum Matters
	(ERM); ElectroMagnetic Compatibility (EMC) standard for radio
	equipment and services;
	Part 3: Specific conditions for Short-Range Devices (SRD)
	operating on frequencies between 9 kHz and 246 GHz
EN 300 330 V2.1.1:2017	Short Range Devices (SRD); Radio equipment in the frequency
	range 9 kHz to 25 MHz and inductive loop systems in the
	frequency range 9 kHz to 30 MHz; Harmonised Standard
	covering the essential requirements of article 3.2 of Directive
	20 <mark>14/53/</mark> EU
EN 50364:2010	Limitation of human exposure to electromagnetic fields from
	devices operating in the frequency range 0 Hz to 300 GHz, used
	in Electronic Article Surveillance (EAS), Radio Frequency
	Identification (RFID) and similar applications
EN 63000:2018	RoHS2 Directive : 2011/65/EU + (EU) 2015/863

according to the regulations as below

- Radio Equipment Directive 2014/53/EU
- Restriction of the Use of certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) Directive

Kleve, 15th May 2021

Wolfgang May Managing Director FUJIFILM Recording Media GmbH





15.09.21

Declaration of conformity (CE)

We, FUJIFILM Recording Media GmbH at Fujistr.1, 47533 Kleve, Germany declare under our own responsibility that the product:

LTO Ultrium 8 DATA/WORM CARTRIDGE

to which this declaration refers conforms with the relevant standards or other standardizing documents:

Standard	Description
EN 62368-1:2014/A11:2017	Information technology equipment – Safety –
	Part 1: General requirements
EN 301 489-1 V2.2.3:2019	Electromagnetic compatibility and Radio spectrum Matters
	(ERM); ElectroMagnetic Compatibility (EMC) standard for radio
	equipment and services;
	Part 1: Common technical requirements
EN 301 489-3 V2.1.1:2019	Electromagnetic compatibility and Radio spectrum Matters
	(ERM); ElectroMagnetic Compatibility (EMC) standard for radio
	equipment and services;
	Part 3: Specific conditions for Short-Range Devices (SRD)
	operating on frequencies between 9 kHz and 246 GHz
EN 300 330 V2.1.1:2017	Short Range Devices (SRD); Radio equipment in the frequency
	range 9 kHz to 25 MHz and inductive loop systems in the
	frequency range 9 kHz to 30 MHz; Harmonised Standard
	covering the essential requirements of article 3.2 of Directive
	20 <mark>14/53/EU</mark>
EN 50364:2010	Limitation of human exposure to electromagnetic fields from
	devices operating in the frequency range 0 Hz to 300 GHz, used
	in Electronic Article Surveillance (EAS), Radio Frequency
	Identification (RFID) and similar applications
EN 63000:2018	RoHS2 Directive : 2011/65/EU + (EU) 2015/863

according to the regulations as below

- Radio Equipment Directive 2014/53/EU
- Restriction of the Use of certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) Directive

Kleve, 15th May 2021

Wolfgang May Managing Director FUJIFILM Recording Media GmbH





15.09.21

Declaration of conformity (CE)

We, FUJIFILM Recording Media GmbH at Fujistr.1, 47533 Kleve, Germany declare under our own responsibility that the product:

LTO Ultrium 9 DATA/WORM CARTRIDGE

to which this declaration refers conforms with the relevant standards or other standardizing documents:

Standard	Description
EN 62368-1:2014/A11:2017	Information technology equipment – Safety –
	Part 1: General requirements
EN 301 489-1 V2.2.3:2019	Electromagnetic compatibility and Radio spectrum Matters
	(ERM); ElectroMagnetic Compatibility (EMC) standard for radio
	equipment and services;
	Part 1: Common technical requirements
EN 301 489-3 V2.1.1:2019	Electromagnetic compatibility and Radio spectrum Matters
	(ERM); ElectroMagnetic Compatibility (EMC) standard for radio
	equipment and services;
	Part 3: Specific conditions for Short-Range Devices (SRD)
	operating on frequencies between 9 kHz and 246 GHz
EN 300 330 V2.1.1:2017	Short Range Devices (SRD); Radio equipment in the frequency
	range 9 kHz to 25 MHz and inductive loop systems in the
	frequency range 9 kHz to 30 MHz; Harmonised Standard
	covering the essential requirements of article 3.2 of Directive
	20 <mark>14/53/</mark> EU
EN 50364:2010	Limitation of human exposure to electromagnetic fields from
	devices operating in the frequency range 0 Hz to 300 GHz, used
	in Electronic Article Surveillance (EAS), Radio Frequency
	Identification (RFID) and similar applications
EN 63000:2018	RoHS2 Directive : 2011/65/EU + (EU) 2015/863

according to the regulations as below

- Radio Equipment Directive 2014/53/EU
- Restriction of the Use of certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) Directive

Kleve, 15th May 2021

Wolfgang May Managing Director FUJIFILM Recording Media GmbH





15.09.21

Declaration of conformity (CE)

We, FUJIFILM Recording Media GmbH at Fujistr.1, 47533 Kleve, Germany declare under our own responsibility that the product:

LTO Ultrium Universal Cleaning Cartridge

to which this declaration refers conforms with the relevant standards or other standardizing documents:

Standard	Description
EN 62368-1:2014/A11:2017	Information technology equipment – Safety –
	Part 1: General requirements
EN 301 489-1 V2.2.3:2019	Electromagnetic compatibility and Radio spectrum Matters
	(ERM); ElectroMagnetic Compatibility (EMC) standard for radio
	equipment and services;
	Part 1: Common technical requirements
EN 301 489-3 V2.1.1:2019	Electromagnetic compatibility and Radio spectrum Matters
	(ERM); ElectroMagnetic Compatibility (EMC) standard for radio
	equipment and services;
	Part 3: Specific conditions for Short-Range Devices (SRD)
	operating on frequencies between 9 kHz and 246 GHz
EN 300 330 V2.1.1:2017	Short Range Devices (SRD); Radio equipment in the frequency
	range 9 kHz to 25 MHz and inductive loop systems in the
	frequency range 9 kHz to 30 MHz; Harmonised Standard
	covering the essential requirements of article 3.2 of Directive
	20 <mark>14/53/EU</mark>
EN 50364:2010	Limitation of human exposure to electromagnetic fields from
	devices operating in the frequency range 0 Hz to 300 GHz, used
	in Electronic Article Surveillance (EAS), Radio Frequency
	Identification (RFID) and similar applications
EN 63000:2018	RoHS2 Directive : 2011/65/EU + (EU) 2015/863

according to the regulations as below

- Radio Equipment Directive 2014/53/EU
- Restriction of the Use of certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) Directive

Kleve, 15th May 2021

Wolfgang May Managing Director FUJIFILM Recording Media GmbH





15.09.21

Declaration of conformity (CE)

We, FUJIFILM Recording Media GmbH at Fujistr.1, 47533 Kleve, Germany declare under our own responsibility that the product:

- 3592 DATA CARTRIDGE
- 3592 WORM CARTRIDGE
- 3592 ECONOMY CARTRIDGE
- 3592 ECONOMY WORM CARTRIDGE
- 3592 CLEANING TAPE CARTRIDGE

to which this declaration refers conforms with the relevant standards or other standardizing documents:

Standard	Description
EN 62368-1:2014/A11:2017	Information technology equipment – Safety –
	Part 1: General requirements
EN 301 489-1 V2.2.3:2019	Electromagnetic compatibility and Radio spectrum Matters
	(ERM); ElectroMagnetic Compatibility (EMC) standard for radio
	equipment and services;
	Part 1: Common technical requirements
EN 301 489-3 V2.1.1:2019	Electromagnetic compatibility and Radio spectrum Matters
	(ERM); ElectroMagnetic Compatibility (EMC) standard for radio
	equipment and services;
	Part 3: Specific conditions for Short-Range Devices (SRD)
	ope <mark>rating o</mark> n frequencies between 9 kHz and 246 GHz
EN 300 330 V2.1.1:2017	Short Range Devices (SRD); Radio equipment in the frequency
	range 9 kHz to 25 MHz and inductive loop systems in the
	frequency range 9 kHz to 30 MHz; Harmonised Standard
	covering the essential requirements of article 3.2 of Directive
	2014/53/EU
EN 50364:2010	Limitation of human exposure to electromagnetic fields from
	devices operating in the frequency range 0 Hz to 300 GHz, used
	in Electronic Article Surveillance (EAS), Radio Frequency
	Identification (RFID) and similar applications
EN 63000:2018	RoHS2 Directive : 2011/65/EU + (EU) 2015/863

according to the regulations as below

- Radio Equipment Directive 2014/53/EU
- Restriction of the Use of certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) Directive

Kleve, 15th May 2021

Wolfgang May Managing Director FUJIFILM Recording Media GmbH

Registergericht: Amtsgericht Kleve HRB 935

Geschäftsführer: Wolfgang May, Toshihisa Iida, Hironobu Taketomi